



SUPPLEMENT CATALOGUE

◆ SPRING 26 ◆



Welcome to the Elstead Lighting Spring 2026 Supplement.

Elstead Lighting are delighted to preview another 98 products for this Spring 2026 Supplement.

We continue to introduce some retro and modern styled products, along with some modern LED products. Bathroom and outdoor remain to be strong categories for Elstead thanks to our USA partnerships who are well represented in this supplement.

SECTION GUIDE

-  INTERIOR..... Pages 4 - 39
-  BATHROOM..... Pages 40 - 51
-  EXTERIOR..... Pages 52 - 65
-  FANS..... Pages 66 - 71





A - Z Index

A		I		P	
ABERDEEN	33	INGLENOOK	31	PILOTE	70, 71
ARDEN	25, 27	ISSA	11, 51	POPPY	39
ARIEL	7	K		PRATT	61
ARLEN	55	KAI	21	R	
AVIATEUR	67, 68, 69	KIERAN	29	REPUBLIC	57
B		L		RIPLEY	59
BRAY	29	LAROUSSE	15, 16	RIVEN	9
BRIANNA	37	M		S	
C		MARANT	49	SABINA	34, 35
CASSIUS	13	MATHUS	63	SAYLOR	43
CROSBY	19	MERCER	30	SENTRY	31
E		MONTE	53	SERCA	17
ELIN	45	MOUNT VERNON	64, 65	V	
ETCHER	23	O		VETIVENE	47
G		OTIS	7		
GEORGETTE	41				

INTERIOR

Discover statement lighting that transforms any interior. Our latest collection introduces contemporary chandeliers, wall lights, and pendants that strike the perfect balance between modern appeal and enduring sophistication. Many of the designs deliver fresh, playful design with an elegant pieces that feel current today yet remain timeless for years to come. Natural materials like rope and rattan bring warmth and texture, offering on-trend style at accessible price points. Brass continues to lead as our most sought-after metallic finish, beautifully complemented by classic black or white accents that create versatile combinations for any interior scheme.



RIVEN
KL-RIVEN-LED-LP-122-CPZ
Page 9



LAROUSSE
KL-LAROUSSE-LED-L-BKB
Page 15



KAI
ALM-KAI-F-BG
Page 21



KL-RIVEN-LED-MP-CPZ (see page 9)



ALM-ARIEL-1WB-MB-OP



ALM-OTIS-F-MB-OP

These flush mounts are IP44 rated, suitable for bathrooms.



ALM-OTIS-F-BG-OP



ALM-ARIEL-1WB-MB-OP



ALM-ARIEL-1WB-BG-OP

Code	Description	Height	Width	Projection	Finish	Max. Wattage
ALM-OTIS-F-BG-OP	1 lt Flush	248mm	200mm	-	Brushed Gold	1 x 40W E27
ALM-OTIS-F-MB-OP	1 lt Flush	248mm	200mm	-	Matte Black	1 x 40W E27
ALM-ARIEL-1WB-BG-OP	1 lt Wall Light	320mm	142mm	121mm	Brushed Gold	1 x 40W E27 (golfball)
ALM-ARIEL-1WB-MB-OP	1 lt Wall Light	320mm	142mm	121mm	Matte Black	1 x 40W E27 (golfball)



KL-RIVEN-LED-LP-122-CPZ



KL-RIVEN-LED-LP-122-CPZ
(Shown as semi-flush light)



KL-RIVEN-LED-MP-CPZ



KL-RIVEN-LED-LP-122-CPZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Depth	Finish	Max. Wattage
KL-RIVEN-LED-LP-122-CPZ	LED Linear Pendant	238mm	1222mm	320mm	1238mm*	200mm	Champagne Bronze	43.5W Integrated LED, 3050Lm, 3000K, Dimmable
KL-RIVEN-LED-MP-CPZ	LED Pendant	389mm	127mm	469mm	1391mm*	-	Champagne Bronze	14.5W Integrated LED, 835Lm, 3000K, Dimmable

* Supplied with: 2 x 152mm, 2 x 305mm of rods.



ALM-ISSA-P-M-BG



ALM-ISSA-1WB-BG



ALM-ISSA-P-M-BG



ALM-ISSA-TL-BG




ALM-ISSA-FL-BG

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
ALM-ISSA-1WB-BG	1 lt LED Wall Light	197mm	142mm	-	-	142mm	Brushed Gold	10.5W Integrated LED, 460Lm, 3000K, Dimmable
ALM-ISSA-TL-BG	1 lt Table Lamp	680mm	216mm	-	-	-	Brushed Gold, Ivory Linen	1 x 60W E27
ALM-ISSA-FL-BG	1 lt Floor Lamp	1556mm	356mm	-	-	-	Brushed Gold, Ivory Linen	1 x 60W E27
ALM-ISSA-P-M-BG	LED Medium Pendant	133mm	305mm	229mm	1994mm*	-	Brushed Gold	20W Integrated LED, 1548Lm, 3000K, Dimmable


* Supplied with: 1829mm of wire.



KL-CASSIUS-8P-CPZ



KL-CASSIUS-4P-CPZ




KL-CASSIUS-8P-CPZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
KL-CASSIUS-4P-CPZ	4 Lt Pendant	502mm	1003mm	602mm	1422mm*1	133mm	Champagne Bronze	4 x 3W G9*2
KL-CASSIUS-8P-CPZ	8 Lt Pendant	794mm	1334mm	773mm	1543mm*1	673mm	Champagne Bronze	8 x 3W G9*2

*1 Supplied with: 2 x 152mm, 2 x 305mm of rods. *2 Supplied with: 3W LED G9 bulb(s)= 300Lm each. 3000K.



KL-LAROUSSE-LED-L-BKB



KL-LAROUSSE-LED-M-BKB



KL-LAROUSSE-LED-L-BKB


Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage
KL-LAROUSSE-LED-M-BKB	LED Medium Pendant	95mm	748mm	345mm	2159mm*	Black & Champagne Bronze	70.5W Integrated LED, 1644 Lm, 3000K, Dimmable
KL-LAROUSSE-LED-L-BKB	LED Large Pendant	95mm	1003mm	495mm	2159mm*	Black & Champagne Bronze	103W Integrated LED, 1800 Lm, 3000K, Dimmable

* Supplied with: 3048mm of wire.

LAROUSSE

Materials: Steel
Finish: Champagne Bronze

KICHLER



KL-LAROUSSE-LED-M-CPZ



KL-LAROUSSE-LED-L-CPZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage
KL-LAROUSSE-LED-M-CPZ	LED Medium Pendant	95mm	748mm	345mm	2159mm*	Champagne Bronze	70.5W Integrated LED, 1644 Lm, 3000K, Dimmable
KL-LAROUSSE-LED-L-CPZ	LED Large Pendant	95mm	1003mm	495mm	2159mm*	Champagne Bronze	103W Integrated LED, 1800 Lm, 3000K, Dimmable

* Supplied with: 3048mm of wire.



KL-SERCA-F-M-BNB



KL-SERCA-F-L-BNB

Code	Description	Height	Width	Finish	Max. Wattage
KL-SERCA-F-M-BNB	2 lt Medium Flush	146mm	362mm	Brushed Natural Brass	2 x 40W E27
KL-SERCA-F-L-BNB	3 lt Large Flush	146mm	457mm	Brushed Natural Brass	3 x 40W E27



ALM-CROSBY-FL-BG



ALM-CROSBY-FL-BG



ALM-CROSBY-TL-BG



ALM-CROSBY-P-M-BG

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
ALM-CROSBY-TL-BG	1 Lt Table Lamp	699mm	457mm	-	-	-	Satin Cream & Brushed Gold	1 x 60W E27
ALM-CROSBY-P-M-BG	4 Lt Pendant	343mm	457mm	531mm	2210mm*	-	Satin Cream & Brushed Gold	4 x 40W E14
ALM-CROSBY-FL-BG	1 Lt Floor Lamp	1727mm	457mm	-	-	770mm	Satin Cream & Brushed Gold	1 x 60W E27

* Supplied with: 1829mm of cable.



ALM-KAI-P-S-BG



ALM-KAI-F-BG



ALM-KAI-2WU-BG



ALM-KAI-P-S-BG

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
ALM-KAI-F-BG	1 lt Flush	265mm	406mm	-	-	-	Brushed Gold & Rattan	1 x 60W E27
ALM-KAI-P-S-BG	1 lt Small Pendant	406mm	285mm	610mm	2335mm*	-	Brushed Gold & Rattan	1 x 60W E27
ALM-KAI-2WU-BG	2 lt Wall Light	246mm	350mm	-	-	178mm	Brushed Gold & Rattan	2 x 40W E14

* Supplied with: 1829mm of chain.



KL-ETCHER-P-L-BKB



KL-ETCHER-P-M-BKB



KL-ETCHER-P-M-CPZ



KL-ETCHER-P-L-BKB



KL-ETCHER-P-L-CPZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage
KL-ETCHER-P-M-BKB	1 lt Medium Pendant	432mm	330mm	532mm	2355mm*	Black & Champagne Bronze	1 x 60W E27
KL-ETCHER-P-M-CPZ	1 lt Medium Pendant	432mm	330mm	532mm	2355mm*	Champagne Bronze	1 x 60W E27
KL-ETCHER-P-L-BKB	2 lt Large Pendant	572mm	457mm	672mm	2502mm*	Black & Champagne Bronze	2 x 60W E27
KL-ETCHER-P-L-CPZ	2 lt Large Pendant	572mm	457mm	672mm	2502mm*	Champagne Bronze	2 x 60W E27

* Supplied with: 1829mm of chain.




ALM-ARDEN-LED-MP-MB



ALM-ARDEN-LED-2WB-MB



ALM-ARDEN-LED-1WB-MB



ALM-ARDEN-LED-MP-MB

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage
ALM-ARDEN-LED-MP-MB	LED Mini Pendant	241mm	152mm	423mm	2101mm*	Matte Black, Walnut Wood Veneer	6.5W Integrated LED, 383 Lm, 3000K, Dimmable
ALM-ARDEN-LED-1WB-MB	1 lt LED Wall Light	356mm	152mm	-	-	Matte Black, Walnut Wood Veneer	6.5W Integrated LED, 331 Lm, 3000K, Dimmable
ALM-ARDEN-LED-2WB-MB	2 lt LED Wall Light	572mm	152mm	-	-	Matte Black, Walnut Wood Veneer	13W Integrated LED, 736 Lm, 3000K, Dimmable

* Supplied with: 1829mm of wire.



ALM-ARDEN-LED-2WB-BG



ALM-ARDEN-LED-2WB-BG



ALM-ARDEN-LED-1WB-BG



ALM-ARDEN-LED-MP-BG

Code	Description	Height	Width	Min. Drop	Max. Drop	Depth	Finish	Max. Wattage
ALM-ARDEN-LED-MP-BG	LED Mini Pendant	241mm	152mm	423mm	2101mm*	-	Brushed Gold	6.5W Integrated LED, 383 Lm, 3000K, Dimmable
ALM-ARDEN-LED-1WB-BG	1 lt LED Wall Light	356mm	152mm	-	-	178mm	Brushed Gold	6.5W Integrated LED, 331 Lm, 3000K, Dimmable
ALM-ARDEN-LED-2WB-BG	2 lt LED Wall Light	572mm	152mm	-	-	178mm	Brushed Gold	13W Integrated LED, 736 Lm, 3000K, Dimmable

* Supplied with: 1829mm of wire.



HK-KIERAN-LED-SF-BK-LCB



HK-KIERAN-LED-SF-BK-LCB



HK-KIERAN-LED-SF-LCB

CCT - Variable LED colour temperature switch



HK-BRAY-1WB-BK



HK-BRAY-1WB-LCB

Tiltable and Rotatable arm

Twist On/Off Switch

Code	Description	Height	Width	Projection	Finish	Max. Wattage
HK-KIERAN-LED-SF-BK-LCB	LED Semi-Flush	222mm	362mm	-	Black & Brass	32W Integrated LED, 1900 Lm, CCT *
HK-KIERAN-LED-SF-LCB	LED Semi-Flush	222mm	362mm	-	Lacquered Brass	32W Integrated LED, 1900 Lm, CCT*
HK-BRAY-1WB-BK	1 lt Wall Light	425mm	140mm	470mm	Black	1 x 60W E27
HK-BRAY-1WB-LCB	1 lt Wall Light	425mm	140mm	470mm	Lacquered Brass	1 x 60W E27

* Variable LED Colour Temperature Settings: 2700K, 3000K, 3500K, 4000K, 5000K.

MERCER

Materials: Steel, Etched Opal Glass
Finish: Matte Black or Heritage Brass

HINKLEY



HK-MERCER-S-BK



HK-MERCER-S-HB

Code	Description	Height	Width	Projection	Finish	Max. Wattage
HK-MERCER-S-BK	1 lt Small Wall Light	170mm	170mm	98mm	Matte Black	1 x 40W E14
HK-MERCER-S-HB	1 lt Small Wall Light	170mm	170mm	98mm	Heritage Brass	1 x 40W E14



QZ-SENTRY-2SF-BK



QZ-INGLENOOK-TL-S
(Supplied with EU plug)

For UK plug order
QZ-INGLENOOK-TL-S-UK

Code	Description	Height	Width	Finish	Max. Wattage
QZ-INGLENOOK-TL-S	1 lt Small Table Lamp - EU plug	365mm	203mm	Valiant Bronze & Art Glass	1 x 40W E14
QZ-INGLENOOK-TL-S-UK	1 lt Small Table Lamp - UK plug	365mm	203mm	Valiant Bronze & Art Glass	1 x 40W E14
QZ-SENTRY-2SF-BK	2 lt Semi-Flush	165mm	356mm	Black & Art Glass	2 x 40W E27



KL-ABERDEEN-3P-OZ



KL-ABERDEEN-3P-OZ

KL-ABERDEEN6-OZ

Code	Description	Height	Width	Min. Drop	Max. Drop	Depth	Finish	Max. Wattage
KL-ABERDEEN6-OZ	6 Lt Chandelier	660mm	711mm	760mm	2540mm*1	-	Distressed Grey Wood Effect & Old Bronze	6 x 40W E14
KL-ABERDEEN-3P-OZ	3 Lt Island Chandelier	248mm	1061mm	498mm	1219mm*2	203mm	Distressed Grey Wood Effect & Old Bronze	3 x 60W E27


*1 Supplied with: 1829mm of chain. *2 Supplied with: 2 x 152mm, 4 x 305mm of rods.

SABINA

Materials: Steel, Polycotton Shade
Finish: Black with off-white shades



HINKLEY



HK-SABINA-4F-BK



HK-SABINA-3F-BK



HK-SABINA2-BK



HK-SABINA-3P-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
HK-SABINA2-BK	2 lt Wall Light	424mm	330mm	-	-	140mm	Black with off-white shades	2 x 40W E14
HK-SABINA-4F-BK	4 lt Large Flush	176mm	570mm	-	-	-	Black with off-white shades	4 x 60W E27
HK-SABINA-3F-BK	3 lt Flush	178mm	379mm	-	-	-	Black with off-white shades	3 x 60W E27
HK-SABINA-3P-BK	3 lt Pendant	332mm	379mm	470mm	1370mm*	-	Black with off-white shades	3 x 60W E27

* Supplied with: 2 x 150mm, 2 x 300mm rods. (Replacement shade for 2lt: Code: LSUK112)



HK-SABINA-4P-BK



HK-SABINA5-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage
HK-SABINA-4P-BK	4 Lt Pendant	149mm	570mm	290mm	1190mm*1	Black with off-white shades	4 x 60W E27
HK-SABINA5-BK	5 Lt Chandelier	395mm	717mm	610mm	2510mm*2	Black with off-white shades	5 x 40W E14

*1 Supplied with: 2 x 150mm, 2 x 300mm rods. *2 Supplied with: 2000mm of chain. (Replacement shade for 5lt: Code: LSUK112)



FE-BRIANNA6-BK



FE-BRIANNA6-BK



FE-BRIANNA9-BK



FE-BRIANNA1-BK



FE-BRIANNA2-BK



Optional Shade for chandeliers.
Order: LS358

Code	Description	Height	Width	Min. Drop	Max. Drop	Projection	Finish	Max. Wattage
FE-BRIANNA1-BK	1 Lt Wall Light	359mm	102mm	-	-	143mm	Black	1 x 60W E14
FE-BRIANNA2-BK	2 Lt Wall Light	359mm	289mm	-	-	165mm	Black	2 x 60W E14
FE-BRIANNA6-BK	6 Lt Chandelier	531mm	610mm	572mm	1944mm*	-	Black	6 x 60W E14
FE-BRIANNA9-BK	9 Lt Chandelier	645mm	759mm	837mm	2057mm*	-	Black	9 x 60W E14

* Supplied with: 4 x 305mm, 1 x 152mm rods. NB. Linen Shades included on the 1 & 2 Lt Wall Lights.



ALM-POPPY-TL-M-PG



ALM-POPPY-TL-M-CB



ALM-POPPY-TL-S-CB-LV
(Rechargeable)



ALM-POPPY-TL-S-PG-LV
(Rechargeable)



ALM-POPPY-TL-M-PG

Code	Description	Height	Width	Finish	Max. Wattage
ALM-POPPY-TL-S-CB-LV	LED Rechargeable Small Table Lamp	270mm	232mm	Cerulean Light Blue	3W LV* Integrated LED, 112 Lm, 3000K, Dimmable
ALM-POPPY-TL-M-CB	LED Medium Table Lamp	352mm	305mm	Cerulean Light Blue	11.5 W Integrated LED, 761 Lm, 3000K, Dimmable
ALM-POPPY-TL-S-PG-LV	LED Rechargeable Small Table Lamp	270mm	232mm	Pine Green	3W LV *Integrated LED, 112 Lm, 3000K, Dimmable
ALM-POPPY-TL-M-PG	LED Medium Table Lamp	352mm	305mm	Pine Green	11.5 W Integrated LED, 761 Lm, 3000K, Dimmable

* LV= Low Voltage.

BATHROOM

This collection of IP44-rated lighting is purpose-built for bathroom use, yet the models are sophisticated enough to enhance any interior space. From spa-like sanctuaries to hallways, and beyond, these versatile fixtures bring both practical performance and contemporary style to residential and commercial projects alike.



ELIN

HK-ELIN-LED-WB2-LCB

Page 45



MARANT

KL-MARANT1-OPAL-PC

Page 49



ISSA

ALM-ISSA-3WB-BG

Page 51

IP44



HK-GEORGETTE-LED1-LCB



HK-GEORGETTE-LED1-LCB
(Fluted glass, end view)

These lights can be mounted horizontally




HK-GEORGETTE-LED2-LCB

Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
HK-GEORGETTE-LED1-LCB	LED Small Wall Light	356mm	133mm	102mm	Lacquered Brass	12W Integrated LED, 700 Lm, 3000K, Dimmable	IP44
HK-GEORGETTE-LED2-LCB	LED Medium Wall Light	133mm	610mm	102mm	Lacquered Brass	19W Integrated LED, 1175 Lm, 3000K, Dimmable	IP44



HK-SAYLOR-LED-S-HB

IP44



HK-SAYLOR-LED-S-HB



HK-SAYLOR-LED-S-BK

These lights can be mounted horizontally or vertically



HK-SAYLOR-LED-M-HB



HK-SAYLOR-LED-M-BK


Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
HK-SAYLOR-LED-S-HB	LED Small Wall Light	114mm	432mm	130mm	Heritage Brass	19W Integrated LED, 912 Lm, 3000K, Dimmable	IP44
HK-SAYLOR-LED-M-HB	LED Medium Wall Light	114mm	610mm	130mm	Heritage Brass	23.5W Integrated LED, 1220 Lm, 3000K, Dimmable	IP44
HK-SAYLOR-LED-S-BK	LED Small Wall Light	114mm	432mm	130mm	Matte Black	19W Integrated LED, 912 Lm, 3000K, Dimmable	IP44
HK-SAYLOR-LED-M-BK	LED Medium Wall Light	114mm	610mm	130mm	Matte Black	23.5W Integrated LED, 1220 Lm, 3000K, Dimmable	IP44



HK-ELIN-LCB

IP44

These lights can be mounted horizontally or vertically



HK-ELIN-LED-WB2-LCB



HK-ELIN-LED-WB2-PC

Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
HK-ELIN-LED-WB2-LCB	LED Wall Light	127mm	584mm	127mm	Lacquered Brass	19W Integrated LED, 1200 Lm, 3000K, Dimmable	IP44
HK-ELIN-LED-WB2-PC	LED Wall Light	127mm	584mm	127mm	Polished Chrome	19W Integrated LED, 1200 Lm, 3000K, Dimmable	IP44



KL-VETIVENE1-NBR

IP44



KL-VETIVENE1-NBR



KL-VETIVENE1-PC



KL-VETIVENE1-BK

These lights can be mounted facing up or down

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-VETIVENE1-NBR	1 lt Wall Light	305mm	127mm	159mm	Natural Brass	1 x 6W G9 LED*	IP44
KL-VETIVENE1-PC	1 lt Wall Light	305mm	127mm	159mm	Polished Chrome	1 x 6W G9 LED*	IP44
KL-VETIVENE1-BK	1 lt Wall Light	305mm	127mm	159mm	Black	1 x 6W G9 LED*	IP44

* Supplied with: 1 x 6W LED G9 bulb= 700 Lm. 3000K. Dimmable.



KL-MARANT1-OPAL-CPZ

IP44



KL-MARANT1-OPAL-CPZ



KL-MARANT1-CLR-CPZ



KL-MARANT1-OPAL-PC



KL-MARANT1-CLR-PC

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-MARANT1-OPAL-CPZ	1 lt Wall Light	237mm	127mm	166mm	Champagne Bronze	1 x 3W G9*	IP44
KL-MARANT1-CLR-CPZ	1 lt Wall Light	237mm	127mm	166mm	Champagne Bronze	1 x 3W G9*	IP44
KL-MARANT1-OPAL-PC	1 lt Wall Light	237mm	127mm	166mm	Polished Chrome	1 x 3W G9*	IP44
KL-MARANT1-CLR-PC	1 lt Wall Light	237mm	127mm	166mm	Polished Chrome	1 x 3W G9*	IP44

* Supplied with: 1 x 3W G9 bulb= 300 Lm. 3000K. Dimmable.



ALM-ISSA-3WB-BG

IP44



ALM-ISSA-1WB-BG



ALM-ISSA-3WB-BG

Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
ALM-ISSA-1WB-BG	1 lt LED Wall Light	197mm	142mm	178mm	Brushed Gold	10.5W Integrated LED, 460Lm, 3000K, Dimmable	IP44
ALM-ISSA-3WB-BG	3 lt LED Wall Light	140mm	521mm	174mm	Brushed Gold	20W Integrated LED, 1016Lm, 3000K, Dimmable	IP44

EXTERIOR

Illuminate your outdoor spaces with confidence and style. These new collections span contemporary, transitional, and traditional designs all IP44-rated for outdoor durability, with many versatile enough to transition seamlessly indoors. We've expanded our Weather Resistant Composite range with a new collection, engineered specifically for coastal environments where salt air and harsh conditions demand exceptional resilience. Whether you're lighting a seafront property or a sheltered garden, these fixtures deliver lasting performance without compromising on aesthetic appeal.



ARLEN
HK-ARLEN-P1-L-BK
Page 55



REPUBLIC
HK-REPUBLIC-M-BK
Page 57

IP44



HK-MONTE-F-BK



HK-MONTE-M-BK



HK-MONTE-L-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-MONTE-F-BK	2 lt Porch Ceiling Flush	159mm	305mm	305mm	Black	2 x 40W E27	IP44
HK-MONTE-M-BK	1 lt Medium Flush Wall	406mm	191mm	147mm	Black	1 x 60W E27	IP44
HK-MONTE-L-BK	1 lt Large Flush Wall	559mm	191mm	147mm	Black	1 x 60W E27	IP44



HK-ARLEN-P1-L-BK

IP44



HK-ARLEN-P2-L-BK

HK-ARLEN-P1-L-BK

Code	Description	Height	Width	Min. Drop	Max. Drop	Finish	Max. Wattage	IP Rating
HK-ARLEN-P1-L-BK	1 Lt Large Outdoor Pendant	575mm	610mm	734mm	2463mm*	Black & Rattan	1 x 60W E27	IP44
HK-ARLEN-P2-L-BK	1 Lt X-Large Outdoor Pendant	210mm	762mm	360mm	2089mm*	Black & Rattan	1 x 60W E27	IP44

* Supplied with: 1829mm of wire.



HK-REPUBLIC-S-BK & HK-REPUBLIC-P-BK

IP44



HK-REPUBLIC-S-BK



HK-REPUBLIC-M-BK



HK-REPUBLIC-F-BK



HK-REPUBLIC-P-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
HK-REPUBLIC-S-BK	1 lt Small Lantern	305mm	178mm	173mm	Black	1 x 60W E27	IP44
HK-REPUBLIC-M-BK	1 lt Medium Lantern	406mm	178mm	173mm	Black	1 x 60W E27	IP44
HK-REPUBLIC-F-BK	2 lt Small Flush	165mm	279mm	279mm	Black	2 x 40W E27	IP44
HK-REPUBLIC-P-BK	1 lt Medium Pedestal	419mm	202mm	172mm	Black	1 x 60W E27	IP44



KL-RIPLEY2-M-BK

IP44



KL-RIPLEY2-S-BK



KL-RIPLEY2-S-OZ



KL-RIPLEY2-M-BK



KL-RIPLEY2-M-OZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-RIPLEY2-S-OZ	1 lt Small Wall Lantern	191mm	203mm	235mm	Old Bronze	6.5W Integrated LED*	IP44
KL-RIPLEY2-S-BK	1 lt Small Wall Lantern	191mm	203mm	235mm	Black	6.5W Integrated LED*	IP44
KL-RIPLEY2-M-OZ	1 lt Medium Wall Lantern	235mm	254mm	286mm	Old Bronze	6.5W Integrated LED*	IP44
KL-RIPLEY2-M-BK	1 lt Medium Wall Lantern	235mm	254mm	286mm	Black	6.5W Integrated LED*	IP44

* 650Lm, 3000K. Note - final LED testing to be confirmed.



HK-PRATT-2LT-SPOT-HB

IP44



HK-PRATT-1LT-SPOT-HB



HK-PRATT-2LT-SPOT-HB

Code	Description	Height	Width	Depth	Finish	Max. Wattage	IP Rating
HK-PRATT-1LT-SPOT-HB	1 lt Spot Light	318mm	140mm	140mm	Heritage Brass	1 x 8W LED GU10*	IP44
HK-PRATT-2LT-SPOT-HB	2 lt Up/Down Spot Light	483mm	127mm	147mm	Heritage Brass	2 x 8W LED GU10*	IP44

* Supplied with: 8W LED GU10 bulb(s)= 560Lm each, dimmable.



KL-MATHUS2-M-BK

IP44



KL-MATHUS2-S-BK



KL-MATHUS2-M-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-MATHUS2-S-BK	1 lt Small Wall Lantern	330mm	184mm	210mm	Black	1 x 60W E27	IP44
KL-MATHUS2-M-BK	1 lt Medium Wall Lantern	457mm	203mm	235mm	Black	1 x 60W E27	IP44

MOUNT VERNON

Materials: Aluminium, Clear Seedy Glass
Finish: Black

3 YEAR
GUARANTEE

KICHLER

IP44



KL-MOUNT-VERNON2-L-BK



KL-MOUNT-VERNON2-S-BK



KL-MOUNT-VERNON2-M-BK

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-MOUNT-VERNON2-S-BK	1 lt Small Wall Lantern	318mm	140mm	159mm	Black	1 x 60W E27	IP44
KL-MOUNT-VERNON2-L-BK	1 lt Large Wall Lantern	495mm	241mm	260mm	Black	1 x 60W E27	IP44
KL-MOUNT-VERNON2-M-BK	1 lt Medium Wall Lantern	426mm	191mm	210mm	Black	1 x 60W E27	IP44

IP44



KL-MOUNT-VERNON2-L-OZ



KL-MOUNT-VERNON2-S-OZ



KL-MOUNT-VERNON2-M-OZ

Code	Description	Height	Width	Projection	Finish	Max. Wattage	IP Rating
KL-MOUNT-VERNON2-S-OZ	1 lt Small Wall Lantern	318mm	140mm	159mm	Old Bronze	1 x 60W E27	IP44
KL-MOUNT-VERNON2-L-OZ	1 lt Large Wall Lantern	495mm	241mm	260mm	Old Bronze	1 x 60W E27	IP44
KL-MOUNT-VERNON2-M-OZ	1 lt Medium Wall Lantern	426mm	191mm	210mm	Old Bronze	1 x 60W E27	IP44

FANS

Elstead Lighting are now extending the fan collection by adding new designs from our own dedicated fan business, The Ceiling Fan Company. This business was founded in 2006 in Dubai and became part of the Elstead Lighting Group in 2019. These two new stylish designs, Aviateur and Pilote, are our first fans under the Ceiling Fan Company brand, and further designs are in development to complement the Kichler fans in our existing range. In particular, the AVIATEUR fan is the first fan offered in our collection incorporating fully dimmable CCT LED with 2700K, 3000K and 4000K options, and up to 1600 Lumens output.





CFF-AVIATEUR-52-MBK

INCLUDED FEATURES

Downrods: 1 x 115mm
Mounting Options: Standard, Angled
Light Type: 1 x 16W Integrated LED, Dimmable, CCT: 2700, 3000, 4000K.
Light Output: Lumens variable by colour temperature 1456 - 1600Lm
Light Cover: Acrylic

FAN FEATURES

Mounting Slope/Pitch: 15°
Location Rating: IP20
Hanging Weight: 7.045Kg
Body Material: Steel
Warranty: Metal 3 years and Motor 5 years

BLADE SPECS

Blades: (3) included
Material: ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds
- lights on/off with full-range dimming
- requires 1 x 23A 12V battery

MOTOR FEATURES

Motor Size/Type: 153mm x 20mm, AC
RPM: High, 102

BLADE FINISH




Matte Black (Side 1)



Matte Black (Side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 38.2cm
Min. Blade Drop (from ceiling)	B: 31.2cm
Housing (width)	C: 19cm
Ceiling Canopy (width)	D: 15.6cm



AIR PERFORMANCE

AIRFLOW - CFM Cubic ft. per minute on high	4044
POWER USAGE Watts on High (excludes lights)	52
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	78

AVIATEUR

Body Finish: Natural Brass
Blade Finish: Painted Walnut



CFF-AVIATEUR-52-NBR

INCLUDED FEATURES

- Downrods:** 1 x 115mm
- Mounting Options:** Standard, Angled
- Light Type:** 1 x 16W Integrated LED, Dimmable, CCT: 2700, 3000, 4000K.
- Light Output:** Lumens variable by colour temperature 1456 - 1600Lm
- Light Cover:** Acrylic

FAN FEATURES

- Mounting Slope/Pitch:** 15°
- Location Rating:** IP20
- Hanging Weight:** 7.045Kg
- Body Material:** Steel
- Warranty:** Metal 3 years and Motor 5 years

BLADE SPECS

Blades:	(3) included
Material:	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds
- lights on/off with full-range dimming
- requires 1 x 23A 12V battery

MOTOR FEATURES

- Motor Size/Type:** 153mm x 20mm, AC
- RPM:** High, 102

BLADE FINISH




Painted Walnut (Side 1)



Painted Walnut (Side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 38.2cm
Min. Blade Drop (from ceiling)	B: 31.2cm
Housing (width)	C: 19cm
Ceiling Canopy (width)	D: 15.6cm



AIR PERFORMANCE

AIRFLOW - CFM Cubic ft. per minute on high	4044
POWER USAGE Watts on High (excludes lights)	52
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	78



CFF-AVIATEUR-52-MWH

INCLUDED FEATURES

Downrods: 1 x 115mm
Mounting Options: Standard, Angled
Light Type: 1 x 16W Integrated LED, Dimmable, CCT: 2700, 3000, 4000K.
Light Output: Lumens variable by colour temperature 1456 - 1600Lm
Light Glass: Acrylic

FAN FEATURES

Mounting Slope/Pitch: 15°
Location Rating: IP20
Hanging Weight: 7.045Kg
Body Material: Steel
Warranty: Metal 3 years and Motor 5 years

BLADE SPECS

Blades: (3) included
Material: ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds
- lights on/off with full-range dimming
- requires 1 x 23A 12V battery

MOTOR FEATURES

Motor Size/Type: 153mm x 20mm, AC
RPM: High, 102

BLADE FINISH




Matte White
(Side 1)



Matte White
(Side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 38.2cm
Min. Blade Drop (from ceiling)	B: 31.2cm
Housing (width)	C: 19cm
Ceiling Canopy (width)	D: 15.6cm



AIR PERFORMANCE

AIRFLOW - CFM Cubic ft. per minute on high	4044
POWER USAGE Watts on High (excludes lights)	52
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	78

PILOTE

Body Finish: Matte White
Blade Finish: Matte White & Wood Veneer



AC

132
cm

52
inch



WALL CONTROL INCLUDED
(3 Speed setting)

CFF-PILOTE-52-MWH

INCLUDED FEATURES

Downrods: 1 x 115mm
Mounting Options: Standard, Angled

FAN FEATURES

Mounting Slope/Pitch: 15°
Location Rating: IP20
Hanging Weight: 6.63Kg
Body Material: Steel
Warranty: Metal 3 years and Motor 5 years

BLADE SPECS

Blades:	(3) included
Material:	Plywood

OPTIONAL REMOTE CONTROL



REMOTE CONTROL

- 3 forward speeds
- requires 1 x 23A 12V battery

Order Code:
CFF-REMOTE-C1

MOTOR FEATURES

Motor Size/Type: 153mm x 17mm, AC
RPM: High, 143

BLADE FINISH




Wood
(Side 1)



Matte White
(Side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 31.1cm
Min. Blade Drop (from ceiling)	B: 27.3cm
Housing (width)	C: 24.4cm
Ceiling Canopy (width)	D: 13.2cm



AIR PERFORMANCE

AIRFLOW - CFM Cubic ft. per minute on high	3733
POWER USAGE Watts on High (excludes lights)	56
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	67



Shown with black blades

WALL CONTROL INCLUDED
(3 Speed setting)

CFF-PILOTE-52-MBK

INCLUDED FEATURES

Downrods: 1 x 115mm
Mounting Options: Standard, Angled

FAN FEATURES

Mounting Slope/Pitch: 15°
Location Rating: IP20
Hanging Weight: 6.63Kg
Body Material: Steel
Warranty: Metal 3 years and Motor 5 years

BLADE SPECS

Blades: (3) included
Material: Plywood

OPTIONAL REMOTE CONTROL



REMOTE CONTROL

- 3 forward speeds
- requires 1 x 23A 12V battery

Order Code:
CFF-REMOTE-C1

MOTOR FEATURES

Motor Size/Type: 153mm x 17mm, AC
RPM: High, 143

BLADE FINISH




Wood
(Side 1)



Matte Black
(Side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 31.1cm
Min. Blade Drop (from ceiling)	B: 27.3cm
Housing (width)	C: 24.4cm
Ceiling Canopy (width)	D: 13.2cm



AIR PERFORMANCE

AIRFLOW - CFM Cubic ft. per minute on high	3733
POWER USAGE Watts on High (excludes lights)	56
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	67



(Printed February 2026)



Scan QR Code, for our
contact details



Code: CAT-26-A4-SUPP



Scan QR Code, for our online
catalogue download page