

EGLO

my light | my style

2023

NEW RELEASES

AUSTRALIA

EGLO

my light | my style

2023
NEW RELEASES




EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
T 07 3375 1413
E info@eglolighting.com.au
www.eglo.com.au

CONTENTS



CEILING FANS

P. 04-25




WALL LIGHTS

P. 48-49



BATHROOM EXHAUST

P. 26-27



SPOTS & DOWNLIGHTS

P. 50-57




LIGHTING FAMILIES

P. 28-31




OUTDOOR

P. 58- 67




PENDANTS

P. 32-43



LED GLOBES

P. 68-77



OYSTERS &
CLOSE TO CEILING

P. 44-45



INDEX & REGISTER

P. 78-79



VANITY & BATHROOM

P. 46-47

CURRUMBIN 60

Ø 60" / 1520 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed


20619221

Housing

Steel, white matt

Blades

Plantation timber, natural





Included

20619228

Housing

Steel, black matt


Blades

Plantation timber, merbau



DC MOTOR	AIRFLOW	REMOTE CONTROL INCLUDED	LIGHT ADAPTABLE	TIMER	QUICK CONNECT	REVERSIBLE
32W	12,886 m³/h	6 speed	Light adaptable	2/8 h	Quick connect	Reversible

Dimensions



	mm	inches
A	1520	60.0
B	380	15.0
C	372	14.6
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m³/h
night mode	65	4,602
1	80	5,147
2	100	6,428
3	130	8,355
4	156	10,665
5	182	12,886

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	Yes - Page 25
Light Kit	Yes - Page 11

	Compatible
Wall Control	Coming Soon
Smart Compatible	No



CURRUMBIN 80

Ø 80" / 2030 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed

20619321

Housing

Steel, white matt

Blades

Plantation timber, natural





Included

20619328

Housing

Steel, black matt


Blades

Plantation timber, merbau



DC MOTOR	AIRFLOW	REMOTE CONTROL INCLUDED	LIGHT ADAPTABLE	TIMER	QUICK CONNECT	REVERSIBLE
42W	17,544 m³/h	6 speed	Light adaptable	2/8 h	Quick connect	Reversible

Dimensions



	mm	inches
A	2030	80.0
B	380	15.0
C	379	14.9
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m³/h
night mode	60	9,747
1	70	11,343
2	80	13,041
3	90	14,461
4	100	15,979
5	108	17,544

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	Yes - Page 25
Light Kit	Yes - Page 11

	Compatible
Wall Control	Coming Soon
Smart Compatible	No



CURRUMBIN 100

Ø 100" / 2540 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed

20619421

Housing

Steel, white matt

Blades

Plantation timber, natural





Included

20619428

Housing

Steel, black matt


Blades

Plantation timber, merbau



DC MOTOR	AIRFLOW	REMOTE CONTROL INCLUDED	LIGHT ADAPTABLE	TIMER	QUICK CONNECT	REVERSIBLE
44W	31,619 m³/h	6 speed	Light adaptable	2/8 h	Quick connect	Reversible

Dimensions



	mm	inches
A	2540	100.0
B	380	15.0
C	381	15.0
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m³/h
night mode	54	21,306
1	59	23,122
2	65	24,221
3	71	26,419
4	76	28,517
5	81	31,619

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	Yes - Page 25
Light Kit	Yes - Page 11

	Compatible
Wall Control	Coming Soon
Smart Compatible	No





CURRUMBIN LIGHT

5 YEAR WARRANTY




20619501
steel, white matt



20619502
steel, black matt

Dimensions



	mm	inches
A	195	7.7
B	55	2.2

LED 18W

TRI COLOUR 2300lm/ 2500lm/ 2400lm

Replacable LED

Dimmable

KURRAWA 60

Ø 60" / 1520 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed

20618701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt





Included

20618702

Housing

ABS, UV Resistant, black matt


Blades

ABS, UV Resistant, black matt



DC MOTOR	AIRFLOW		ANTI-UV ABS	TIMER	INDOOR & COVERED OUTDOOR USE		QUICK CONNECT	REVERSIBLE
38W	14,526 m³/h	6 speed	Construct	1/2/4/8 h	Use	IP55 (Coastal)	Quick connect	Reversible

Dimensions



	mm	inches
A	1520	60.0
B	319	15.6
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m³/h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	No
Light Kit	No

	Compatible
Wall Control	Coming Soon
Smart Compatible	No


IP55
TROPICALLY
RATED


IP55
TROPICALLY
RATED

KURRAWA 60

Ø 60" / 1520 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed

20618801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt





Included

20618802

Housing

ABS, UV Resistant, black matt


Blades

ABS, UV Resistant, black matt



DC MOTOR	AIRFLOW		ANTI-UV ABS	LED	TRI COLOUR		TIMER		REVERSIBLE
38W	14,526 m³/h	6 speed	Construct	18W	2100lm/ 2300lm/ 2200lm	Dimmable	2/8 h	IP55 (Coastal)	Reversible

Dimensions



	mm	inches
A	1520	60.0
B	329	13.0
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m³/h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	No
Light Kit	No

	Compatible
Wall Control	Coming Soon
Smart Compatible	No

KURRAWA 72

Ø 60" / 1830 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed

20618901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt





Included

20618902

Housing

ABS, UV Resistant, black matt


Blades

ABS, UV Resistant, black matt



DC MOTOR	AIRFLOW		ANTI-UV ABS	TIMER	INDOOR & COVERED OUTDOOR USE		QUICK CONNECT	REVERSIBLE
40W	15,558 m³/h	6 speed	Construct	1/2/4/8 h	Use	IP55 (Coastal)	Quick connect	Reversible

Dimensions



	mm	inches
A	1830	72.0
B	319	12.6
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m³/h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	No
Light Kit	No

	Compatible
Wall Control	Coming Soon
Smart Compatible	No


IP55
TROPICALLY
RATED


IP55
TROPICALLY
RATED

KURRAWA 72

Ø 72" / 1830 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

NIGHT MODE Super Low Speed


20619101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt





Included

20619102

Housing

ABS, UV Resistant, black matt


Blades

ABS, UV Resistant, black matt



DC MOTOR	AIRFLOW		ANTI-UV ABS	LED	TRI COLOUR		TIMER		REVERSIBLE
40W	15,558 m³/h	6 speed	Construct	18W	2100lm/ 2300lm/ 2200lm	Dimmable	2/8 h	IP55 (Coastal)	Reversible

Dimensions



	mm	inches
A	1830	72.0
B	329	13.0
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m³/h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	No
Light Kit	No

	Compatible
Wall Control	Coming Soon
Smart Compatible	No

TOURBILLION 100

Ø 100" / 2540 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY





Includes 200mm & 600mm downrods (colour to suit)



Included

20618602

Housing


steel, black matt

Blades

aluminium, black matt

DC MOTOR	AIRFLOW	REMOTE CONTROL INCLUDED	LIGHT ADAPTABLE	TIMER	QUICK CONNECT	INDOOR & COVERED OUTDOOR USE	REVERSIBLE
100W	54,533 m³/h	5 speed	Light adaptable	1/2/4/8 h	Quick connect	Use	Reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m³/h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	Yes - Page 25
Light Kit	Yes

	Compatible
Wall Control	Coming Soon
Smart Compatible	No



TOURBILLION 100

Ø 100" / 2540 mm

6 YEAR PRODUCT | 3 YEAR IN-HOME WARRANTY

20618601

Housing

steel, white matt

Blades

aluminium, white matt





Includes 200mm & 600mm downrods (colour to suit)

20618604

Housing

steel, titanium

Blades

aluminium, titanium






Included

DC MOTOR	AIRFLOW	REMOTE CONTROL INCLUDED	LIGHT ADAPTABLE	TIMER	QUICK CONNECT	INDOOR & COVERED OUTDOOR USE	REVERSIBLE
100W	54,533 m³/h	5 speed	Light adaptable	1/2/4/8 h	Quick connect	Use	Reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m³/h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Optional accessories

	Compatible
Extension Rods	Yes - Page 24
Angle Canopy	Yes - Page 25
Light Kit	Yes

	Compatible
Wall Control	Coming Soon
Smart Compatible	No



DOWNRODS

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.

Downrod	Colour	Length (mm)	Dia (Ø)	CURRUMBIN 60	CURRUMBIN 80	CURRUMBIN 100	KURRAWA 60	KURRAWA 72	TOURBILLION 100
203376	white matt	900	21	●	●		●	●	
20628601	white matt	900	21			●			●
203375	white matt	1800	21	●	●		●	●	
20628701	white matt	1800	21			●			●
202979	black matt	900	21	●	●		●	●	
20628602	black matt	900	21			●			●
202977	black matt	1800	21	●	●		●	●	
20628702	black matt	1800	21			●			●
20628604	titanium	900	21			●			●
20628704	titanium	1800	21			●			●



40° ANGLE CANOPY

1 YEAR WARRANTY



20557501
ABS, UV resistant, matt white



20557502
ABS, UV resistant, matt black




20557504
ABS, UV resistant, titanium




20557512
ABS, UV resistant, oil rubbed bronze

Dimensions



	mm	inches
A	179	7.0
B	77	3.0

Inclusions



Includes both 21mm and 26mm collars to suit most rod sizes.

Note: Downrod not included.

HANG SURE CANOPY
Up to 40°

kg
Up to 35kg

SAMBA

Exhaust Fan

3 YEAR WARRANTY



206175N

Housing

plastic, white




206177N

Housing

plastic, black

AC MOTOR	LOW NOISE	AIRFLOW		
50 W	43dB	300 m³/h	1x1m	Ø 255mm Cut Out

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	275	10.8

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m³/h	m³/h/W
1	50	300	6

SAMBA

Exhaust Fan / Light

3 YEAR WARRANTY



206174N

Housing

plastic, white




206176N

Housing

plastic, black

AC MOTOR	LOW NOISE	AIRFLOW		Ø 255mm Cut Out	LED	TRI COLOUR	CCT SWITCH
50 W	43dB	300 m³/h	2x1m		10W	850lm	CCT switch

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	275	10.8

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m³/h	m³/h/W
1	50	300	6






206088 BARBOTTO

pendant light; steel, wood / textile, white

3000K | 4000K | 5000K

H 2000, Ø 60mm

GU10 | 5W | TRI COLOUR 400lm | dimmable



INCL.



206086N BARBOTTO

table lamp; steel, white / wood

3000K | 4000K | 5000K

H 395, Ø 60mm

GU10 | 1x 5W | TRI COLOUR 1x 400lm | in-line switch



INCL.




206087N BARBOTTO

floor lamp; steel, white / wood

3000K | 4000K | 5000K

H 1365, Ø 60mm

GU10 | 1x 5W | TRI COLOUR 1x 400lm | pedal switch



INCL.





39911N MAYAZES

pendant light; steel, black / textile, wood

H 2000, Ø 250mm

GU10 | 5W | warm WHITE 345lm | dimmable



INCL.




39912N MAYAZES


pendant light; steel, black / textile, wood

H 2000, W 250, L 1050mm

GU10 | 3x 5W | 3x 345lm warm WHITE | dimmable



INCL.




39914N MAYAZES

floor lamp; steel, black / wood

H 1620, W 250, L 315mm

GU10 | 1x 5 W | 1x 345 lm warm WHITE | pedal switch

INCL.





39913N MAYAZES

table lamp; steel, black / wood

H 500, W 250, L 255mm

GU10 | 1x 5 W | 1x 345 lm warm WHITE | cable switch

INCL.









205857 CONTRISA

pendant light; steel, black

H 2000, Ø 380mm

E27 1x 40 W





205858 CONTRISA

pendant light; steel, white

H 2000, Ø 380mm

E27 1x 40 W





900379N CONTRISA

pendant light; steel, grey

H 2000, Ø 380mm

E27 1x 40 W





205861 CONTRISA

pendant light; steel, black

H 2000, Ø 520mm

E27 1x 40 W






205859 CONTRISA

pendant light; steel, white

H 2000, Ø 520mm

E27 1x 40 W





900381N CONTRISA

pendant light; steel, grey

H 2000, Ø 520mm

E27 1x 40 W







390087N LANACERA

pendant light; steel, aluminium, black

H 1500, W 400, L 965mm

LED 40.5W | warm WHITE 5850lm | Dimmable






205834 LANACERA

pendant light; steel, aluminium, white

H 1500, W 400, L 965mm

LED 40.5W | warm WHITE 5850lm | Dimmable










206098 GIANELLA


pendant light; steel, aluminium, black

3000K | 4000K | 5000K

H 2000, W 360, L 1000mm

LED 38W | TRI COLOUR 4400lm | Dimmable | DIP DIP Switch






206106 GIANELLA

pendant light; steel, aluminium, white

3000K | 4000K | 5000K

H 2000, W 360, L 1000mm

LED 38W | TRI COLOUR 4400lm | Dimmable | DIP DIP Switch






43814N CARLTON

pendant light; steel, gold-coloured / textile, black

H 2000, Ø 310mm

E27 1x 60W






43815N CARLTON

pendant light; steel, gold-coloured / textile, black

H 2000, Ø 385mm

E27 1x 60W






43909N CARLTON

pendant light; steel, gold-coloured / textile, black

H 2000, L 805mm

E27 3x 60W








206047 ALDERNEY

pendant light; natural / textile, black

H 2000, W 200, L 900mm

E27 3x 40W







206048 ALDERNEY

pendant light; natural / textile, black

H 2000, Ø 300mm

E27 1x 40W







206049 SEGOVIA

pendant light; steel, black / textile, black

H 2000, Ø 180mm

E27 1x 40W






900738N SEGOVIA

pendant light; steel, black / textile, black

H 2000, W 180, L 880mm

E27 3x 40W






900829N RAZONI 1

pendant light; steel, white / textile, black, glass

H 2000, Ø 325mm

E27 1x 40W






900828N RAZONI 1

pendant light; steel, black / textile, black, glass

H 2000, Ø 325mm

E27 1x 40W








390216N CHAMPERICO

pendant light; steel, black / textile, black

H 3000, Ø 700mm

E27 1x 60W






390217N CHAMPERICO

pendant light; steel, black / textile, black

H 3000, Ø 985mm

E27 1x 60W







205668 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 65, Ø 345mm

LED 18W | TRI COLOUR 2100lm/ 2340lm/ 2250lm | DIP DIP switch | SCREWLESS TERMINALS Screwless terminals | Large centre cable entry





205669 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 75, Ø 395mm

LED 24W | TRI COLOUR 2800lm/ 3120lm/ 3000lm | DIP DIP switch | SCREWLESS TERMINALS Screwless terminals | Large centre cable entry





205671 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 80, Ø 495mm

LED 36W | TRI COLOUR 4200lm/ 4680lm/ 4500lm | DIP DIP switch | SCREWLESS TERMINALS Screwless terminals | Large centre cable entry











390086N LANACERA

ceiling light; steel, aluminium, black

H 155, W 400, L 965mm

LED 40.5W | warm WHITE 5850lm | Dimmable






205836 LANACERA

ceiling light; steel, aluminium, white

H 155, W 400, L 965mm

LED 40.5W | warm WHITE 5850lm | Dimmable






206109 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

H 40, L 400, A 120mm

LED 7.4W | neutral WHITE 900lm | IP44 | Double Insulated






206111 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

H 40, L 600, A 120mm

LED 11W | neutral WHITE 1350lm | IP44 | Double Insulated







206112 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

H 40, L 780, A 120mm

LED 14W | neutral WHITE 1700lm | IP44 | Double Insulated






900617N ALCUDIA

mirror light; aluminium, black / plastic, satin finish

H 30, L 420mm

LED 2x 5.5W | warm WHITE 1200lm | Not Dimmable | IP44 | Double Insulated









390088N LANACERA

wall light; steel, aluminium, black / plastic

H 325, L 300, A 50mm

LED 20W | warm WHITE 2900lm | Dimmable





205835 LANACERA

wall light; steel, aluminium, white / plastic

H 325, L 300, A 50mm

LED 20W | warm WHITE 2900lm | Dimmable





205738 TANURA

wall light; steel, black

H 110, L 242, A 105mm

E27 1x 25W





205739 TANURA

wall light; steel, white

H 110, L 242, A 105mm

E27 1x 25W









206099N ROYSTAR COB

recessed downlightl plastic, white flat face

3000K | 4000K | 5000K

H 67, Ø 108 mm

LED 9W | TRI COLOUR 950lm | Dimmable | Ø90 cut out | IP44 | IC-4 | 1m flex & plug | Double insulated

RECESSED





120°, 6 m
1 min.

206107N RIPPA 2 SENSOR

recessed downlight; plastic, aluminium, white flat face

3000K | 4000K | 5000K

H 65, Ø 113 mm

LED 8W | TRI COLOUR 770lm | PIR sensor | 120° | Ø90 cut out | IP 44 | IC-4 | 1m flex & plug | Dimmable | Double insulated

RECESSED





206101 ROYSTAR TRIM

Recessed square trim; aluminium, white

H 18, W 110, L 110mm

Ø 90mm
cut out





206102 ROYSTAR TRIM

Recessed square trim; aluminium, black

H 18, W 110, L 110mm

Ø 90mm
cut out





206103 ROYSTAR TRIM

Recessed square trim; aluminium, satin nickel

H 18, W 110, L 110mm

Ø 90mm
cut out







206104 ROYSTAR TRIM

Recessed square trim; aluminium, anodised

H 18, W 110, L 110mm

Ø 90mm
cut out






206105 ROYSTAR TRIM

Recessed square trim; aluminium, brushed brass

H 18, W 110, L 110mm

Ø 90mm
cut out








206178 CARTAGENA

spot; steel, white / wood

H 130, L 65mm

GU10 | 1x 5 W | neutral WHITE 1x 345lm | Dimmable



INCL.



206181 CARTAGENA

spot; steel, white / wood

H 130, W 65, L 460mm

GU10 | 3x 5 W | neutral WHITE 3x 345lm | Dimmable



INCL.



206182 CARTAGENA

spot; steel, white / wood

H 130, W 65, L 820mm

GU10 | 5x 5 W | neutral WHITE 5x 345lm | Dimmable



INCL.




love your life



206051 SERAS

spot; steel, brushed brass

B 100, Ø 90mm

GU10 | 1x 5 W | neutral WHITE 1x 345 lm | Dimmable



INCL.



206052 SERAS

spot; steel, brushed brass

L 370, W 65mm

GU10 | 2x 5 W | neutral WHITE 2x 345 lm | Dimmable



INCL.



206053 SERAS

spot; steel, brushed brass

L 595, W 65mm

GU10 | 3x 5 W | neutral WHITE 3x 345 lm | Dimmable



INCL.



206054 SERAS

spot; steel, brushed brass

L 770, B 65mm

GU10 | 4x 5 W | neutral WHITE 4x 345 lm | Dimmable



INCL.



206057 SERAS

spot; steel, antique bronze

B 100, Ø 90mm

GU10 | 1x 5 W | 1x 345 lm | Dimmable



INCL.



206058 SERAS

spot; steel, antique bronze

L 360, H 170, Ø 90mm

GU10 | 2x 5 W | 2x 345 lm | Dimmable



INCL.



206055 SERAS

spot; steel, antique bronze

L 590, H 170, Ø 90mm

GU10 | 3x 5 W | 3x 345 lm | Dimmable



INCL.



206056 SERAS

spot; steel, antique bronze

L 770, H 170, Ø 90mm

GU10 | 4x 5 W | 4x 345 lm | Dimmable



INCL.






205893N FESTOON 2 LIGHT KIT

festoon light; plastic, black lampholders with 2700K globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP55 | Plug adapter | 12V



INCL.




205894N FESTOON 2 LIGHT KIT

festoon light; plastic, white lampholders with 2700K globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP55 | Plug adapter | 12V



INCL.




205897N FESTOON 2 LIGHT KIT

festoon light; plastic, black lampholders with multi-colour globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP55 | Plug adapter | 12V



INCL.




205898N FESTOON 2 LIGHT KIT

festoon light; plastic, white lampholders with multi-colour globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP55 | Plug adapter | 12V



INCL.


INTERCONNECT
UP TO
3 SETS


INTERCONNECT
UP TO
3 SETS




205891N FESTOON 2 SOLAR LIGHT KIT

solar festoon light; plastic, black lampholders with 2700K globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP65 | in-line switch | 12V



INCL.




205892N FESTOON 2 SOLAR LIGHT KIT

solar festoon light; plastic, white lampholders with 2700K globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP65 | in-line switch | 12V



INCL.




205895N FESTOON 2 SOLAR LIGHT KIT

solar festoon light; plastic, black lampholders with multi-colour globes


Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP65 | in-line switch | 12V



INCL.




205896N FESTOON 2 SOLAR LIGHT KIT

solar festoon light; plastic, white lampholders with multi-colour globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP65 | in-line switch | 12V



INCL.




205972 FESTOON 2 EXTENSION KITS

festoon light; plastic, black lampholders with 2700K globes

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP65 | in-line switch | 12V

INCL.






205973 FESTOON 2 EXTENSION KITS

festoon light; plastic, white lampholders with 2700K globes

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | warm WHITE 2700K | IP65 | in-line switch | 12V

INCL.






205974 FESTOON 2 EXTENSION KITS

festoon light; plastic, black lampholders with multi-colour globes

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP65 | in-line switch | 12V

INCL.






205975 FESTOON 2 EXTENSION KITS

festoon light; plastic, white lampholders with multi-colour globes

L 13000 (5m lead in wire, 80cm spacing between globes)

E27 | 10x 0.4W | IP65 | in-line switch | 12V

INCL.





205971 FESTOON 2 ANDERSON PLUG

12V Anderson plug to suit camping

L 150mm





205976 FESTOON 2 EXTEND CABLE

5000mm black extend cable

L 5000mm





205977 FESTOON 2 PLUG PACK DRIVER

AC 2A plug back driver
runs up to 6 Festoon 2 kits

L 140mm











900292N LESMO

wall light; cast aluminium, black / glass, clear

H 105, L 240, A 115mm

LED 11.2W | warm WHITE 1560lm | IP44






205879N LESMO

wall light; cast aluminium, white / glass, clear

H 105, L 240, A 115mm

LED 11.2W | warm WHITE 1560lm | IP44






900288N BUDRONE

wall light; steel, black / glass, clear

H 250, L 120, A 165mm

E27 1x 40W IP44






206122N BUDRONE

wall light; steel, white / glass, clear

H 250, L 120, A 165mm

E27 1x 40W IP44







LED



205918 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 300, A 70mm

LED 6.7W | TRI COLOUR 900lm | IP44



LED



205921 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 300, A 70mm

LED 6.7W | TRI COLOUR 900lm | IP44





205919 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 400, A 70mm

LED 6.7W | TRI COLOUR 900lm | IP44





205923 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 600, A 70mm

LED 13.4W | TRI COLOUR 1800lm | IP44






205925 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 900, A 70mm

LED 13.4W | TRI COLOUR 1800lm | IP44





205922 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 400, A 70mm

LED 6.7W | TRI COLOUR 900lm | IP44





205924 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 600, A 70mm

LED 13.4W | TRI COLOUR 1800lm | IP44






205926 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 900, A 70mm

LED 13.4W | TRI COLOUR 1800lm | IP44





205949 E27-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

E27 | 5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205951 E27-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

E27 | 7.5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205948 E27-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

E27 | 7.5W | 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205953 B22-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

B22 | 5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205954 B22-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

B22 | 7.5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205952 B22-LED-G95

illuminant; glass, clear

L 138, Ø 95mm

B22 | 7.5W | 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205956 E27-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

E27 | 5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205957 E27-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

E27 | 7.5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205955 E27-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

E27 | 7.5W | 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205959 B22-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

B22 | 5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205961 B22-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

B22 | 7.5W | 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205958 B22-LED-G125

illuminant; glass, clear

L 170, Ø 125mm

B22 | 7.5W | 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205963 E27-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

E27 | 5W | cool WHITE 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205964 E27-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

E27 | 7.5W | cool WHITE 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205962 E27-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

E27 | 5W | warm WHITE 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205966 B22-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

B22 | 5W | cool WHITE 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205967 B22-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

B22 | 7.5W | cool WHITE 5000K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W



205965 B22-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm

B22 | 5W | warm WHITE 2700K | Dimmable | 220-260V, 50/60Hz

4W ~ 35W





110252 E27-LED-CL150

illuminant; glass, amber

L 205, Ø 150mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110253 E27-LED-CL1200

illuminant; glass, amber

L 290, Ø 200mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110258 E27-LED-G125

illuminant; glass, clear/ amber inner

L 178, Ø 125mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W





110245 E27-LED-OR150

illuminant; glass, amber

L 205, Ø 150mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110246 E27-LED-OR200

illuminant; glass, amber

L 290, Ø 200mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110254 E27-LED-CL150

illuminant; glass, black vapourised

L 205, Ø 150mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110255 E27-LED-CL1200

illuminant; glass, black vapourised

L 290, Ø 200mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110256 E27-LED-G125

illuminant; glass, clear/ black transparent inner

L 178, Ø 125mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110247 E27-LED-OR150

illuminant; glass, black vapourised

L 205, Ø 150mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W



110248 E27-LED-OR200

illuminant; glass, black vapourised

L 290, Ø 200mm

E27 4W warm WHITE 2000K dimmable

4W ~ 35W





110275 E27-LED-CF78

illuminant; glass, black vapourised

L 255, Ø 255mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W



110276 E27-LED-CF78

illuminant; glass, amber

L 255, Ø 255mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W



110277 E27-LED-CF78

illuminant; glass, copper vapourised

L 255, Ø 255mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W



110278 E27-LED-CF117

illuminant; glass, black vapourised

L 345, Ø 117mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W



110279 E27-LED-CF117

illuminant; glass, amber

L 345, Ø 117mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W



110281 E27-LED-CF117

illuminant; glass, copper vapourised

L 345, Ø 117mm

E27 | 4W | warm WHITE 2000K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W





110316 E27-LED-G80

illuminant; glass, clear

L 126, Ø 80mm

E27 | 7.3W | warm WHITE 2000K | Not dimmable | 220-240V, 50/60Hz

4W ~ 35W



110307 E27-LED-ST48

illuminant; glass, clear

L 100, Ø 48mm

E27 | 7.3W | warm WHITE 2700K | Not dimmable | 220-240V, 50/60Hz

4W ~ 35W



110317 E27-LED-G125

illuminant; glass, clear

L 173, Ø 125mm

E27 | 7.3W | warm WHITE 2000K | Not dimmable | 220-240V, 50/60Hz

4W ~ 35W



110318 E27-LED-ST64

illuminant; glass, clear

L 143, Ø 64mm

E27 | 7.3W | warm WHITE 2000K | Not dimmable | 220-240V, 50/60Hz

4W ~ 35W



110291 E14-LED-PUCK

illuminant; glass, black

L 52, Ø 30mm

E14 | 3.5W | warm WHITE 2200K | STEP DIMMING Step dim | 220-240V, 50/60Hz

4W ~ 35W



110292 E27-LED-PUCK

illuminant; glass, black

L 47, Ø 32mm

E27 | 3.5W | warm WHITE 2200K | STEP DIMMING Step dim | 220-240V, 50/60Hz

4W ~ 35W





110295 GU10-LED

illuminant; glass, black

L 56, Ø 50mm

GU10 | 5.8W | warm WHITE 3000K | Dimmable | 220-240V, 50/60Hz

15000x | 120° | CRI >80

4W ~ 35W



110296 GU10-LED

illuminant; glass, black

L 56, Ø 50mm

GU10 | 5.8W | neutral WHITE 4000K | Dimmable | 220-240V, 50/60Hz

15000x | 120° | CRI >80

4W ~ 35W



110228 R7S-LED

illuminant; glass, black

L 118, Ø 16mm

R7S | warm WHITE 2700K | Dimmable | 220-240V, 50/60Hz

4W ~ 35W

REGISTER
ARTICLE NUMBER

NAME	PAGE	NAME	PAGE	NAME	PAGE	NAME	PAGE
39911N	30	205857	33	205972	62	390086N	45
39912N	30	205858	33	205973	62	390088N	48
39913N	31	205859	33	205974	62	390216N	43
39914N	31	205861	33	205975	62	390217N	43
43814N	38	205879N	64	205976	63	399087N	34
43815N	38	205891N	61	205977	63	900288	65
43909N	38	205892N	61	206047	40	900292N	64
110228	77	205893N	58	206048	40	900379N	33
110245	71	205894N	58	206049	41	900381N	33
110246	71	205895N	61	206051	55	900617N	46
110247	73	205896N	61	206052	55	900738N	41
110248	73	205897N	58	206053	55	900828N	42
110252	71	205898N	58	206054	55	900829N	42
110253	71	205918	66	206055	56	20557501	25
110254	73	205919	67	206056	56	20557502	25
110255	73	205921	66	206057	56	20557504	25
110256	73	205922	67	206058	56	20557512	25
110258	71	205923	67	206086N	29	20618601	22
110275	74	205924	67	206087N	29	20618602	20
110276	74	205925	67	206088	29	20618604	22
110277	74	205926	67	206098	37	20618701	12
110278	74	205948	68	206099N	50	20618702	12
110279	74	205949	68	206101	51	20618801	15
110281	74	205951	68	206102	51	20618802	15
110291	77	205952	68	206103	51	20618901	16
110292	77	205953	68	206104	51	20618902	16
110295	77	205954	68	206105	51	20619101	19
110296	77	205955	69	206106	37	20619102	19
110307	76	205956	69	206107N	50	20619221	4
110316	76	205957	69	206109	46	20619228	4
110317	76	205958	69	206111	46	20619321	6
110318	76	205959	69	206112	46	20619328	6
205668	44	205961	69	206122N	65	20619421	8
205669	44	205962	70	206174N	27	20619428	8
205671	44	205963	70	206175N	26	20619501	11
205738	49	205964	70	206176N	27	20619502	11
205739	49	205965	70	206177N	26		
205834	34	205966	70	206178	52		
205835	48	205967	70	206181	52		
205836	45	205971	63	206182	52		

REGISTER
SERIES NAME

NAME	PAGE
ALCUDIA	46
ALDERNEY	40
ANGLE CANOPY	25
BARBOTTO	29
BUDRONE	65
CARLTON	38
CARTAGENA	52
CHAMPERICO	43
CONTRISA	33
CURRUMBIN	4 - 11
DELILAH	44
FESTOON 2	58 - 63
GIANELLA	37
KURRAWA	12-19
LANACERA	34, 45, 48
LESMO	64
MAYAZES	30 - 31
PANDELLA 1	46
RAZONI	42
RIPPA 2	50
ROYSTAR	50 - 51
SAMBA	26 - 27
SEGOVIA	41
SERAS	54 - 75
TANURA	49
TOURBILLION	20 - 24
VILLAGRAZIA 2	66 - 67



Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment. Products with additional safety remarks (e.g protection class, IP) are identified within the product family with the relevant symbol and number. The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH. All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.
The product pictures and ambiences in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product. EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition: EGLO GmbH, Shontel, EGLO Lighting Australia

Pictures: EGLO, fotolia.com, istockphoto.com, Adobe Stock

October 2023

EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
T 07 3375 1413
E info@eglolighting.com.au
W www.eglo.com.au



my light | my style