



2021

TRADE & BUILDERS

AUSTRALIA



2021
TRADE & BUILDERS



CONTENTS



CEILING FANS

P.002 - 027




BATHROOM EXHAUST

P.028 - 037




SPOTS & DOWNLIGHTS

P.038 - 047



OYSTERS

P.048 - 053




LED BATTENS

P.054 - 057




VANITY & BATHROOM

P.058 - 069



WALL LIGHTS

P.070 - 079



PENDANTS

P.080 - 097



SECURITY & SENSORS

P.098 - 107



OUTDOOR

P.108 - 117



LED GLOBES

P.118 - 125



INDEX & REGISTER

P.126



CEILING FANS

Incorporating the latest energy efficient technology and seamless control options, we give you the EGLO ceiling fan. These fans are creative, contemporary, high performing and will blend effortlessly into any home.



High Quality, High Performance



Sizes For All Rooms



Low Cost Operation

WHY CHOOSE EGLO FANS?



Save Energy



**Save Up To 10%
On Power Bills
In Winter**



Whisper Quiet Operation



Low Cost Operation



Feel Up To 8° Cooler In Summer



High Quality, High Performance

Designed for ENERGY SAVING
Power use watts - W
Lower wattage fans save more energy.

Engineered for PERFORMANCE
Airflow - m3/hr
Higher airflow fans circulate more air.

Crafted for AIRFLOW EFFICIENCY
Efficiency - m3/W
Higher airflow efficiency fans move more air per watt.


Sizing To Suit Your Room

An appropriately sized fan not only needs to provide maximum energy efficiency, but also needs to look proportioned and balanced to the size of the room. Sometimes selecting a slightly larger fan which will achieve the same airflow on a lower speed as a smaller fan on high speed, will result in quieter and more energy efficient operation.

Measure the room to assist your clients with choosing a fan size from this table, keeping in mind for very large rooms, multiple fans may be a more effective option.



Sizes For All Rooms



Room Size (m ²)	Fan Size (Inches)	Fan Size (cm)
< 7 m ²	27" – 35"	70 cm – 90 cm
7 m ² – 13 m ²	35" – 39"	90 cm – 100 cm
13 m ² – 20 m ²	39" – 44"	100 cm – 112 cm
20 m ² – 27 m ²	44" – 53"	112 cm – 137 cm
27 m ² – 34 m ²	> 53"	>137 cm

Energy Savings

EGLO ceiling fans are more than stylish additions to homes. They are also an environmentally friendly way to save money and energy for your clients.


Our fans allow for more sustainable electricity, by working with existing air conditioning to not only reduce energy and environmental impact, but also to save your clients money on electricity bills.

Though a ceiling fan does not actually lower the room temperature, it provides a downward airflow which can make it feel up to 8 degrees cooler. When used in conjunction with air conditioning in summer months, this will allow your clients to raise the temperature of their air conditioner by up to 2.2°C, yet keeping it just as cool.

In reverse mode our fans gently draw warmer air down from ceiling level and balance the room temperature. For winter months, this means your clients can lower their thermostat setting on other heating appliances within the room, saving energy and reducing their heating costs by as much as 10%. *




Low Cost Operation



35-60W*



60W*




2000W*


* Typical Energy consumption per hour



Save Energy



+




=

40%
Energy savings


10%

Save Up To 10% On Power Bills In Winter



8°

Feel Up To 8° Cooler In Summer



Reliability & Quality

All EGLO motors are manufactured using only the highest quality materials and components, providing years of reliable and dependable operation, every day, year after year.

EGLO's vigorous in-house testing and quality control ensure reliable quality and superior performance.


LONG LIFE

Long Life Motor

- Up to 70% less energy use
- Light weight for easy installation
- Multi-speed control to suit all applications
- Additional features like timer, natural breeze, tri-colour LED light options & more

PSST...

Whisper Quiet Operation



Ideal for living rooms, bedrooms, & offices.

BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203619

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203621

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204739

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W




13792
m³/h



15°



Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.18
D	150	5.91
E	58	2.28

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

Optional accessories

	Page	203619	203621	204739
Remote Kit	Page 26	205127	205127	205127
Extension Rods	Page 27	203628, 203629	203631, 203632	204744, 204745
LED Kit		-	-	-

BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203622

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203623

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204741

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W



13792
m³/h



15°




20W



1750lm/
2100lm/
2000lm



Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.18
D	150	5.91
E	58	2.28

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

Optional accessories

	Page	203622	203623	204741
Remote Kit	Page 26	205127	205127	205127
Extension Rods	Page 27	203628, 203629	203631, 203632	204744, 204745
LED Kit		-	-	-

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203624

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203625

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204742

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W




13303
m³/h



15°



Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.22
D	150	5.91
E	58	2.28

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

Optional accessories

	Page	203624	203625	204742
Remote Kit	Page 26	205127	205127	205127
Extension Rods	Page 27	203628, 203629	203631, 203632	204744, 204745
LED Kit		-	-	-

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203626

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203627

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204743

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W



13303
m³/h



15°




20W



1750lm/
2100lm/
2000lm



Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.22
D	150	5.91
E	58	2.28

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

Optional accessories

	Page	203626	203627	204743
Remote Kit	Page 26	205127	205127	205127
Extension Rods	Page 27	203628, 203629	203631, 203632	204744, 204745
LED Kit				

NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

204781

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



204782

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204783

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



15650 m³/h



6 speed




13°



1/2/4/8 h



Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

Optional accessories

	Page	204781	204782	204783
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

204787

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



204788

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204789

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



15650 m³/h



6 speed



13°



18W




2000lm



2/8 h



Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

Optional accessories

	Page	204787	204788	204789
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

204794

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

204795

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204796

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



14620 m³/h



6 speed




13°



1/2/4/8 h



Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

Optional accessories

	Page	204794	204795	204796
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

204801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



204802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204803

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



14620 m³/h



6 speed



13°



18W




2000lm



2/8 h



Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

Optional accessories

	Page	204801	204802	204803
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203371

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

203369

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204746

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



24 W



13280
m³/h



6 speed




13°



1/2/4/8 h



Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

Optional accessories

	Page	203371	203396	204746
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

202971

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



202969

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204747

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



24 W



13280 m³/h



6 speed



13°



18W




2000lm



2/8 h



Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

Optional accessories

	Page	202971	202969	204747
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203373

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203372

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204748

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14346 m³/h



6 speed




13°



1/2/4/8 h



Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

Optional accessories

	Page	203373	203372	204748
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

202973

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



202972

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204749

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14346 m³/h



6 speed



13°



18W




2000lm



2/8 h



Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

Optional accessories

	Page	202973	202972	204749
Remote Kit		-	-	-
Extension Rods	Page 27	203376, 203375	202979, 202977	204751, 204752
LED Kit		-	-	-

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

202963

Housing

steel, satin nickel

Blades

aluminium, brushed aluminium



included

203367

Housing

steel, white matt

Blades

aluminium, white matt



included



47 W



10700 m³/h



5 speed



LIGHT ADAPTABLE



1/2/4/8h




INDOOR & COVERED OUTDOOR USE



REVERSIBLE

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	6.3	5,270	836.51
2	11	6,630	602.73
3	19.2	7,650	398.44
4	30	9,520	317.33
5	47	10,700	227.66

Optional accessories

	Page	202963	203367
Remote Kit	-	-	-
Extension Rods	Page 27	202976, 203239	203376, 203375
LED Kit	Page 24	202967	203374

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



202964

Housing

steel, black matt

Blades

aluminium, black matt



included



204807

Housing

steel, titanium

Blades

aluminium, titanium



included



47 W



10700 m³/h



5 speed



LIGHT ADAPTABLE



1/2/4/8 h




INDOOR & COVERED OUTDOOR USE



REVERSIBLE

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	6.3	5,270	836.51
2	11	6,630	602.73
3	19.2	7,650	398.44
4	30	9,520	317.33
5	47	10,700	227.66

Optional accessories

	Page	202964	204807
Remote Kit		-	-
Extension Rods	Page 27	202979, 202977	204751, 204752
LED Kit	Page 24	202968	204809

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

202965

Housing

steel, satin nickel

Blades

aluminium, brushed aluminium



included

203368

Housing

steel, white matt

Blades

aluminium, white matt



included



58 W



17500
m³/h




5 speed



1/2/4/8h



Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	15.5	5,440	350.97
2	22	10,370	471.36
3	34	11,950	351.47
4	48	15,470	322.29
5	58	17,500	301.72

Optional accessories

	Page	202965	203368
Remote Kit		-	-
Extension Rods	Page 27	202976, 203239	203376, 203375
LED Kit	Page 24	202967	203374

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

202966

Housing

steel, black matt

Blades

aluminium, black matt



included

204808

Housing

steel, titanium

Blades

aluminium, titanium



included



58 W



17500 m³/h



5 speed



LIGHT ADAPTABLE



1/2/4/8 h




INDOOR & COVERED OUTDOOR USE



REVERSIBLE

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	15.5	5,440	350.97
2	22	10,370	471.36
3	34	11,950	351.47
4	48	15,470	322.29
5	58	17,500	301.72

Optional accessories

	Page	202966	204808
Remote Kit		-	-
Extension Rods	Page 27	202979, 202977	204751, 204752
LED Kit	Page 24	202968	204809

TOURBILLION LIGHT

5
YEAR
WARRANTY



202967

steel, satin nickel / acrylic, opaque




203374

steel, white matt / acrylic, opaque



202968

steel, black matt / acrylic, opaque



204809

steel, titanium / acrylic, opaque

Dimensions



	mm	inches
A	225	8.9
B	65	2.6

LED

18W

neutral
WHITE

2150lm





204807

204809

AC REMOTE KIT

Suits all Bondi ceiling fans

1
YEAR
WARRANTY

LIGHT

Switch the light on or off, and control the step dimming function.

SPEED

Switch the fan on by selecting one of the four speeds to suit your comfort level.

FAN

Switch the fan off.

TIMER

Switch the fan off auto after 2 / 4 / 8 hours.

205127

[Remote Kit](#)

Suits all Bondi ceiling fans



This kit includes:



Batteries
Included

EXTENSION RODS

DOWNROD MODEL	COLOUR	LENGTH (mm)	DIA Ø (mm)	BONDI	CABARITA	COMPORTA	NEVIS	NEVIS II	NOOSA	TOURBILLION	ZAPALLAR
203376	white matt	900	27						X	X	
203628	white matt	900	22	X							
204311	white matt	900	21				X	X			
204346	white matt	900	27		X						
203375	white matt	1800	27						X	X	
203629	white matt	1800	22	X							
204313	white matt	1800	21				X	X			
204348	white matt	1800	27		X						
202979	black matt	900	27			X			X	X	X
203631	black matt	900	22	X							
204312	black matt	900	21				X	X			
204347	black matt	900	27		X						
202977	black matt	1800	27			X			X	X	X
203632	black matt	1800	22	X							
204314	black matt	1800	21				X	X			
204349	black matt	1800	27		X						
203239	satın nickel	900	27							X	
202976	satın nickel	1800	27							X	
204744	titanium	900	22	X							
204751	titanium	900	27						X	X	
204745	titanium	1800	22	X							
204752	titanium	1800	27						X	X	

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.



BATHROOM EXHAUST

The EGLO range of heating and ventilation products will create the perfect bathroom atmosphere. From basic to high performance, we have a selection of models that will suit all of your bathroom projects.


Sizing To Suit Your Room

When it comes to selecting between bathroom exhaust options, our models vary in exhaust motor & ducting outlet sizes to suit your application. This means that you can choose a model that suits the heating and extraction requirements depending on the size of your bathroom.

It is recommended to have 15 air changes per hours for bathrooms, and 10 air changes per hour for water closets. Based on this recommendation, the following table can act as a guide in deciding which bathroom 3-in-1 will work best for your project.



Sizes For All Rooms



Model	Airflow	Toilet Size (m ³)	Room Size (m ³)	Bathroom Size (L x W x H)
Vesuvius 2 Heat	260m ³ /hr	26m ³	17.33m ³	2.75 x 2.75 x 2.4
Vesuvius 4 Heat	260m ³ /hr	26m ³	17.33m ³	2.75 x 2.75 x 2.4
Heatflow 2 Heat	460m ³ /hr	46m ³	30.66m ³	3.6 x 3.6 x 2.4
Heatflow 4 Heat	460m ³ /hr	46m ³	30.66m ³	3.6 x 3.6 x 2.4
Inferno	550m ³ /hr	55m ³	30.66m ³	4.0 x 4.0 x 2.4



VESUVIUS

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204152

Housing

plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h



Included




3000K
R80



390 x 220
Cut Out

Dimensions



	mm	inches
A	440	17.3
B	241	9.5
C	174	6.9

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

VESUVIUS

4 Heat/Exhaust/Light

3
YEAR
WARRANTY



204153

Housing

plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h



Included




3000K
R80



300 × 300
Cut Out

Dimensions



	mm	inches
A	398	15.7
B	232	9.1
C	168	6.6

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

HEATFLOW

2 Heat/Exhaust/Light

3
YEAR
WARRANTY

204154

Housing
plastic, white



204155

Housing
plastic, black matt



40 W



Ø 120 mm
3.0 m



460 m³/h



Included



13W




950lm



430 x 250
Cut Out

Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

HEATFLOW

4 Heat/Exhaust/Light

3
YEAR
WARRANTY

204156

Housing
plastic white



204157

Housing
plastic, black matt



40 W



Ø 120 mm
3.0 m



460 m³/h



Included



13W




950lm



430 x 270
Cut Out

Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

INFERNO

HALOGEN HEAT/EXHAUST/LIGHT

3
YEAR
WARRANTY



204158

Housing
plastic, white

204159

Housing
plastic, black



55 W



R7S



Halogen
1000W



Ø 150 mm
3.0 m



550 m³/h



Included



4x 5W
GU10




4 x 400lm



470 x 315
Cut Out

Dimensions



	mm	inches
A	500	19.7
B	213	8.4
C	206	8.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	55	550	10

204159





SPOTS & DOWNLIGHTS

Our spots & downlights set specific highlights while optimally lighting your living areas. No matter whether they prefer a modern or traditional look – our range will fit any aesthetic.



LED

202619N ROYSTAR

recessed luminaire; plastic, aluminium, white flat face

3000K | 4000K | 5000K

H 67, Ø 108

LED 9W	TRI COLOUR 700lm/ 800lm/ 750lm	100°	Ø 90mm
IP 44	IC-4	600mm	DIP SWITCH

Approved Dimmers:
Diginet MEDM
Clipsal 32ELEDM



LED

203905N ROYSTAR


recessed luminaire; plastic, aluminium, white recessed face

3000K | 4000K | 5000K

H 76, Ø 108

LED 9W	TRI COLOUR 700lm/ 800lm/ 750lm	100°	Ø 90mm
IP 44	IC-4	600mm	DIP SWITCH

Approved Dimmers:
Diginet MEDM
Clipsal 32ELEDM



LED

203906N ROYSTAR


recessed luminaire; plastic, aluminium, white flat face

3000K | 4000K | 5000K

H 38, Ø 110

LED 12 W	TRI COLOUR 900lm/ 1000lm/ 950lm	100°	Ø 90mm
IP 44	IC-4	600mm	DIP SWITCH

Approved Dimmers:
Diginet MEDM
Clipsal 32ELEDM



LED

203907N ROYSTAR


recessed luminaire; plastic, aluminium, white recessed face

3000K | 4000K | 5000K

H 43, Ø 110


LED 12 W	TRI COLOUR 900lm/ 1000lm/ 950lm	100°	Ø 90mm
IP 44	IC-4	600mm	DIP SWITCH

Approved Dimmers:
Diginet MEDM
Clipsal 32ELEDM



ROYSTAR INTERCHANGEABLE TRIMS

Change up your Roystar with optional coloured trims.
Simply twist off and twist on a range of fashion colours to suit your decor.
Available in flat, recessed, gimbal or extension plate options.



202629 FLAT

aluminium, brushed brass

202625 FLAT

aluminium, satin nickel

202623 FLAT


aluminium, black

202627 FLAT

aluminium, aluminium



5



202622 RECESSED

aluminium, white

202631 RECESSED

aluminium, brushed brass

202626 RECESSED

aluminium, satin nickel

202624 RECESSED


aluminium, black

202628 RECESSED

aluminium, aluminium



5



203377 GIMBAL

aluminium, white

203382 GIMBAL

aluminium, brushed brass

203381 GIMBAL

aluminium, satin nickel

203378 GIMBAL

aluminium, black



203379 GIMBAL

aluminium, anodised aluminium



5

Ø 105mm



203903 EXTENSION PLATE

aluminium, white

203904 EXTENSION PLATE

aluminium, white



5

Ø 90-110mm



5

Ø 110-160mm



202619N

202625



LED

203437N RIPPA

recessed luminaire; plastic, white


3000K | 4000K | 5000K

H 68, Ø 115

LED 9W	tunable WHITE 900lm/ 1000lm/ 950lm	100°		Ø90
IP 44	IC-4	800mm	DIP SWITCH	

Approved Dimmers:
Diginet MEDM
Clipsal 32ELEDM

--	--



LED

203438N RIPPA SENSOR


recessed luminaire; plastic, white

5000K

H 68, Ø 115

LED 9W	cool WHITE 750lm		100°	Ø90
IP 44	IC-4	800mm		

--	--



203437N



200692 BUZZ-LED

spot; steel, satin nickel

Ø 60




GU10



1x 5W



neutral
WHITE
1x
400lm



200693 BUZZ-LED

spot; steel, satin nickel

L 285, B 65



GU10



2x 5W



neutral
WHITE
2x
400lm



200694 BUZZ-LED

spot; steel, satin nickel

L 485, B 65



GU10



3x 5W



neutral
WHITE
3x
400lm



200695 BUZZ-LED

spot; steel, satin nickel

L 685, B 65




GU10



4x 5W



neutral
WHITE
4x
400lm





LED

201999 TOMARES

spot; aluminium, steel, black

L 70, H 145

LED neutral WHITE

1x 5W 1x 480lm



5 YEAR WARRANTY



LED


202003 TOMARES

spot; aluminium, steel, black

L 780, H 190, B 155

LED neutral WHITE

4x 5W 4x 480lm



5 YEAR WARRANTY



LED


202001 TOMARES

spot; aluminium, steel, black

L 390, H 190, B 155

LED neutral WHITE

2x 5W 2x 480lm



5 YEAR WARRANTY



LED


202002 TOMARES

spot; aluminium, steel, black

L 580, H 190, B 155

LED neutral WHITE

3x 5W 3x 480lm



5 YEAR WARRANTY



LED

202004 TOMARES

spot; aluminium, steel, white

L 70, H 145

LED

1x 5W

neutral
WHITE

1x
480lm



5
YEAR
WARRANTY



LED

202007 TOMARES

spot; aluminium, steel, white


L 780, H 190, B 155

LED


4x 5W

neutral
WHITE

4x
480lm



5
YEAR
WARRANTY



LED

202005 TOMARES

spot; aluminium, steel, white


L 390, H 190, B 155

LED


2x 5W

neutral
WHITE

2x
480lm



5
YEAR
WARRANTY



LED

202006 TOMARES

spot; aluminium, steel, white


L 580, H 190, B 155

LED

3x 5W

neutral
WHITE

3x
480lm



5
YEAR
WARRANTY



LED

204326 DAVIDA 2

spot; steel, black

L 165, B 70

- GU10
- 1x 5W
- neutral WHITE
- 1x 400lm
-




LED

204329 DAVIDA 2

spot; steel, black

L 780, H 160, B 165

- GU10
- 4x 5W
- neutral WHITE
- 4x 400lm
-




LED

204327 DAVIDA 2

spot; steel, black

L 390, H 160, B 165

- GU10
- 2x 5W
- neutral WHITE
- 2x 400lm
-



LED

204328 DAVIDA 2

spot; steel, black

L 580, H 160, B 165

- GU10
- 3x 5W
- neutral WHITE
- 3x 400lm
-





LED



204331 DAVIDA 2

spot; steel, white

L 165, B 70



GU10 1x 5W
neutral WHITE 1x
400lm




LED



204334 DAVIDA 2

spot; steel, white

L 780, H 160, B 165



GU10 4x 5W
neutral WHITE 4x
400lm




LED



204332 DAVIDA 2

spot; steel, white

L 390, H 160, B 165



GU10 2x 5W
neutral WHITE 2x
400lm




LED


204333 DAVIDA 2

spot; steel, white

L 580, H 160, B 165



GU10 3x 5W
neutral WHITE 3x
400lm





OYSTERS

Our vast range of Oyster lights are available in different sizes and finishes to suit different room types. These surface mounted lights are perfect for lighting entrances, utility areas, hallways and living rooms.



LED

203697 OLLIE

ceiling luminaire; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

H 42, Ø 250



12W 1200lm



IP54



5 YEAR WARRANTY



LED

203698 OLLIE

ceiling luminaire; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

H 42, Ø 300



18W 1800lm



IP54



5 YEAR WARRANTY



LED

203699 OLLIE

ceiling luminaire; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

H 42, Ø 400



28W 3000lm



IP54



5 YEAR WARRANTY



203699




203691 OLLIE

ceiling luminaire; plastic, white / plastic, white

3000K | 4000K | 5000K

H 42, Ø 250




203693 OLLIE

ceiling luminaire; plastic, white / plastic, white

3000K | 4000K | 5000K

H 42, Ø 300




203695 OLLIE

ceiling luminaire; plastic, white / plastic, white

3000K | 4000K | 5000K

H 42, Ø 400



203692 OLLIE

ceiling luminaire; plastic, black / plastic, white

3000K | 4000K | 5000K

H 42, Ø 250



203694 OLLIE

ceiling luminaire; plastic, black / plastic, white

3000K | 4000K | 5000K

H 42, Ø 300




203696 OLLIE

ceiling luminaire; plastic, black / plastic, white

3000K | 4000K | 5000K

H 42, Ø 400





LED

204399 DIEGO

ceiling luminaire; steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 330





18W



1950lm/
2300lm/
2100lm



DIP
SWITCH



LED

204401 DIEGO

ceiling luminaire; steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 380




24W



2650lm/
3050lm/
2800lm



DIP
SWITCH



LED

204402 DIEGO

ceiling luminaire; steel white / plastic, white - crystal effect

3000K | 4000K | 5000K

H 65, Ø 330




18W



1950lm/
2300lm/
2100lm



DIP
SWITCH



LED

204403 DIEGO

ceiling luminaire; steel white / plastic, white - crystal effect

3000K | 4000K | 5000K

H 65, Ø 380



24W



2650lm/
3050lm/
2800lm



DIP
SWITCH







204406 ROYSTAR

ceiling luminaire; steel white / plastic, white

3000K | 4000K | 5000K

H 62, Ø 300





204407 ROYSTAR

ceiling luminaire; steel white / plastic, white

3000K | 4000K | 5000K

H 62, Ø 380



ROYSTAR INTERCHANGEABLE TRIMS

Change up your Roystar oyster with a range of trims in four fashion colours. Simply fit the trim straight over the existing white base prior to installation. Available in both 300mm & 380mm sizes.



204408 TRIM 300MM

aluminium, brushed chrome



204409 TRIM 300MM

aluminium, brushed brass



204411 TRIM 300MM

anodized aluminium



204412 TRIM 300MM

aluminium, black matt



204413 TRIM 380MM

aluminium, brushed chrome



204414 TRIM 380MM

aluminium, brushed brass



204415 TRIM 380MM

anodized aluminium



204416 TRIM 380MM

aluminium, black matt



LED BATTENS

EGLO LED battens offer high light output, tri-colour LED and hollow backplates for easy cable entry. 2 metre extension kits are also available to suit different ceiling types. These LED battens are perfect for workspaces, office spaces, garages and hobby areas.



204763 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 80, H 136

LED

40W

TRI
COLOUR


3500lm/
4000lm/
3700lm



DIP

DIP
SWITCH

5
YEAR
WARRANTY



204765 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 120, H 42

LED

50W

TRI
COLOUR


4100lm/
5000lm/
4500lm




DIP

DIP
SWITCH

5
YEAR
WARRANTY





NARROW
BODY
80mm

LED

204762 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 590, W 80, H 36





20W



1700lm/
2000lm/
1800lm



DIP
SWITCH



WIDE
BODY
120mm

LED

204764 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 590, W 120, H 42




30W



2500lm/
3000lm/
2500lm



DIP
SWITCH



WIDE
BODY
120mm

LED



Microwave
Sensor

204766 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 120, H 42



50W



4100lm/
5000lm/
4500lm





DIP
SWITCH



Microwave

Microwave Sensor Adjustment Settings:
Detection Area - 1m / 1.5m / 2m / 3m
Time On - 5 sec / 90 sec / 3 min / 10 min
Lux Setting - 5 lux / 15 lux / 50 lux / Disabled
Dim Time Delay - 0 sec / 30 sec / 10 min / Disabled



204767 LANKY

LED Batten suspension kit, ceiling canopy & flex included

*Batten not included


H 2000





VANITY & BATHROOM

Our vanity & bathroom range includes practical options for excellent mirror illumination, but also fittings to create a perfect lighting atmosphere, turning your bathroom into your own personal wellness oasis.



203705 SIDERNO

mirror luminaire; steel, black / plastic, satined

203706 SIDERNO

mirror luminaire; steel, black / plastic, satined

203707 SIDERNO

mirror luminaire; steel, black / plastic, satined

L 350, B 60, A 55


LED
8.3W
 neutral WHITE
900lm
 IP44

L 580, B 60, A 65

LED
16W
 neutral WHITE
1700lm
 IP44

L 900, B 60, A 75

LED
24W
 neutral WHITE
2600lm
 IP44



97718 SIDERNO

mirror luminaire; steel, chrome / plastic, satined

97719 SIDERNO

mirror luminaire; steel, chrome / plastic, satined

98193 SIDERNO

mirror luminaire; steel, chrome / plastic, satined

L 350, B 60, A 55


LED
8,3W
 neutral WHITE
900lm
 IP44

L 580, B 60, A 65

LED
16W
 neutral WHITE
1700lm
 IP44


L 900, B 60, A 75

LED
24W
 neutral WHITE
2600lm
 IP44



97719






LED

202938 PANDELLA 1

mirror luminaire; aluminium, plastic, black / plastic, white

L 600, H 40, A 120



LED


202939 PANDELLA 1

mirror luminaire; aluminium, plastic, black / plastic, white


L 780, H 40, A 120



5
YEARS
WARRANTY



5
YEARS
WARRANTY



LED


203937 PANDELLA 1

mirror luminaire; aluminium, plastic, black / plastic, white

L 1200, H 40, A 120



5
YEARS
WARRANTY







203424 PANDELLA 1

mirror luminaire; aluminium, plastic, white / plastic, white

L 600, H 40, A 120



5
YEAR
WARRANTY




203425 PANDELLA 1

mirror luminaire; aluminium, plastic, white / plastic, white

L 780, H 40, A 120



5
YEAR
WARRANTY




203938 PANDELLA 1

mirror luminaire; aluminium, plastic, white / plastic, white

L 1200, H 40, A 120



5
YEAR
WARRANTY






96064 PANDELLA 1

mirror luminaire; aluminium, plastic, chrome, silver / plastic, white

L 400, H 40, A 120



7.4W 900lm




96065 PANDELLA 1

mirror luminaire; aluminium, plastic, chrome, silver / plastic, white

L 600, H 40, A 120



11W 1350lm



96066 PANDELLA 1

mirror luminaire; aluminium, plastic, chrome, silver / plastic, white

L 780, H 40, A 120



14W 1700lm




203939 PANDELLA 1

mirror luminaire; aluminium, plastic, chrome / plastic, white

L 1200, H 40, A 120



14W 1700lm





96064





LED

94613 TABIANO

mirror luminaire; steel, chrome / plastic, white

L 605, H 70, A 130



9.6W 900lm



LED

201965 TABIANO


mirror luminaire; steel, chrome / plastic, white

L 905, H 70, A 130



11W 1200lm

5
YEAR
WARRANTY



5
YEAR
WARRANTY



LED

202086 TABIANO

mirror luminaire; steel, black / plastic, white

L 605, H 70, A 130



9.6W 900lm



LED

201966 TABIANO

mirror luminaire; steel, black / plastic, white

L 905, H 70, A 130



11W 1200lm

5
YEAR
WARRANTY



5
YEAR
WARRANTY





203528 TABIANO

mirror luminaire; steel, white / plastic, white

L 605, H 70, A 130



9,6W 900lm



203529 TABIANO

mirror luminaire; steel, white / plastic, white

L 905, H 70, A 130



11W 1200lm



94613



LED

201419 TERROS

wall luminaire; aluminium, steel, chrome / plastic, transparent

L 570, H 45, A 85

LED


10.5W

neutral
WHITE

830lm



5
YEAR
WARRANTY



LED

201422 TERROS

wall luminaire; aluminium, steel, chrome / plastic, transparent

L 900, H 35, A 85

LED


10.5W

neutral
WHITE

830lm



5
YEAR
WARRANTY





LED

202111 PALMERA 1

wall luminaire; steel, black / glass opal-matt

L 125, H 270, A 115

1x 4.5W 480lm IP44



5 YEAR WARRANTY



LED

202112 PALMERA 1

wall luminaire; steel, black / glass opal-matt

L 435, H 125, L 125

2x 4.5W 960lm IP44



5 YEAR WARRANTY




LED

205023 PALMERA 1

wall luminaire; steel, brass / glass opal-matt

L 125, H 270, A 115

1x 4.5W 480lm IP44



5 YEAR WARRANTY




LED

205024 PALMERA 1

wall luminaire; steel, brass / glass opal-matt

L 435, H 125, L 125

2x 4.5W 960lm IP44



5 YEAR WARRANTY



WALL LIGHTS

The all-rounders – our wall lights range from simple and classic, to intricate and elegant. Ideal for foyers, hallways, or creating a soft ambient atmosphere in your living areas.



204576 CLIMENE

wall luminaire; aluminium, black / plastic, white

3000K | 4000K | 5000K

H 80, L 255, A 45






2x 4.2W 1040lm/
 1200lm/
 1040lm



204581 CLIMENE

wall luminaire; aluminium, white / plastic, white

3000K | 4000K | 5000K

L 255, H 80, A 45






2x 4.2W 1040lm/
 1200lm/
 1040lm



204585 CLIMENE

wall luminaire; aluminium, brushed aluminium / plastic, white

3000K | 4000K | 5000K

L 255, H 80, A 45






2x 4.2W 1040lm/
 1200lm/
 1040lm



LED



96037 METRASS

wall luminaire; aluminium, white / plastic, satined


L 200, H 105, A 60

LED

5.6W

warm
WHITE

680lm



5
YEAR
WARRANTY

LED



96038 METRASS

wall luminaire; aluminium, satin nickel / plastic, satined

L 200, H 105, A 60

LED

5.6W

warm
WHITE

680lm



5
YEAR
WARRANTY



96038





84028 GRAFIK

wall / ceiling luminaire; steel, silver / satin glass

L 180, H 210, A 85



E27



1x 60W



84026 GRAFIK

wall / ceiling luminaire; steel, silver / satin glass


L 280, H 290, A 90



E27



1x 60W



84028



85979N TROY 3

wall luminaire; steel, satin nickel / satin glass, white


L 180, H 250, A 75



E14



1x 60W






98421 SANIA 4

wall luminaire; aluminium, white


L 130, H 80, A 90



98422 SANIA 4

wall luminaire; aluminium, white


L 200, H 80, A 90



98423 SANIA 4

wall luminaire; aluminium, white

L 365, H 80, A 90





94924 PASTERI

wall luminaire; steel, satin nickel / fabric, white


L 145, H 305, A 195



96373 PASTERI

wall luminaire; steel, satin nickel / fabric, linen, grey


L 145, H 305, A 195



96477 PASTERI

wall luminaire; steel, satin nickel / fabric, white

L 150, H 380, A 195



96374 PASTERI

wall luminaire; steel, satin nickel / fabric, linen, grey

L 150, H 380, A 195





94925 PASTERI

wall luminaire; steel, satin nickel / fabric, taupe

L 145, H 305, A 195



E27 1x 60W



2
YEAR
WARRANTY



96478 PASTERI

wall luminaire; steel, satin nickel / fabric, taupe

L 150, H 380, A 195



E27 1x 40W 1x 3.5W 1x 380lm Dual Switches



2
YEAR
WARRANTY





96566 TAZZOLI

wall luminaire; steel, plastic, white

L 65, H 300, A 160

- LED
3.5W
- warm
WHITE
380lm
-
-
- 10W USB
charging port



5
YEAR
WARRANTY




96567 TAZZOLI

wall luminaire; steel, plastic, satin nickel, black

L 65, H 300, A 160

- LED
3.5W
- warm
WHITE
380lm
-
-
- 10W USB
charging port



5
YEAR
WARRANTY



202779 TAZZOLI

wall luminaire; steel, plastic, black

L 65, H 300, A 160

- LED
3.5W
- warm
WHITE
380lm
-
-
- 10W USB
charging port



5
YEAR
WARRANTY





49081 TARBES

wall luminaire; steel, black

L 155, H 375, A 275



E27



1x 60W



49468 PRIDDY

wall luminaire; steel, black

L 130, H 215, A 200



E27



1x 40W



49992 CARLTON 1

wall luminaire; steel, black, copper coloured

L 205, H 330, A 220



E27



1x 60W



43057 CARLTON 4

wall luminaire; steel, black, copper coloured

L 160, H 315, A 225



E27



1x 60W





PENDANTS

A selection of our best sellers across both traditional and contemporary designs, you are sure to find something here to create the wow factor - add that extra something to your project with pendant lighting.



LED


204575 CLIMENE

pendant luminaire; aluminium, black

3000K | 4000K | 5000K


L 2400, B 45, W 15, H 2500

LED 33W DOWN	TRI COLOUR 4100lm/ 4700lm/ 4400lm	LED 11W UP	TRI COLOUR 1350lm/ 1550lm/ 1450lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY



LED


204573 CLIMENE

pendant luminaire; aluminium, black

3000K | 4000K | 5000K

L 1180, B 50, W 15, H 1500

LED 21W DOWN	TRI COLOUR 2600lm/ 2900lm/ 2600lm	LED 8.4W UP	TRI COLOUR 1000lm/ 1100lm/ 1000lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY



LED


204574 CLIMENE

pendant luminaire; aluminium, black

3000K | 4000K | 5000K

L 1800, B 45, W 14, H 2500

LED 23W DOWN	TRI COLOUR 2800lm/ 3300lm/ 3000lm	LED 11W UP	TRI COLOUR 1300lm/ 1500lm/ 1400lm
		DIP DIP SWITCH	




Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY



204575



LED


204579 CLIMENE

pendant luminaire; aluminium, white

3000K | 4000K | 5000K

L 2400, B 45, W 15 H 2500

LED 33W DOWN	TRI COLOUR 4100lm/ 4700lm/ 4400lm	LED 11W UP	TRI COLOUR 1350lm/ 1550lm/ 1450lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY



LED


204577 CLIMENE

pendant luminaire; aluminium, white

3000K | 4000K | 5000K


L 1180, B 50, W 15, H 1500

LED 21W DOWN	TRI COLOUR 2600lm/ 2900lm/ 2600lm	LED 8.4W UP	TRI COLOUR 1000lm/ 1100lm/ 1000lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY



LED


204578 CLIMENE

pendant luminaire; aluminium, white

3000K | 4000K | 5000K

L 1800, B 45, W 15, H 2500

LED 23W DOWN	TRI COLOUR 2800lm/ 3300lm/ 3000lm	LED 11W UP	TRI COLOUR 1300lm/ 1500lm/ 1400lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm

5
YEAR
WARRANTY




204584 CLIMENE

pendant luminaire; aluminium, brushed aluminium


3000K | 4000K | 5000K

L 2400, B 45, W 15, H 2500

LED 33W DOWN	TRI COLOUR 4100lm/ 4700lm/ 4400lm	LED 11W UP	TRI COLOUR 1350lm/ 1550lm/ 1450lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm




204582 CLIMENE

pendant luminaire; aluminium, brushed aluminium


3000K | 4000K | 5000K

L 1180, B 50, W 15, H 1500

LED 21 W DOWN	TRI COLOUR 2600lm/ 2900lm/ 2600lm	LED 8.4 W UP	TRI COLOUR 1000lm/ 1100lm/ 1000lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm




204583 CLIMENE

pendant luminaire; aluminium, brushed aluminium

3000K | 4000K | 5000K

L 1800, B 45, W 15, H 2500

LED 23 W DOWN	TRI COLOUR 2800lm/ 3300lm/ 3000lm	LED 11W UP	TRI COLOUR 1300lm/ 1500lm/ 1400lm
		DIP DIP SWITCH	



Canopy Width: 45mm
Pendant Width: 15mm






49997N CARLTON 1

pendant luminaire; steel, black, copper coloured

H 2000, Ø 205



E27 1x 60W



49254N CARLTON 1

pendant luminaire; steel, black, copper coloured

H 2000, Ø 310



E27 1x 60W

H 1100




49878N CARLTON 1

pendant luminaire; steel, black, copper coloured

H 2000, Ø 385



E27 1x 60W



43001N CARLTON 1

pendant luminaire; steel, white, honey gold

L 280, B 205, H 2000



E27 1x 60W



49932N CARLTON 1

pendant luminaire; steel, white, honey gold

H 2000, Ø 310



E27 1x 60W



49932N



203191N SABINAR

pendant luminaire; steel, black / wood

H 2000, Ø 180



E27 1x 60W



203192N SABINAR

pendant luminaire; steel, black / wood

H 2000, Ø 280



E27 1x 60W



203193N SABINAR

pendant luminaire; steel, black / wood

H 2000, Ø 400



E27 1x 60W



96981N SABINAR

pendant luminaire; steel, white / wood

H 2000, Ø 180



E27 1x 60W



96982N SABINAR

pendant luminaire; steel, white / wood

H 2000, Ø 280



E27 1x 60W



96983N SABINAR

pendant luminaire; steel, white / wood

H 2000, Ø 400



E27 1x 60W






94193 TARBES

pendant luminaire; plastic, black / steel, copper-coloured



H 1100, Ø 175



94196 TARBES

pendant luminaire; steel, black / steel, copper-coloured


H 1100, Ø 310



94194 TARBES

pendant luminaire; plastic, black / steel, copper-coloured

H 1100, Ø 325





94187 TARBES

pendant luminaire; plastic, black / steel, black


H 1100, Ø 175



94188 TARBES

pendant luminaire; plastic, black / steel, black

H 1100, Ø 325



94191 TARBES

pendant luminaire; plastic, black / steel, black

H 1100, Ø 310





49071N TAVISTOCK


pendant luminaire; steel, wood, creme, oak

**Globes sold separately*

H 2000, Ø 100



E27 1x 40W



49074N TAVISTOCK


pendant luminaire; steel, black


**Globes sold separately*

H 2000, Ø 100



E27 1x 40W





49464 PRIDDY

pendant luminaire; steel, black


H 1100, 155



E27



1x 60W



2
YEAR
WARRANTY



49465 PRIDDY

pendant luminaire; steel, black


H 1100, 325



E27



3x 60W



2
YEAR
WARRANTY



49465



97367 MONTEFINO

pendant luminaire; steel, black / glass, clear


L 730, B 110, H 1100



E27



3x 60W



97368 MONTEFINO

pendant luminaire; steel, black / glass, clear

H 1500, Ø 350



E27



5x 60W



97366 MONTEFINO

pendant luminaire; steel, black / glass, clear


H 1100, Ø 110



E27



1x 60W





92251 RAZONI

pendant luminaire; steel, white / satin glass


H 1100, Ø 190



E27



1x 60W



2
YEAR
WARRANTY



92252 RAZONI

pendant luminaire; steel, black / satin glass


H 1100, Ø 190




E27



1x 60W



2
YEAR
WARRANTY



92252



85977 TROY 3

pendant luminaire; steel, satin nickel / glass, opal



85978 TROY 3

pendant luminaire; steel, satin nickel / glass, opal

H 1100, Ø 105, Base: Ø 120



E27



1x 60W

L 720, B 105, H 1100



E27




3x 60W



2
YEAR
WARRANTY

2
YEAR
WARRANTY



85978




89832 PINTO

pendant luminaire; steel, chrome / glass, glass opal-matt, clear

H 1100, Ø 110



E27 1x 60W



89833 PINTO

pendant luminaire; steel, chrome / glass, glass opal-matt, clear

L 725, H 1100



E27 3x 60W




90304 PINTO NERO

pendant luminaire; steel, satin nickel / smoked glass, glass opal-matt, black-transparent

H 1100, Ø 110



E27 1x 60W



90305 PINTO NERO

pendant luminaire; steel, satin nickel / smoked glass, glass opal-matt, black-transparent

L 725, H 1100



E27 3x 60W




93003 PINTO

pendant luminaire; steel, chrome / glass, glass opal-matt, clear

H 1500, Ø 500



E27 5x 60W





85261N RONDO

pendant luminaire; steel, satin nickel / glass opal-matt



85262N RONDO

pendant luminaire; steel, satin nickel / glass opal-matt



85263N RONDO

pendant luminaire; steel, satin nickel / glass opal-matt

H 2000, Ø 200



H 2000, Ø 250



H 2000, Ø 300



205008 RONDO

pendant luminaire; steel, black / glass opal-matt



205009 RONDO


pendant luminaire; steel, black / glass opal-matt




205011 RONDO

pendant luminaire; steel, black / glass opal-matt

H 2000, Ø 200



H 2000, Ø 250



H 2000, Ø 300





205012 RONDO

pendant luminaire; steel, brass matt / glass opal-matt



205013 RONDO

pendant luminaire; steel, brass matt / glass opal-matt




205014 RONDO

pendant luminaire; steel, brass matt / glass opal-matt

H 2000, Ø 200



E27 1x 60W



H 2000, Ø 250



E27 1x 60W



H 2000, Ø 300



E27 1x 60W



85261N


85262N

85263N



SECURITY & SENSORS

Safety and security are at the forefront of many people's minds. With the EGLO security & sensor range, you needn't look further for all-round solutions for security lighting.



204388 CHOPPER

wall luminaire; cast aluminium, black

3000K | 4000K | 6000K


L 120, H 125, A 210

1x 15W
 1100lm/1300lm/1300lm

 DIP SWITCH



5 YEAR WARRANTY



204387 CHOPPER

wall luminaire; cast aluminium, white

3000K | 4000K | 6000K

L 120, H 125, A 210

1x 15W
 1100lm/1300lm/1300lm

 DIP SWITCH



5 YEAR WARRANTY



204392 CHOPPER

wall luminaire; cast aluminium, black

3000K | 4000K | 6000K

L 275, H 120, A 180

2x 15W
 2x 1100lm/1300lm/1300lm

 DIP SWITCH



5 YEAR WARRANTY



204391 CHOPPER

wall luminaire; cast aluminium, black

3000K | 4000K | 6000K

L 120, H 205, A 165

1x 15W
 1100lm/1300lm/1300lm
 manual override

 DIP SWITCH



5 YEAR WARRANTY



204389 CHOPPER


wall luminaire; cast aluminium, white

3000K | 4000K | 6000K

L 120, H 205, A 165

1x 15W
 1100lm/1300lm/1300lm
 manual override

 DIP SWITCH



5 YEAR WARRANTY



204394 CHOPPER

wall luminaire; cast aluminium, black

3000K | 4000K | 6000K

L 275, H 210, A 180

2x 15W
 2x 1100lm/1300lm/1300lm
 manual override

 DIP SWITCH



5 YEAR WARRANTY



204393 CHOPPER

wall luminaire; cast aluminium, white

3000K | 4000K | 6000K

L 275, H 120, A 180



2x 15W



2x
1100lm/
1300lm/
1300lm




IP54



DIP

DIP
SWITCH



204395 CHOPPER

wall luminaire; cast aluminium, white

3000K | 4000K | 6000K

L 275, H 210, A 180



2x 15W



2x
1100lm/
1300lm/
1300lm



manual
override




IP54



DIP

DIP
SWITCH



204391



203793N FAEDO 3

wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation

L 110, H 80, A 30

10W
 900lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY



203786N FAEDO 3

wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation

L 130, H 95, A 30

20W
 1800lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY



203788N FAEDO 3


wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation

L 175, H 135, A 30

30W
 2750lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY



203792N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation

L 110, H 80, A 30

10W
 900lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY



203653N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation

L 130, H 95, A 30

20W
 1800lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY



203655N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation

L 175, H 135, A 30

30W
 2750lm

 IP65
 60cm flex & plug

5
YEAR
WARRANTY





203791N FAEDO 3

wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation



203787N FAEDO 3

wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation



203789N FAEDO 3

wall luminaire; aluminium, white / glass, clear
angled mounting bracket suits both wall or soffit installation

L 205, H 145, A 30



5
YEAR
WARRANTY



L 130, H 140, A 50



60cm flex
& plug

5
YEAR
WARRANTY



L 175, H 190, A 50



60cm flex
& plug

5
YEAR
WARRANTY



203657N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation



203654N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation



203656N FAEDO 3

wall luminaire; aluminium, black / glass, clear
angled mounting bracket suits both wall or soffit installation

L 205, H 145, A 30



5
YEAR
WARRANTY



L 130, H 140, A 50



60cm flex
& plug

5
YEAR
WARRANTY



L 175, H 190, A 50



60cm flex
& plug

5
YEAR
WARRANTY





180°, 12 m
10 sec. - 15 min.

204522 DETECT ME

motion detector; plastic, white

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

L 55, H 70, A 80




manual
override



IP44



passive
infrared



180°, 12 m
10 sec. - 15 min.

204523 DETECT ME

motion detector; plastic, black

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

L 55, H 70, A 80





manual
override



IP44



passive
infrared



180°, 12 m
10 sec. - 15 min.

204524 DETECT ME

motion detector; plastic, white

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

L 80, H 50, A 115




manual
override



IP44



passive
infrared



180°, 12 m
10 sec. - 15 min.

204525 DETECT ME

motion detector; plastic, black

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

L 80, H 50, A 115




manual
override



IP44



passive
infrared





204523



120°, 18 m
10 sec. - 30 min.

204526 DETECT ME

motion detector; plastic, white

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115




manual
override



IP66



passive
infrared



120°, 18 m
10 sec. - 30 min.

204527 DETECT ME

motion detector; plastic, black

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115



manual
override



IP66



passive
infrared



180°, 18 m
10 sec. - 30 min.

204528 DETECT ME

motion detector; plastic, white

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115




manual
override



IP66



microwave



180°, 18 m
10 sec. - 30 min.

204529 DETECT ME

motion detector; plastic, black

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115




manual
override



IP66



microwave





97418 DETECT ME

photocell; plastic, white

max: 2000W incandescent
max: 300W fluorescent
max: 300W LED

L 65, H 95, A 35



97419 DETECT ME

photocell; plastic, black

max: 2000W incandescent
max: 300W fluorescent
max: 300W LED

L 65, H 95, A 35




204518 DETECT ME

motion detector; plastic, white / plastic, white

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

Ø 90, A 55



DAY & NIGHT
Sensor

DETECT ME PHOTOCELL

Automatic illumination. This Photo-electric lighting controller is used for controlling lighting systems for building fronts and automatically switches the light 'ON' at dusk and automatically 'OFF' at dawn.




204521 DETECT ME

motion detector; plastic, white

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

H 65, Ø 80




204519 DETECT ME

motion detector; plastic, white

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

H 70, Ø 80





OUTDOOR

Our Australian lifestyle centres around the great outdoors. Create an ambience in your outdoor living areas with our range of exterior lighting.




LED

204404 BURLEIGH

wall / ceiling luminaire; white plastic, includes both white and black trims,

3000K | 4000K | 5000K

H 106, L 217, D 66



5 YEAR WARRANTY




LED

204405 BURLEIGH

wall / ceiling luminaire; white plastic, includes both white and black trims,

3000K | 4000K | 5000K

Ø 210, D 62




5 YEAR WARRANTY



88139 CITY

wall luminaire; stainless steel, stainless steel / plastic, white

L 235, H 260, A 90




2 YEAR WARRANTY



88142 CITY

wall luminaire; stainless steel, acrylic, opal



L 240, H 270



2 YEAR WARRANTY



204404



97241 CALPINO

wall luminaire; steel, white

H 105, Ø 105



2x 3.3W



2x
340lm




IP54



Adjustable
beam angle

97241



97242 CALPINO

wall luminaire; steel, black

H 105, Ø 105



2x 3.3W




2x
340lm



IP54



Adjustable
beam angle






94102 RIGA

wall luminaire; zinc-plated steel, anthracite


L 65, H 150, A 95



94103 RIGA

wall luminaire; zinc-plated steel, anthracite



L 65, H 200, A 95



94106 RIGA

wall luminaire; stainless steel, stainless steel



L 65, H 150, A 95



94107 RIGA

wall luminaire; stainless steel, stainless steel

L 65, H 200, A 95



94103



98154



98153 VILLAGRAZIA

wall luminaire; aluminium, black / glass with air inclusions, clear


L 120, H 300, A 70



98154 VILLAGRAZIA

wall luminaire; aluminium, black / glass with air inclusions, clear

L 120, H 400, A 70



205028 VILLAGRAZIA

wall luminaire; aluminium, white / glass with air inclusions, clear

L 120, H 300, A 70



205029 VILLAGRAZIA

wall luminaire; aluminium, white / glass with air inclusions, clear

L 120, H 400, A 70





94788 ALAMONTE 1

pendant luminaire; zinc-plated steel, black / glass, clear


L 150, B 150, H 1285



94831 ALAMONTE 1

wall luminaire; zinc-plated steel, black / glass, clear

L 170, H 260, A 100



98273N ALAMONTE 1

wall luminaire; zinc-plated steel, black / glass, clear

L 150, H 380, A 100



94832 ALAMONTE 1

wall / ceiling luminaire; zinc-plated steel, black / glass, clear

L 290, H 290, A 130





97261 BOVOLONE

wall luminaire; zinc-plated steel, black / glass, clear

L 110, H 340, A 155



E27



1x 60W



IP44



2
YEAR
WARRANTY



205022 BOVOLONE

wall luminaire; zinc-plated steel, white / glass, clear

L 110, H 340, A 155



E27




1x 60W



IP44



2
YEAR
WARRANTY





LED GLOBES

Bring your fittings to life with our range of LED globes. Enlighten spaces with the added energy saving benefits of LED lighting.



11501 E27-LED-A60

illuminant; glass, clear



11534 E27-LED-A60



illuminant; glass, clear




11755 E27-LED-A60

illuminant; glass, clear


L 105, Ø 60



L 107, Ø 60



L 110, Ø 60



11595 E27-LED-A60

illuminant; glass, opal



11596 E27-LED-A60



illuminant; glass, opal



11765 E27-LED-A60

illuminant; glass, opal

L 105, Ø 60



L 105, Ø 60



L 110, Ø 60






470 lm
5 year warranty

11761 E14-LED-P45

illuminant; glass, clear

L 80, Ø 45




470 lm
5 year warranty

11759 E14-LED-C35

illuminant; glass, clear

L 98, Ø 35




470 lm
5 year warranty

11604 E14-LED-P45

illuminant; glass, opal

L 78, Ø 45



470 lm
5 year warranty

11602 E14-LED-C35

illuminant; glass, opal

L 97, Ø 35






11695 E27-LED-ST48

illuminant; glass, amber

L 102, Ø 48



11696 E27-LED-ST64

illuminant; glass, amber


L 143, Ø 64



11693 E27-LED-G95

illuminant; glass, amber


L 140, Ø 95



11694 E27-LED-G125

illuminant; glass, amber

L 167, Ø 125








11764 E14-LED-R50

illuminant; glass, clear


L 85, Ø 50



11763 E27-LED-R63

illuminant; glass, clear

L 105, Ø 63



204813 E27-LED-R80

illuminant; glass, clear

L 115, Ø 80



204812 E27-R125- HEAT LAMP

illuminant; glass, clear

L 180, Ø 120






11674 G9-LED

illuminant; plastic

*Sold as twin pack only.

L 49, Ø 17




11675 G9-LED

illuminant; plastic

*Sold as twin pack only.


L 49, Ø 17



11575 GU10-LED

illuminant; glass


L 53, Ø 50




11576 GU10-LED

illuminant; glass

L 54, Ø 50























INDEX &
REGISTER





















































LEGEND

PICTOGRAM

SOCKETS

 LED	 G4	 G53
 2G7	 G5	 GU5,3 / MR16
 2G11	 G9	 GU10
 2GX13	 G10Q	 GX53
 E14	 G13	 GY6,35
 E27	 G23	 R7s

BULBS

 E14 / C35	 E27 / G90	 E27 / ST64 Filament
 E14 / C35f	 E27 / QR63	 E27 / T30 Filament
 E14 / D45	 E27 / A60 Halogen	 E27 / T32 Filament
 E14 / C35f LED	 E27 / R63 Halogen	 G4 / T9
 E14 / D45 Halogen	 E27 / A60 LED	 G4 / LT9
 E14 / C35 Halogen	 E27 / A60 Filament	 G4 / LT14
 E14 / T22	 E27 / A65 LED	 G9
 E14 / C35 Filament	 E27 / A75 Filament	 G9 LED
 E14 / C37 Filament	 E27 / G45 LED	 GU10
 E14 / C35f Filament	 E27 / G45 Filament	 GU10 LED
 E14 / C37f Filament	 E27 / G80 Filament	 GU10 SMD LED
 E14 / P45 LED	 E27 / G95	 GX53 / LF75
 E14 / P45 Filament	 E27 / G95 Filament	LED LED board / LED Platine / LED bord
 E14 / P50	 E27 / G125	 MR16
 E14 / ST48 Filament	 E27 / G95 LED	 MR16 LED
 E14 / ST64 Filament	 E27 / R125 Heat Lamp	 R7s / 78mm
 E14 / T20 LED	 E27 / R63 LED	 R7s / 118mm
 E27 / A60	 E27 / ST48 Filament	

WARRANTY

6 | 3 YEAR WARRANTY
YEAR PRODUCT IN-HOME WARRANTY
6|3 YEAR WARRANTY
 Covered by EGLO's comprehensive 6 year warranty. Enjoy the security of 3 years in-home warranty protection, plus an additional 3 years motor warranty.

3 YEAR WARRANTY
 Covered by EGLO's comprehensive 3 year warranty.












5 YEAR WARRANTY
 Covered by EGLO's comprehensive 5 year warranty.

2 YEAR WARRANTY
 Covered by EGLO's comprehensive 2 year warranty.



















LIGHT COLOUR & LUMEN

The colours of the LED are represented as pictogrammes (see below), their luminous flux directly beneath.































The luminous flux is quoted in lumen and describes the amount of light generated by the LED. The higher the value, the brighter the lamp. Lumens are the light measurement value in bulbs and LED boards.

 RGB	 RGB + neutralwhite	 cool white
 RGB + white	 RGB + tunabel white	 neutral white
 RGB + warmwhite	 tunable white	 tri-colour white
 RGB + coldwhite	 warm white	

SWITCHES & SENSORS

 incl. cable & plug	 pedal switch	 sensor
 internal dimmer	 cable switch	 swedish plug
 button switch	 incl. cable & plug transformer	 "Touch me" ON/OFF
 function switch	 remote control	 "Touch me" ON/OFF & dimm
 rocker switch	 remote control adaptable	 pull switch
 pedal dimmer	 Day & Night Sensor	 timer - automatic on/off

FUNCTIONS & COMFORT

 incl. battery	 packaging / delivery unit	 ANTI-UV ABS
 incl. battery	 able to be shortened	 ABS
 battery specifications	 USB charging port	 AC MOTOR
 beam angle	 voltage	 DC MOTOR
 corner mount possible	 WATT	 NATURAL BREEZE
 CRI	 AIRFLOW	 QUICK CONNECT
 cutout (in mm)	 DUCT INCLUDED	 STEP DIMMING
 dimable	 INDOOR & COVERED OUTDOOR USE	 HANG SUBE CANOPY
 not dimable	 REVERSIBLE	 TIMER
 replaceable LED	 LIGHT ADAPTABLE	 WALL SWITCH

PROTECTION CLASS

The protection class indicates to what extent the lamp is protected against electric shock. All lamps in this catalogue are at least protected with the protection class 1 - a higher class is specified in the information box of the respective lamp.



protection class 1: protective earthing



protection class 2: protective insulation



protection class 3: protective low voltage

PROTECTION RATING

The protection rating ensures the operational safety of luminaires. The first number specifies the extent of the protection against the ingress of foreign bodies; the second number identifies the humidity protection grade. All luminaires in this catalogue are at least protected with the rating IP20 – a higher rating is specified in the information box of the luminaire.



IP33



IP44



IP54



IP65



IP67

REGISTER

SERIES NAME

name	page	name	page
ALAMONTE 1	116	ROYSTAR	40-41, 53
BONDI	8-11, 26-27	SABINAR	87
BOVOLONE	117	SANIA 4	75
BURLEIGH	110-111	SIDERNO	60-61
BUZZ-LED	43	TABIANO	66-67
CALPINO	112	TARBES	79, 88-89
CARLTON 1	79-86	TAVISTOCK	90
CARLTON 4	79	TAZZOLI	78
CHOPPER	100-101	TERROS	68
CITY	110	TOMARES	44-45
CLIMENE	72,82-85	TOURBILLION	20-25, 27
DAVIDA 2	46-47	TROY 3	74, 94
DETECT ME	104-107	VESUVIUS	32-33
DIEGO	52	VILLAGRAZIA	114-115
DOWNRODS	27		
FAEDO 3	102-103		
GRAFIK	74		
HEATFLOW	34-35		
INTERNO	36-37		
LANKY	56-57		
METRASS	73		
MONTEFINO	92		
NOOSA	12-19, 27		
OLLIE	50-51		
PALMERA 1	69		
PANDELLA 1	62-65		
PASTERI	76-77		
PINTO	95		
PINTO NERO	95		
PRIDDY	79, 91		
RAZONI	93		
RIGA	113		
RIPPA	42		
RONDO	96-97		

REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
11501	120	84028	74	96064	64	201422	68
11534	120	85261N	96	96065	64	201965	66
11575	125	85262N	96	96066	64	201966	66
11576	125	85263N	96	96373	76	201999	44
11595	120	85977	94	96374	76	202001	44
11596	120	85978	94	96477	76	202002	44
11602	121	85979N	74	96478	77	202003	44
11604	121	88139	110	96566	78	202004	45
11674	125	88142	110	96567	78	202005	45
11675	125	89832	95	96981N	87	202006	45
11693	122	89833	95	96982N	87	202007	45
11694	122	90304	95	96983N	87	202086	66
11695	122	90305	95	97241	112	202111	69
11696	122	92251	93	97242	112	202112	69
11755	120	92252	93	97261	117	202619N	40
11759	121	93003	95	97366	92	202622	41
11761	121	94102	113	97367	92	202623	41
11763	124	94103	113	97368	92	202624	41
11764	124	94106	113	97418	107	202625	41
11765	120	94107	113	97419	107	202626	41
43001N	86	94187	89	97718	60	202627	41
43057	79	94188	89	97719	60	202628	41
49071N	90	94191	89	98153	115	202629	41
49074N	90	94193	88	98154	115	202631	41
49081	79	94194	88	98193	60	202779	78
49254N	86	94196	88	98273N	116	202938	62
49464	91	94613	66	98421	75	202939	62
49465	91	94788	116	98422	75	202963	20
49468	79	94831	116	98423	75	202964	21
49878N	86	94832	116	200692	43	202965	22
49932N	86	94924	76	200693	43	202966	23
49992	79	94925	77	200694	43	202967	24
49997N	86	96037	73	200695	43	202968	24
84026	74	96038	73	201419	68	202969	17

REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
202971	17	203624	10	203905N	40	204392	100
202972	19	203625	10	203906N	40	204393	101
202973	19	203626	11	203907N	40	204394	100
202976	27	203627	11	203937	62	204395	101
202977	27	203628	27	203938	63	204399	52
202979	27	203629	27	203939	64	204401	52
203191N	87	203631	27	204152	32	204402	52
203192N	87	203631	27	204153	33	204403	52
203193N	87	203653N	102	204154	34	204404	110
203239	27	203654N	103	204155	34	204405	110
203367	20	203655N	102	204156	35	204406	53
203368	22	203656N	103	204157	35	204407	53
203369	16	203657N	103	204158	36	204408	53
203371	16	203691	51	204159	36	204409	53
203372	18	203692	51	204311	27	204411	53
203373	18	203693	51	204312	27	204412	53
203374	24	203694	51	204313	27	204413	53
203375	27	203695	51	204314	27	204414	53
203376	27	203696	51	204326	46	204415	53
203377	41	203697	50	204327	46	204416	53
203378	41	203698	50	204328	46	204518	107
203379	41	203699	50	204329	46	204519	107
203381	41	203705	60	204331	47	204521	107
203382	41	203706	60	204332	47	204522	104
203424	63	203707N	60	204333	47	204523	104
203425	63	203786N	102	204334	47	204524	104
203437N	42	203787N	103	204346	27	204525	104
203438N	42	203788N	102	204347	27	204526	106
203528	67	203789N	103	204348	27	204527	106
203529	67	203791N	103	204349	27	204528	106
203619	8	203792N	102	204387	100	204529	106
203621	8	203793N	102	204388	100	204573	82
203622	9	203903	41	204389	100	204574	82
203623	9	203904	41	204391	100	204575	82

name	page	name	page
204576	72	204789	13
204577	84	204794	14
204578	84	204795	14
204579	84	204796	14
204581	72	204801	15
204582	85	204802	15
204583	85	204803	15
204584	85	204807	21
204585	72	204808	23
204739	8	204809	24
204741	9	204812	124
204742	10	204813	124
204743	11	205008	96
204744	27	205009	96
204745	27	205011	96
204746	16	205012	97
204747	17	205013	97
204748	18	205014	97
204749	19	205022	117
204751	27	205023	69
204752	27	205024	69
204762	57	205028	115
204763	56	205029	115
204764	57	205127	26
204765	56		
204766	57		
204767	57		
204781	12		
204782	12		
204783	12		
204787	13		
204788	13		

All previous catalogues and price lists are no longer valid with the issue of this catalogue. Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment. Products with additional safety remarks (e.g. protection class, IP) are identified within the product family with the relevant symbol and number. The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH. All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.

The product pictures and ambiances in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product. EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition: EGLO Lighting Australia Pty Ltd, Brisbane, AUSTRALIA

Pictures: EGLO, fotolia.com, istockphoto.com, Adobe Stock

September 2021



EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
T 07 3375 1413
F 07 3375 1412
E info@eglolighting.com.au
W www.eglo.com.au



my light | my style