


# Antarktíkós



**Artemide®**

# Antarktikós


Carlotta de Bevilacqua

↪ 2017

An innovative patented optic realizes a light blade that, from a single LED source, draws a 360° light profile.  
A perfect tool for architectural lighting that emphasizes with high efficiency the different opening profiles.



For further information on Antarktikós  
↪ visit [artemide.com](http://artemide.com)



# Antarktikós patented optic system

PATENT OF  
INVENTION

Antarktikós  
patented  
optic system




# Antarktíkós RGB



RGB

# Antarktíkós White



3000 K






# Extreme Light control

Extremely limited and protected light emission that reduces to an absolute minimum the light pollution and glare.






## ↪ ANTARKTIKÓS

Grey-white Ral 9002 	AS 	Driver 500/700mA supplied separately.	MacAdam 3SDCM Life L70 (10K)>35500h CRI =80	IP65  IK06
---	---	--	---	---

### ANTARKTIKÓS WHITE



W	Flux	CCT	Code	€
3 W	20 lm	3000K	<b>T4520030</b>	190,00





Driver	Vac	L <sub>mm</sub>	W <sub>mm</sub>	H <sub>mm</sub>	IP	n°device in series	Code	€	
cc 10W	700mA	220-240	75	38	25	20	1-4max	Undimmable	<b>NL19035</b> 21,00
cc 14W	700mA	220-240	79	38	25	67	1-5max	Undimmable	<b>DV3003</b> 48,00
cc 25W	700mA	220-240	164	38	25	20	1-9max	DALI/PUSH dimmable	<b>DV1003</b> 48,00
cc 38W	700mA	220-240	185	35	33	67	1-12max	DALI/PUSH dimmable	<b>DV1042</b> 120,00

### ANTARKTIKÓS RGB

W	Flux	Code	€
3 W	20 lm	<b>T4521030</b>	215,00



Driver	V <sub>in</sub>	V <sub>ac</sub>	L <sub>mm</sub>	W <sub>mm</sub>	H <sub>mm</sub>	IP	n°device in series	Code	€
25 W	100-277 Vac	12Vdc	148	40	32	67	max 5	<b>DV1055</b>	68,00
40 W	100-277 Vac	12Vdc	163	43	32	67	max 8	<b>DV1056</b>	77,00
96 W	100-277 Vac	12Vdc	140	63	32	67	max 20	<b>DV1057</b>	81,00
150 W	100-277 Vac	12Vdc	228	68	39	67	max 30	<b>DV1043</b>	130,00
DIMMER DMX	12-24 Vdc	12-24 pwm	88	54	25	20	max 1	<b>DV1059</b>	110,00
DIMMER DALI	12-24 Vdc	12-24 pwm	88	54	25	20	max 1	<b>DV1052</b>	110,00



#### Notes:

- It is necessary to use 1 Dimmer for each Antarktikós RGB as indicated in the scheme.
- Use DMX suitable twisted pair cables with an impedance of 120Ω and a low capacitance.
- Max. of 32 standard devices connected over a max. cable length of 300m wired in a multi-drop bus topology commonly called "daisy chain".
- Terminate the last driver with an impedance of 120Ω (120Ω resistor joining pins + and -).
- After 32 unit loads a repeater/booster should be used.
- Use DMX Splitters for larger installations or to simplify wiring. The output of a DMX splitter is considered a new DMX line, with the same rules applying.

## Antarktikós is compatible with **Artemide App**

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.



Download Artemide App  
and find more information on  
[artemide.com](http://artemide.com)

## Headquarters

### Artemide S.p.A.

Via Bergamo, 18  
20010 Pregnana Milanese (MI), Italy  
Tel. +39 02 93518.1  
Tel. +39 02 93526.1  
Numero verde 800 834 093  
(from Italy only)  
info@artemide.com  
artemide.com

## Communication and Marketing Department

Via Canova, 34  
20145 Milan (MI), Italy  
Tel. +39 02.349611  
marketing@artemide.com  
artemide.com



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018

### Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

### Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

### Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

### Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

### Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.