


Series Y

by
Gensler



Artemide®

series y

Series Y

Gensler
2017



Artemide
App
↪ on request



For further information on Series Y
↪ visit artemide.com











Series Y optics

Direct emission



Diffused emission




35W
2940 lm
Undimmable

Controlled emission



35W
2559 lm
Undimmable

Direct + indirect emission



Diffused + batwing mission




55W
4742 lm
Dimmable DALI separately

Controlled + Batwing emission




55W
4361 lm
Dimmable DALI separately



Series Y


Batwing indirect emission



Maximum flexibility of composition

Horizontal rotation modules respecting a minimum of 75°

Controlled emission




Diffused emission

Free vertical tilt up to
30° upwards or 30°
downwards

Horizontal and vertical freedom to play with

→ ROTATION ON HORIZONTAL PLANE


During the installation it is possible to freely choose the position of each single module, respecting a minimum angle between two modules of 75°.



→ TILT ON VERTICAL PLANE


Each module can be easily tilted (upward or downward) up to 30° from the horizontal plane.

This two movements (rotation and tilting) can be mixed up in infinite possibilities to best adapt to space requirements.




→ POSSIBLE MULTIPLE CONFIGURATIONS UP TO 4 MODULES


JOINT AND SUSPENSION CABLE



X 2 MODULES




X 3 MODULES




X 4 MODULES

Series Y joints



Series Y linear configuration




→ 1 MODULE

END CAP



TERMINAL SUSPENSION KIT



INTERMEDIATE SUSPENSION KIT




CEILING ROSE



○ Small 416x99x65 mm
x1, x2, x3, x4 modules
Undimmable
x1, x2 modules
Dimmable DALI

○ Large 416x139x65 mm
x3, x4 modules
Dimmable DALI



→ MORE THAN 2 MODULES

Terminal suspension kit

Ceiling rose



Intermediate suspension kit

Direct / Indirect module

End cap

Series Y star configuration

JOINT



→ 3 MODULES

Terminal suspension kit

Joint end cap

Ceiling rose
Joint with cable
3X

Direct / Indirect module

End cap

END CAP




JOINT END CAP



TERMINAL SUSPENSION KIT




CEILING ROSE



○ Small 416x99x65 mm
x1, x2, x3, x4 modules
Undimmable
x1, x2 modules
Dimmable DALI

○ Large 416x139x65 mm
x3, x4 modules
Dimmable DALI

→ 4 MODULES



Terminal suspension kit

Joint end cap

Joint with cable 4X



Ceiling rose

Direct / Indirect module

End cap

Series Y mixed configuration

JOINT



→ 3+2 MODULES

Terminal
suspension kit

Ceiling rose

Intermediate
suspension kit

Direct / Indirect
module

END CAP



-
-
-
-
-

JOINT END CAP



-
-
-
-
-

TERMINAL SUSPENSION KIT




CEILING ROSE



- Small 416x99x65 mm
x1, x2, x3, x4 modules
Undimmable
x1, x2 modules
Dimmable DALI



- Large 416x139x65 mm
x3, x4 modules
Dimmable DALI








↪ SERIES Y - DIRECT EMISSION UNDIMMABLE

White Black Silver  01 04 05	MacAdam 3SDCM Life L70 (6K) 50000h CRI = 90	IP20 
---	---	---


DIFFUSED EMISSION

Length	W	CRI	Flux	CCT	Undimmable Code	€
1120mm	35 W	90	2940 lm	3000K	AY000. 01/04/05	375,00
			3095 lm	4000K	AY005. 01/04/05	375,00



CONTROLLED EMISSION


Length	W	CRI	Flux	CCT	Undimmable Code	€
1120mm	35 W	90	2559 lm	3000K	AY010. 01/04/05	550,00
			2694 lm	4000K	AY015. 01/04/05	550,00




Ceiling rose


- Rose x 1 module
- Rose x 2 modules
- Rose x 3 modules - linear configuration
- Rose x 3 modules - star configuration
- Rose x 4 modules - linear configuration
- Rose x 4 modules - star configuration

Undimmable Code	€
AY80101	265,00
AY80201	275,00
AY80301	320,00
AY80401	320,00
AY80501	320,00
AY80601	350,00




 **Small Undimmable rose**
 Ceiling rose suitable for all undimmable modules configurations.


LINEAR CONFIGURATION



STAR CONFIGURATION



MIXED CONFIGURATION





↪ SERIES Y - DIRECT + INDIRECT EMISSION DIMMABLE

White	Black	Silver		MacAdam 3SDCM	IP20
				Life L70 (6K) 50000h	
01	04	05		CRI = 90	


DIFFUSED DIRECT EMISSION + BATWING INDIRECT EMISSION

Length	W	Flux	CCT	Dimmable DALI Code	€
1120mm	35 W direct	2940 lm direct	3000K	AY050. 01/04/05	450,00
	20 W indirect	1802 lm indirect			
		3095 lm direct	4000K	AY055. 01/04/05	450,00
		1897 lm indirect			




CONTROLLED DIRECT EMISSION + BATWING INDIRECT EMISSION

Length	W	Flux	CCT	Dimmable DALI Code	€
1120mm	35 W direct	2559 lm direct	3000K	AY060. 01/04/05	645,00
	20 W indirect	1802 lm indirect			
		2694 lm direct	4000K	AY065. 01/04/05	645,00
		1897 lm indirect			



Ceiling rose	Dimmable DALI Code	€
Rose x 1 module	AY81101	400,00
Rose x 2 modules	AY81201	420,00
Rose x 3 modules - linear configuration	AY81301	550,00
Rose x 3 modules - star configuration	AY81401	600,00
Rose x 4 modules - linear configuration	AY81501	550,00
Rose x 4 modules - star configuration	AY81601	630,00




Small Dimmable rose
Ceiling rose suitable for 1 or 2 dimmable modules configurations.




Large Dimmable rose
Ceiling rose suitable for 3 or 4 dimmable modules configurations.

LINEAR CONFIGURATION




No electrical connection between modules

STAR CONFIGURATION












MIXED CONFIGURATION







No electrical connection between modules


SERIES Y - JOINT

White	Black	Silver	Red	Yellow
				
01	04	05	08	15

Accessories		Code	€
	Terminal suspension kit	AY50000	18,00
	Intermediate suspension kit	AY51000	28,00
	End cap	AY600. 01/04	33,00
		05/08/15	33,00
	Joint End cap	AY610. 01/04	33,00
		05/08/15	33,00



Joint		Code	€
	x 2 modules + suspension cable	AY700. 01/04	150,00
		05/08/15	150,00
	x 3 modules + suspension cable	AY710. 01/04	170,00
		05/08/15	170,00
	x 4 modules + suspension cable	AY720. 01/04	190,00
		05/08/15	190,00





LEAS

Informational text on the wall, partially obscured and difficult to read.



Metro Village, San Donato Milanese, Milan
Project by Lombardini 22 - DEGW
Photo by Dario e Carlos Tettamanzi



Series Y is compatible with **Artemide App**

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.





Download Artemide App
and find more information on
artemide.com

Headquarters

Artemide S.p.A.

Via Bergamo, 18
20006 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

Artemide S.p.A.

si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.

reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.

se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.

behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildeten Produkte zu ändern.

Artemide S.p.A.

se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálogo.

2022 07 updated version.

For information regarding distributors
and points of sale, please visit our website
artemide.com or email: info@artemide.com

Artemide®

