



EGLO
my light | my style




2024

LIGHTING & AIR MOVEMENT

AUSTRALIA



**2024
COLLECTION**



EGLO
my light | my style

EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
T 07 3375 1413
E info@eglolighting.com.au
www.eglo.com.au



CONTENTS



CEILING FANS

P.014 - 137




BATHROOM EXHAUST

P.138 - 147



LIGHTING FAMILIES

P.148 - 227




PENDANTS

P.228 - 321



DIY

P.322 - 331




OYSTERS & CLOSE TO CEILING

P.332 - 349



VANITY & BATHROOM

P.350 - 369



WALL LIGHTS

P.370 - 389



SPOTS & DOWNLIGHTS

P.390 - 425



TASK, TABLE & FLOOR LAMPS

P.426 - 465




OUTDOOR

P.466 - 519



MY CONTROL

P.520 - 525



LED GLOBES & STRIP KITS

P.526 - 577



INDEX & REGISTER

P.578



CEILING FANS



BONDY
67



CABARITA
97



CURRUMBIN
16



ILUKA
101



ILUKA HUGGER
107



KURRAWA
22



NOOSA
80



NOOSA TIMBER
91



SEACLIFF
113



STRADBROKE
59



SURF
40



SURF TIMBER
48



TORQUAY
72



TOURBILLION
28



WAIKIKI
125

BATHROOM EXHAUST



HEATFLOW
144



INFERNO
146



SAMBA
140



VESUVIUS
142

LIGHTING FAMILIES



ADRI 3
199



BARBOTTO
153



BOYAL
159



BRADFORD
184



CALMEILLES
219



CARLTON
190



CLIMENE
205



COPILLOS
167



FENOULLET
223



HAMBLETON
208



HORNWOOD
174



LANACERA
154



LITTLETON
172



LUBENHAM
177



MANBY
166



MARBELLA
215



MARDYKE
164



MAYAZES
150



MORESCANA
163



NEWTOWN
188



PAISANO
170



PASTERI
210



PRIDDY
202



RAMPSIDE
182



SAVOY
216



TAMARESCO
169



TARBES
186



TOWNSHEND
178



TOWNSHEND 4
185



TROY 3
213



VALPARAISO
224

PENDANTS



ABREOSA
246



ALDERNEY
231



ALOBRASE
280



AMSFIELD
291



ARISCANI
275



AYCLIFFE
287



AYESGARTH
290



BASILDON
262



BEIRES
318



BERNABETA
252



CADAQUES 1
297



CANTERRAS
256



CAPOSILE
312



CASTRALVO
281



CHAMPERICO
238



CLEVEDON
236



CONGRESBURY
312



CONTRISA
233



CORTENOVA
277



CREMELLA
267



DEERHURST
308



EMBLETON
266



ENCINITOS
245



ESTANERIOS
268



FAMBOROUGH
282



FARSALA
300



GATUELA
251



GIANELLA
241



GLYNEATH
290



GOROSIBA
260



HAXLEY
289



IPSDEN
264



LASANA 2
301



LAYHAM
309



LONCINO
298



LISCIANA
303



MENTALONA
257



MIOGLIA 1
314



MOLINEROS
258



MONTEFINO
276



MONTEFIO 2
316



MONTEZUELO
285



NARICES
247



OILELLA
273



OLDBURY
311



PIANOPOLI
317



PINTO
296



POZUETA
278



RAZONI
234



RAZONI 1
234



ROCAMAR
299



ROCCAFORTE
293



ROMAZZINA
270



RONDO
305



SABINAR
295



SAMBUCONA
288



SEGOVIA
230



SEGOVIA
230



SEGOVIA
230

PENDANTS



SELVINO
297



STAVERTON
237



STYPE
246



TAMALLAT
296



TAREGA
302




TAVISTOCK
292



TONARELLA
242



TRURO 2
312



VALLASPRA
281



VENEZUELA
248

DIY



BOCAL
326



BONARES 1
330



CARLTON 1
325



HAMBLETON
327



HANIFA
330



JADIDA
330



LONCINO
328



LONCINO 1
328



MURCIA
329



NEWTOWN
327



TARBES
324

OYSTERS & CLOSE TO CEILING



DELILAH
342



DIEGO
336



FENOULLET 1
346



LANACERA
343



LANKY
340



MARGHERA 1
344



MARGHERA 2
344



OLLIE
334



PRINCIPE
346



ROYSTAR
339



VALPARAISO
348



VALPARAISO 1
349

VANITY & BATHROOM



ALCUDIA
354



GEMILIANA
352



GITA 2
366



PALMERA 1
354



PALMITAL 2
357



PANDELLA 1
362



ROMENDO 2
369



SIDERNO
358



TABIANO 2
360



TRAGACETE
359

WALL LIGHTS



BOYAL
381



CALMEILLES
389



CAPRICE
387



CARLTON 1
383



CLIMENE 2
375



FENOULLET 1
389



GRAFIK
386



HORNWOOD
380



JABALOYAS
374



LANACERA
373



LITTLETON
380



MARBELLA
388



METRASS
379



NEMO
386



PASSA
377




PASTERI
384



PRIDDY
383



RAMPSIDE
383



SANIA 5
378



SAVOY
388



TANURA
372



TARBES
383



TAZZOLI
385



TOWNSHEND
380



TOWNSHEND 4
380



TROY 3
387



ZUBIALDE
376

SPOTS & DOWNLIGHTS



BUZZ-LED
424



CARTAGENA
402



CAYUCA
417



CUMARIBO
414



DAVIDA
418



DAVIDA 1
419



DAVIDA 2
421



RIPPA 2
400



ROYSTAR
392



SERAS
406



SERAS 1
413



SERAS 2
410

TASK, TABLE & FLOOR LAMPS



ADRI 3
442



BARBOTTO
428



BASILDON 1
439



BEN
462



BOCAL
447



CARLTON 4
445



CARLTON 5
445



CARTAGENA
430



CONNOR
465



CONTESSORE
436



COPILLOS
442



GEO
440



HAMBLETON
448



JASPER
464



LARA
450



LUBENHAM
434



LUBENHAM 1
434



LURONE
431



MANBY
432



MARDYKE
445



MAYAZES
429



MORESCANA
432



NEWTOWN
446



PAISANO
439



PASTERI
440



PRIDDY
444



RAMPSIDE
437



ROCCAMENA
446



SANTANDER
449



TALBOT
448



TOWNSHEND
438

OUTDOOR



ALAMONTE 1
493



ALAMONTE 3
492



BERRY MINI
519




BOVOLONE
491



BUDRONE
487



BURLEIGH
498



CALPINO
484



CASCINETTA
489



CHOPPER
500



DETECT ME
504



DUANERA
495




ENTRIMO
496



EREMITANA
485



FAEDO 3
502



FAIRY LIGHTS
514



FESTOON 2
506



FREMANTLE
468



ICICLE LIGHTS
516



LESMO
486



MIRANDOLA
488



NET LIGHTS
518



PARK
496



RIGA
497




SONCINO
490



SPONGANO
480



TRECATE
490



TREE LIGHTS
517



VILLAGRAZIA 2
482

MY CONTROL



E27-LED-A60
523



LED STRIP KIT
524



SMART PLUG
524



ROYSTAR
525

LED GLOBES & STRIP KITS



LED 12V
FESTOON
576



LED
AMBER
550



LED AMBER BIG
SIZE
562



LED AMBER
PATTERN
557



LED AMBER
SPIRAL
553



LED AMBER T30
TUBULAR
557



LED BLACK
TRANS. SPIRAL
556



LED
CANDLES
535



LED
CF117
560



LED CLEAR
SPIRAL
552



LED COLOURED
TINTS
564



LED COPPER
VAP. SPIRAL
554



LED
CUBE
557



LED DECORATIVE
AMBER
558



LED DECORATIVE
BLACK VAP.
559



LED FANCY
ROUNDS
528



LED
G9
575



LED
GLOBE
536



LED
GOLDEN AGE
549



LED
GU10
573



LED
PUCK
575



LINEAR
GLOBE
575



MY CONTROL
SMART GLOBE
574



OVEN
GLOBE
574



CEILING FANS

Our global and local experience allows us to focus on producing creative, contemporary, and high performance ceiling fans, that will blend effortlessly with your home. Incorporating the latest energy efficient technology and seamless control options, you can be sure your new EGLO fan will integrate to suit your lifestyle.

CURRUMBIN 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY


20619221

Housing

Steel, white matt

Blades

Plantation timber, natural



remote control
Included



wall control
sold separately

20619228

Housing

Steel, black matt

Blades

Plantation timber, merbau



32W



12,886
m³/h



6 speed



light
adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	380	15.0
C	372	14.6
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	65	4,602
1	80	5,147
2	100	6,428
3	130	8,355
4	156	10,665
5	182	12,886

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 24

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

CURRUMBIN 80

Ø 80" / 2030 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20619321

Housing

Steel, white matt

Blades

Plantation timber, natural



20619328

Housing

Steel, black matt

Blades

Plantation timber, merbau



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



42W



17,544
m³/h



6 speed



light
adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	2030	80.0
B	380	15.0
C	379	14.9
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	60	9,747
1	70	11,343
2	80	13,041
3	90	14,461
4	100	15,979
5	108	17,544

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 24

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

CURRUMBIN 100

Ø 100" / 2540 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20619421

Housing

Steel, white matt

Blades

Plantation timber, natural



20619428

Housing

Steel, black matt

Blades

Plantation timber, merbau



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



44W



31,619
m³/h



6 speed



light
adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	2540	100.0
B	380	15.0
C	381	15.0
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	54	21,306
1	59	23,122
2	65	24,221
3	71	26,419
4	76	28,517
5	81	31,619

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 24

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

20619421





20619501



CURRUMBIN LIGHT

5
YEAR
WARRANTY




20619501
steel, white matt



20619502
steel, black matt

Dimensions



	mm	inches
A	195	7.7
B	55	2.2

LED

18W



2300lm/
2500lm/
2400lm



replacable
LED



dimmable

KURRAWA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20618701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20618702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38W



14,526
m³/h



6 speed



construct



1/2/4/8 h



use



IP55
(coastal)




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	319	15.6
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

KURRAWA 60

Ø 60" / 1520 mm

6 | **3**
YEAR | YEAR
PRODUCT | IN-HOME
WARRANTY

20618801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20618802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38W



14,526
m³/h



6 speed



construct



18W



2100lm/
2300lm/
2200lm



dimmmable



2/8 h




IP55
(coastal)



reversible

Dimensions



	mm	inches
A	1520	60.0
B	329	13.0
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

KURRAWA 72

Ø 60" / 1830 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20618901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20618902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40W



15,558
m³/h



6 speed



construct



1/2/4/8 h



use



IP55
(coastal)




quick
connect



reversible

Dimensions



	mm	inches
A	1830	72.0
B	319	12.6
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A



20618901



20619102



KURRAWA 72

Ø 72" / 1830 mm

6 | **3**
YEAR | YEAR
PRODUCT | IN-HOME
WARRANTY

20619101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20619102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40W



15,558
m³/h



6 speed



construct



18W



2100lm/
2300lm/
2200lm



dimmmable



2/8 h




IP55
(coastal)



reversible

Dimensions



	mm	inches
A	1830	72.0
B	329	13.0
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

203367

Housing

steel, white matt

Blades

aluminium, white matt



202964

Housing

steel, black matt

Blades

aluminium, black matt



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



47 W



16,220
m³/h



5 speed



smart
compatible



light
adaptable



1/2/4/8 h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

206183

Housing

steel, oil rubbed bronze

Blades

aluminium, oil rubbed bronze



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)

204807

Housing

steel, titanium

Blades

aluminium, titanium



47 W



16,220
m³/h



5 speed



smart
compatible



light
adaptable



1/2/4/8 h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



202966

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

203368

Housing

steel, white matt

Blades

aluminium, white matt



202966

Housing

steel, black matt

Blades

aluminium, black matt



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



58 W



21,270
m³/h



5 speed



smart
compatible



light
adaptable



1/2/4/8h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



206184



TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

206184

Housing

steel, oil rubbed bronze

Blades

aluminium, oil rubbed bronze



remote control
Included



wall control
sold separately

204808

Housing

steel, titanium

Blades

aluminium, titanium



Includes 200mm &
600mm downrods
(colour to suit)



58 W



21,270
m³/h



5 speed



smart
compatible



light
adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

TOURBILLION 100

Ø 100" / 2540 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20618601

Housing

steel, white matt

Blades

aluminium, white matt

20618602

Housing

steel, black matt

Blades

aluminium, black matt



Includes 200mm &
600mm downrods
(colour to suit)



100 W



54,533
m³/h



5 speed



light
adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m ³ /h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A



20618601



20618604

TOURBILLION 100

Ø 100" / 2540 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20618604

Housing

steel, titanium

Blades

aluminium, titanium



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



100 W



54,533
m³/h



5 speed



light
adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m ³ /h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 38

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A

TOURBILLION LIGHT KIT

5
YEAR
WARRANTY



TRI
COLOUR
2150lm

205564
steel, white matt / acrylic, opal



TRI
COLOUR
2150lm

205563
steel, black matt / acrylic, opal



TRI
COLOUR
2150lm

205565
steel, titanium / acrylic, opal



TRI
COLOUR
2150lm

206185
steel, oil rubbed bronze / acrylic, opal

Dimensions



	mm	inches
A	225	8.9
B	65	2.6

LED

18W



step
dim



replaceable
LED



quick
connect



SURF 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20549601

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20549602

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

20549601



SURF 48

Ø 48" / 1220 mm

6 3
YEAR PRODUCT IN-HOME WARRANTY

20549701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20549702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20549801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20549802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,743
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20549901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20549902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,743
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	Yes Page 133

20549902



SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20550101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20550102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14,194
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20550201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

20550202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14194
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20549616

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20549617

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,130
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133



20549616





20549716



SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20549716

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20549717

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,130
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20549816

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20549817

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,743
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20549916

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20549917

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,743
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

SURF TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20550116

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20550117

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14,194
m³/h



6 speed



smart
compatible



20°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

20550116



SURF TIMBER 60

Ø 60" / 1520 mm

6 | **3**
YEAR | YEAR
PRODUCT | IN-HOME
WARRANTY

20550216

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



remote control
Included



wall control
sold separately

20550217

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14194
m³/h



6 speed



smart
compatible



20°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	Yes Page 133



20550216





20491401



STRADBROKE 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT IN-HOME
WARRANTY

20491401

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20491402

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt

20491404

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,510
m³/h



6 speed



15°



construct



30min/
1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

STRADBROKE 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20490901

Housing

steel, white matt

Blades

ABS, UV Resistant,
white matt



20490902

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20490904

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510
m³/h



15°



6 speed



construct



2x 7W E27
(not inc)



not
dimmable



1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	378	14.9
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

STRADBROKE 48

Ø 48" / 1220 mm



20491601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20491602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491604

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510
m³/h



15°



6 speed



construct



20W



2300lm



step
dim



1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

STRADBROKE 52

Ø 52" / 1320 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20491501

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20491502

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491504

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,820
m³/h



6 speed



15°



construct



30min/
1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

STRADBROKE 52

Ø 52" / 1320 mm



20491201

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20491202

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20491204

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,820
m³/h



15°



6 speed



construct



2x 7W E27
(not inc)



not
dimmable



1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	378	14.9
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

STRADBROKE 52

Ø 52" / 1320 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY

20491701

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20491702

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20491704

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,820 m³/h



15°



6 speed



construct



20W



2300lm



step dim



1/2/4/8 h




quick connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A




20491704





203619



BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203619

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203621

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204739

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W



13,390
m³/h



smart
compatible



15°



construct



use



quick
connect



control




adaptable



reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Included	N/A
Remote Kit	Yes	Page 131
Smart Compatible	Yes	Page 133

BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203622

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203623

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204741

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W



13,390
m³/h



smart
compatible



15°



construct



20 W



1750lm/
2100lm/
2000lm



step
dim



use



control




adaptable



reversible

Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Included	N/A
Remote Kit	Yes	Page 131
Smart Compatible	Yes	Page 133

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203624

Housing

ABS, UV Resistant, white matt

Blades


ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203625

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204742

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W



13,303
m³/h



smart
compatible



15°



construct



use



quick
connect



control




adaptable



reversible

Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	95	5,103
2	150	9,364
3	205	13,303

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Included	N/A
Remote Kit	Yes	Page 131
Smart Compatible	Yes	Page 133

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203626

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203627

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204743

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W



13,303
m³/h



smart
compatible



15°



construct



20 W



1750lm/
2100lm/
2000lm



step
dim



use



control




adaptable



reversible

Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m³/h
1	95	5,103
2	150	9,364
3	205	13,303

Accessories


Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Included	N/A
Remote Kit	Yes	Page 131
Smart Compatible	Yes	Page 133



204743



TORQUAY 42

Ø 42" / 1070 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20522501

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20522502

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20522512

Housing
steel, oil rubbed bronze

Blades
ABS, UV Resistant, koa



13 W



8,665
m³/h



6 speed



13°



Construct



30min/
1/2/4/8h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1070	42.0
B	286	11.3
C	294	11.6
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	70	2,285
1	110	3,933
2	145	5,400
3	175	6,307
4	205	7,493
5	230	8,665

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

TORQUAY 42

Ø 42" / 1070 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20522602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522612

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



13 W



8,665 m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1070	42.0
B	316	12.4
C	294	11.6
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	70	2,285
1	110	3,933
2	145	5,400
3	175	6,307
4	205	7,493
5	230	8,665

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 134
Angle Canopy	Yes	Page 132
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A



20522712



TORQUAY 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20522701

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20522702

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522712

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



33 W



12,091
m³/h



6 speed



13°



Construct



30min/
1/2/4/8 h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

TORQUAY 48

Ø 48" / 1220 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522801

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20522802

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20522812

Housing
steel, oil rubbed bronze

Blades
ABS, UV Resistant, koa



33 W



12,091
m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step
dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A

TORQUAY 56

Ø 56" / 1422mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522901

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20522902

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522912

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



35 W



12,961
m³/h



6 speed



13°



Construct



30min/
1/2/4/8 h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1422	56.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

TORQUAY 56

Ø 56" / 1422mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20523101

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20523102

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20523112

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



35 W



12,961 m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1422	56.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

20523112



NOOSA 40

Ø 40" / 1016 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204781

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204782

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



15,650
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

NOOSA 40

Ø 40" / 1016 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

204787

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204788

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



15,650 m³/h



6 speed



smart compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



204794



NOOSA 46

Ø 46" / 1168 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204794

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204795

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



14,620
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA 46

Ø 46" / 1168 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

204801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



14,620 m³/h



6 speed



smart compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA 52

Ø 52" / 1320 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

203371

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



203369

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



24 W



13,280 m³/h



6 speed



smart compatible



8°



construct



quick connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



202969



NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

202971

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



202969

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



24 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimnable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately


203373

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



203372

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

202973

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



202972

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimnable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



204112



NOOSA TIMBER 52

Ø 52" / 1320 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

204112

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



204113

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak



204114

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



24 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	Yes	Page 133

NOOSA TIMBER 52

Ø 52" / 1320 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

204115

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



204116

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak



204117

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



24 W



13,280 m³/h



6 speed



smart compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA TIMBER 60

Ø 60" / 1520 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

204227

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



204228

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204229

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



38 W



14,346
m³/h



6 speed



8°



Construct



Quick
connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133

NOOSA TIMBER 60

Ø 60" / 1520 mm



remote control
Included



wall control
sold separately

204231

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



204232

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204233

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimnable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m³/h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	Page 133



204231



204353



CABARITA

Ø 50" / 1270 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

204353

Housing

steel, white matt

Blades

ABS, UV Resistant, bamboo



remote control
Included



wall control
sold separately

204354

Housing

steel, black matt

Blades

ABS, UV Resistant, koa



35 W



10,080
m³/h



6 speed



13°



Construct



1/4/8 h



Mode




Quick
connect



Reversible

Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.8
D	164	6.4
E	90	3.5

Airflow

Speed	RPM	m ³ /h
1	78	2,520
2	102	3,840
3	118	5,290
4	137	6,170
5	160	7,920
6	174	10,080

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A

CABARITA

Ø 50" / 1270 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

204351

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

204352

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



35 W



10,080
m³/h



6 speed



13°



Construct



1/4/8 h



Mode




Quick
connect



Reversible

Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.8
D	164	6.4
E	90	3.5

Airflow

Speed	RPM	m ³ /h
1	78	2,520
2	102	3,840
3	118	5,290
4	137	6,170
5	160	7,920
6	174	10,080

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A



204351



20537701

ILUKA 52

Ø 52" / 1320 mm



6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20537701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20537702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

20537715

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



13°



Construct



Quick
connect



1/2/4/6/8 h




Use



Reversible

Dimension



	mm	inches
A	1320	52.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

ILUKA 52

Ø 52" / 1320 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20537801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20537802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537815

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640 m³/h



6 speed



13°



Construct



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

ILUKA 60

Ø 60" / 1520 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20537901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20537902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537915

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



13°



Construct



Quick connect



1/2/4/6/8 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Page 130
Remote Control	N/A
Smart Compatible	N/A

ILUKA 60

Ø 60" / 1520 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20538101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538115

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



13°



Construct



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Integrated	N/A

Compatible


Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A



20538115



20538202



ILUKA 52

Ø 52" / 1320 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20538201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538215

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640 m³/h



6 speed



Construct



Suitability



Quick connect




1/2/4/6/8 h



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Accessories

Accessories	Compatible	Page
Wall Control	Yes	Page 130
Remote Control	Included	N/A
Smart Compatible	No	N/A

ILUKA 52

Ø 52" / 1320 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20538301

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538302

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538315

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640 m³/h



6 speed



Construct



Suitability



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

ILUKA 60

Ø 60" / 1520 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20538401

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538402

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538415

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



Construct



Suitability



Quick connect




1/2/4/6/8 h



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

ILUKA 60

Ø 60" / 1520 mm



6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20538501

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538502

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538515

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



Construct



Suitability



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

20538515





20523401



SEACLIFF 44

Ø 44" / 1120 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523401

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20523402

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



16 W



9,270
m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523405

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



20523406

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



16 W



9,270
m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A



20523406



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately



20523601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20523602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



16 W



9,270
m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

SEACLIFF 44

Ø 44" / 1120 mm



remote control
Included



wall control
sold separately



20523605

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



20523606

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, light walnut finish



16 W



9,270
m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

SEACLIFF 52

Ø 52" / 1320 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523501

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20523502

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



28 W



11,895
m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

SEACLIFF 52

Ø 52" / 1320 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523505

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



20523506

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



28 W



11,895
m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	No	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A



20523702



SEACLIFF 52

Ø 52" / 1320 mm



remote control
Included



wall control
sold separately



20523701

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20523702

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



28 W



11,895
m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



remote control
Included



wall control
sold separately



20523705

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish

20523706

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



28 W



11,895 m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	No	N/A
Light Kit	Integrated	N/A

Compatible

Compatible	Page
Wall Control	Yes Page 130
Remote Control	Included N/A
Smart Compatible	No N/A

20523705





20518102



WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



wall control included



remote control sold separately

20518101

Housing

steel, white matt

Blades

plywood, white matt

20518102

Housing

steel, black matt

Blades

plywood, black matt



62 W



9,830 m³/h



13°



Control



Control



Adaptable




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 128

Compatible

Compatible	Page
Wall Control	Included N/A
Remote Control	Yes Page 131
Smart Compatible	No N/A

WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



wall control included



remote control sold separately

20518111

Housing

steel, brass matt

Blades

plywood, white matt



20518109

Housing

steel, antique bronze

Blades

plywood, walnut



20518108

Housing

steel, satin nickel

Blades

plywood, washed oak



62 W



9,830 m³/h



13°



Control



Control



Adaptable




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Accessories

Accessories	Compatible	Page
Extension Rods	Yes	Page 136
Angle Canopy	Yes	Page 134
Light Kit	Yes	Page 128

Compatible

Compatible	Page
Wall Control	Included N/A
Remote Control	Yes Page 131
Smart Compatible	No N/A

20518111



WAIKIKI LIGHT KIT

2
YEAR
WARRANTY



20518401

steel, white matt
glass, frosted



20518402

steel, black matt
glass, frosted



20518408

steel, satin nickel
glass, frosted



20518409

steel, antique bronze
glass, frosted

Dimensions



	mm	inches
A	374	14.7
B	161	6.3



20518411

steel, brass matt
glass, frosted

max.
3x40W



max.
3 x 40W

3x E27
(not included)

quick
connect



20518109

20518409



DC WALL CONTROL


1
YEAR
WARRANTY

206222

DC Wall Control

Suits current EGLO DC ceiling fans

H 116, W 34, L 76



DISPLAY

Back lit LED display for wide angle viewing at any ambient light level

AIR MOVEMENT

Increase or decrease airflow, and turn fan on or off

LIGHT

Switch your fan light on or off, and control light brightness (dimmable fan light models only)

FORWARD/ REVERSE

Change the direction of the fan according to summer or winter use

TIMER

Set a timer from 1H to 9H (actual timer settings dependent on specific fan model)

ADDITIONAL FUNCTIONS

Additional functions such as Natural Breeze and auto temperature control (actual additional functions dependent on specific fan model)

DC wall control compatible with current EGLO DC ceiling fans. Conveniently control the light and air movement of your ceiling fan from a mains powered wall control instead of remote.

240V
MAINS
POWERED

240V mains powered

SUITS
STANDARD
WALL
PLATES

suits standard plates

AUTO
SPEED
CONTROL

auto speed control

SUITS
EGLO DC
FANS

suits EGLO DC fans

TIMER

timer function

AC REMOTE CONTROL

1
YEAR
WARRANTY



205127

Remote Kit

Suits all Bondi ceiling fans

SPEED	BONDI 48	BONDI 52
1	2,390 m ³ /h	2,542 m ³ /h
2	8,058 m ³ /h	7,125 m ³ /h
3	10,140 m ³ /h	9,145 m ³ /h
4	13,390 m ³ /h	14,259 m ³ /h



205222

Remote Kit

Suits all Waikiki ceiling fans

SPEED	WAIKIKI
1	2,535 m ³ /h
2	4,160 m ³ /h
3	7,295 m ³ /h
4	9,832 m ³ /h

Remote kits includes:



Remote control
Wall holder
Receiver

Air movement volumes above will supercede quoted air movements on Waikiki and Bondi fan packaging, ie. compared to what they would be with the included wall control. The lowest speed allows for a slower "night mode". This is due to a change in speed capacitor within the receiver.



batteries
included



batteries
included



2/4/8h



wall holder
included

SMART KITS

1
YEAR
WARRANTY

Turn any of the EGLO Bondi, Noosa, Tourbillion and Surf ceiling fan ranges into a smart fan, with the addition of an EGLO my control smart receiver unit (Noosa and Tourbillion ranges), smart remote kit (Bondi range), or smart USB module (Surf range).

This allows you to pair the fan with the EGLO my control app, and easily control it from your smart device (smart device not included).

Benefits

- Turn your fan or fan light on / off
- Adjust your fan speeds
- Set timers and schedules
- Control your fan from anywhere in the world
- Controllable via intelligent voice assistants such as Google Home, Amazon Echo & Siri



SMART REMOTE KIT

FAN RANGE

COMPATIBLE MODELS

205487

Bondi

my control smart remote kit - suits all Bondi models

SMART RECEIVER

FAN RANGE

COMPATIBLE MODELS

205481

Noosa

my control smart receiver suits Noosa no light 40/46"

205482

Noosa

my control smart receiver suits Noosa no light 52"

205483

Noosa

my control smart receiver suits Noosa no light 60"

205484

Noosa

my control smart receiver suits Noosa LED 40/46"

205485

Noosa

my control smart receiver suits Noosa LED 52"

205486

Noosa

my control smart receiver suits Noosa LED 60"

205638

Tourbillion

my control smart receiver suits Tourbillion 60"

205639

Tourbillion

my control smart receiver suits Tourbillion 80"

SMART USB MODULE

FAN RANGE

COMPATIBLE MODELS

205503

Surf

my control smart USB module - suits all Surf models



my
control



smart



fan
timer



light
timer





40° ANGLE CANOPIES

1
YEAR
WARRANTY



20557501
ABS, UV resistant, matt white



20557502
ABS, UV resistant, matt black



20557504
ABS, UV resistant, titanium



20557512
ABS, UV resistant, oil rubbed bronze

Dimensions



	mm	inches
A	179	7.0
B	77	3.0

Inclusions



Includes both 21mm and 26mm collars to suit most rod sizes.

Note: Downrod not included.



Up to
40°




Up to
35kg

DOWNRODS

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.



Downrod	Colour	Length (mm)	Dia (Ø)
20518209	antique bronze	900	21
20518309	antique bronze	1800	21
20681202	black matt	450	22
20681302	black matt	600	22
202979	black matt	900	27
203631	black matt	900	22
204312	black matt	900	21
204347	black matt	900	27
20522302	black matt	900	21
20581202	black matt	900	22
20628602	black matt	900	27
202977	black matt	1800	27
203632	black matt	1800	22
204314	black matt	1800	21
204349	black matt	1800	27
20522402	black matt	1800	21
20581302	black matt	1800	22
20628702	black matt	1800	27
20518211	brushed brass matt	900	21
20518311	brushed brass matt	1800	21
20523212	oil rubbed bronze	900	27
20523312	oil rubbed bronze	1800	27
204744	titanium	900	22
204751	titanium	900	27
20522304	titanium	900	21
20628604	titanium	900	27
204745	titanium	1800	22
204752	titanium	1800	27
20522404	titanium	1800	21
20628704	titanium	1800	27
20681201	white matt	450	22
20681301	white matt	600	22
203376	white matt	900	27
203628	white matt	900	22
204311	white matt	900	21
204346	white matt	900	27
20522301	white matt	900	27
20581201	white matt	900	22
20628601	white matt	900	27
203375	white matt	1800	27
203629	white matt	1800	22
204313	white matt	1800	21
20522401	white matt	1800	21
204348	white matt	1800	27
20581301	white matt	1800	22
20628701	white matt	1800	27





BATHROOM EXHAUST

Turn your bathroom into your sanctuary with the EGLO range of heating and ventilation products. From basic to high performance, choose the perfect model to keep your bathroom warm and inviting.

SAMBA

Exhaust Fan

3
YEAR
WARRANTY



206175N

Housing
plastic, white



206177N

Housing
plastic, black



50 W



43dB



300 m³/h




1x1m



Ø 255mm
Cut Out

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	28	1.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	50	300	6

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

SAMBA

Exhaust Fan / Light

3
YEAR
WARRANTY



206174N
Housing
plastic, white



206176N
Housing
plastic, black



50 W



43dB



300 m³/h



2x1m



Ø 255mm
Cut Out



10W




850lm



CCT
switch

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	28	1.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	50	300	6

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

VESUVIUS

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204152
Housing
plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h



Included




3000K
R80



390 x 220
Cut Out

Dimensions



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

	mm	inches
Cut Out	390 x 220	15.3 x 8.7
Height	241	9.5
Duct	100	3.9
Fascia	440 x 280	17.3 x 11.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

VESUVIUS

4 Heat/Exhaust/Light

3
YEAR
WARRANTY



204153
Housing
plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h




Included



3000K
R80



300 x 300
Cut Out



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

	mm	inches
Cut Out	300 x 300	11.8 x 11.8
Height	232	9.1
Duct	100	3.9
Fascia	398 x 365	15.7 x 14.4

Attention: Minimum ceiling cavity height of 250mm required for installation.

HEATFLOW

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204154

Housing

plastic, white



204155

Housing

plastic, black matt



40 W



2x 275W



Ø 120 mm
3.0 m



460 m³/h



Included



13W




950lm



430 x 250
Cut Out

Dimensions



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.7m x 3m	16.2m ³

	mm	inches
Cut Out	430 x 250	16.9 x 9.8
Height	260	10.2
Duct	120	4.7
Fascia	480 x 290	18.9 x 11.4

Attention: Minimum ceiling cavity height of 250mm required for installation.

HEATFLOW

4 Heat/Exhaust/Light

3
YEAR
WARRANTY



204156

Housing

plastic white



204157

Housing

plastic, black matt



40 W



4x 275W



Ø 120 mm
3.0 m



460 m³/h



Included



13W




950lm



430 x 270
Cut Out

Dimensions



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

Recommended Maximum Room Measurements

Room Size W x H x D	Volume m ³
2m x 2.7m x 3m	16.2m ³

	mm	inches
Cut Out	430 x 270	16.9 x 10.6
Height	260	10.2
Duct	120	4.7
Fascia	480 x 360	18.9 x 14.2

Attention: Minimum ceiling cavity height of 250mm required for installation.

INFERNO

HALOGEN HEAT/EXHAUST/LIGHT

3
YEAR
WARRANTY



204158

Housing
plastic, white



204159

Housing
plastic, black matt



55 W



R7S



Halogen
1000W



Ø 150 mm
3.0 m



550 m³/h



Included



4x 5W
GU10




4 x 400lm



470 x 315
Cut Out

Dimensions



	mm	inches
Cut Out	470 x 315	29.1 x 12.4
Height	213	8.4
Duct	150	5.9
Fascia	500 x 350	19.7 x 13.8

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	55	550	10

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2.5m x 2.7m x 4m	27m ³





LIGHTING FAMILIES

This range combines ceiling, wall, pendant and table lights. Give your rooms a consistent and stylish all round illumination.



39911N



39911N MAYAZES

pendant light; steel, black / wood

H 2000, Ø 250mm



GU10



5W



warm
WHITE

345lm



dimmable



9 008606 291403



39912N MAYAZES

pendant light; steel, black / wood

H 2000, W 250, L 1050mm



GU10



3x 5W



warm
WHITE


3x 345lm




dimmable



9 008606 291397





39914N MAYAZES

floor lamp; steel, black / wood

H 1620, W 250, L 315mm



GU10



5W



warm
WHITE


345lm



pedal
switch



9 008606 291427



39913N MAYAZES

table lamp; steel, black / wood

H 500, W 250, L 255mm



GU10



5W



warm
WHITE

345lm



cable
switch



9 008606 291410





206088






206088 BARBOTTO

pendant light; steel, white / wood

3000K | 4000K | 5000K

H 2000, Ø 60mm




206087N BARBOTTO

floor lamp; steel, white / wood

3000K | 4000K | 5000K

H 1365, Ø 60mm





206086N BARBOTTO

table lamp; steel, white / wood

3000K | 4000K | 5000K

H 395, Ø 60mm






LED

205836 LANACERA

ceiling light; steel, aluminium, white

H 155, W 400, L 965mm

LED warm WHITE Dimmable
40.5W 5850lm





LED

205835 LANACERA

wall light; steel, aluminium, white

H 325, L 300, A 50mm

LED warm WHITE Dimmable
20W 2900lm




LED

205834 LANACERA

pendant light; steel, aluminium, white

H 1500, W 400, L 965mm

LED warm WHITE Dimmable
40.5W 5850lm





205835





LED

390086N LANACERA

ceiling light; steel, aluminium, black

H 155, W 400, L 965mm

LED warm WHITE Dimmable
40.5W 5850lm



LED

390088N LANACERA

wall light; steel, aluminium, black

H 325, L 300, A 50mm

LED warm WHITE Dimmable
20W 2900lm




LED

390087N LANACERA

pendant light; steel, aluminium, black

H 1500, W 400, L 965mm

LED warm WHITE Dimmable
40.5W 5850lm





390086N





99466



99457N BOYAL

table light; steel, wood, black, brown rustic

L 300, B 150, H 425, Base: B 110, T 150

- LED
12W
- warm WHITE
1700lm
- cable switch
- not dimmable
- double Insulated



9 008606 230662



99353 BOYAL

wall light; steel, wood, black, brown rustic

L 300, H 560, A 75

- LED
12W
- warm WHITE
1700lm
- not dimmable
- double Insulated



9 002759 993535



99408 BOYAL

ceiling light; steel, wood, black, brown rustic

L 780, B 400, H 90

- LED
24W
- warm WHITE
3400lm
- not dimmable
- double Insulated



9 002759 994082



99469N BOYAL


table light; steel, wood, black, natural wood

L 300, B 150, H 425, Base: B 110, T 150

- LED
12W
- warm WHITE
1700lm
- cable switch
- not dimmable
- double Insulated



9 008606 230686



99466 BOYAL

wall light; steel, wood, black, natural wood

L 300, H 560, A 75

- LED
12W
- warm WHITE
1700lm
- not dimmable
- double Insulated



9 002759 994662



99467 BOYAL


ceiling light; steel, wood, black, natural wood


L 780, B 400, H 90

- LED
24W
- warm WHITE
3400lm
- not dimmable
- double Insulated



9 002759 994679





LED

99468 BOYAL


ceiling light; steel, wood, black, natural wood

L 1010, B 400, H 95

LED 36W
warm WHITE 3400lm
not dimmable
double Insulated



9 002759 994686



L 1010

B 400



LED

99413 BOYAL

ceiling light; steel, wood, black, brown rustic

L 1010, B 400, H 95

LED 36W
warm WHITE 3400lm
not dimmable
double Insulated



9 002759 994136



L 1010

H 95



LED

99625 BOYAL


pendant light; steel, black, natural wood

L 1010, B 400, H 1200

LED 40.5W
warm WHITE 5850lm
not dimmable
double Insulated



9 002759 996253



L 1010

H 1200



LED

99624 BOYAL

pendant light; steel, wood, black, brown rustic

L 1010, B 400, H 1200

LED 40.5W
warm WHITE 5850lm
not dimmable
double Insulated



9 002759 996246



L 1010

H 1200



99624




390219N




390222N MORESCANA

floor lamp; steel, black

H 1630, Ø 380, Base: Ø 280



9 008606 271313




390219N MORESCANA

pendant light; steel, black

H 2000, L 960



9 008606 265268




390218N MORESCANA

pendant light; steel, black

H 2000, Ø 250




9 008606 265251



390221N MORESCANA

table lamp; steel, black

H 495, L 260, Ø 180



9 008606 271306






43643N MARDYKE

pendant light; steel, black / glass, clear



H 2000, L 230



43646N MARDYKE

table light; steel, black / glass, clear


L 190, B 128, H 505



43644 MARDYKE

pendant light; steel, black / glass, clear

H 1100, L 775





43644



43795N



43797N MANBY

table light; steel, black

H 485, Ø 240. Base Ø 230



E27



1x 40W




double
switch



double
Insulated



9 008606 271696



43795N MANBY

pendant light; steel, black

H 1100, Ø 450



E27




1x 40W



double
Insulated



9 008606 271689






LED

204735 COPILOS

pendant light; steel, black / glass vaporized, black-transparent

H 2000, L 1425

LED warm WHITE dimmable
6x 5.4W 3750lm




LED

39877N COPILOS

table light; steel, black / glass vaporized, black-transparent

H 420, B 200


LED warm WHITE touch switch dimmable
5.4W 730lm



204735



39764N



39764N TAMARESCO

pendant light; steel, brushed brass / velvet, white, gold

Pendant is oval shaped


L 1020, B 300, H 2000



39766N TAMARESCO

table light; steel, brushed brass / velvet, white, gold


H 520, Ø 300, Base: Ø 195



39765N TAMARESCO

pendant light; steel, brushed brass / velvet, white, gold

H 2000, Ø 380





390238N PAISANO

pendant light; steel, white / rattan, natural

H 2000, Ø 480



E27




1x 40 W



double
Insulated



9 008606 265312



390239N PAISANO

table lamp; ceramic, beige / rattan, natural

H 515, Ø 300, B 145



E27



1x 40 W



cable
switch



double
Insulated



9 008606 271320



390238N



390238N



49473N LITTLETON


pendant light; steel, black / wood

L 110, B 100, H 2000

-  E27
-  1x 60W
-  double Insulated



9 008606 209866



49698 LITTLETON

wall light; steel, black / wood

L 110, H 330, A 115

-  E27
-  1x 60W



9 002759 496982



49549N LITTLETON


pendant light; steel, black / wood

H 2000, Ø 500

-  E27
-  6x 60W



9 008606 209873






49549N



43045 HORNWOOD

pendant light; steel, black, creme / wood


L 780, B 210, H 2000



43424N HORNWOOD

pendant light; steel, black, creme / wood

L 1100, W 180, H 2000



43046 HORNWOOD

wall light; steel, black, creme / wood

Ø 170





43045





43162N



43162N LUBENHAM

pendant light; steel, wood, black

H 2000, Ø 300



9 008606 230433




43163N LUBENHAM

pendant light; steel, wood, black

L 900, B 200, H 2000




9 008606 230440



43165N LUBENHAM

table light; steel, wood, black

H 570, Base: Ø 180




9 008606 230723




43166N LUBENHAM

floor light; steel, wood, black

L 475, B 300, H 1600, Base: Ø 300



9 008606 230716





49744 TOWNSHEND

pendant light; wood, steel, black

L 1500, B 100, H 1100




E27



9x 60W



9 002759 497446



95499 TOWNSHEND

pendant light; steel, wood, black

L 1000, B 100, H 1100




E27



6x 60W



9 002759 954994



49744





32917 TOWNSHEND

wall light; steel, wood, black

L 65, H 215, A 190



E27 1x 10W



32918N TOWNSHEND

table light; steel, wood, black

L 175, B 155, H 500, Base: Ø 155



E27 1x 10W cable switch




32919N TOWNSHEND

floor light; steel, wood, black

L 205, B 250, H 1665, Base: Ø 250



E27 2x 10W cable switch





32919N







43197N RAMPSIDE

wall light; steel, wood, black

Note: This fitting comes with flex plug and plug, and cannot be hard wired.

L 80, H 300, A 135

-  E27
-  1x 28W
-  cable switch
-  double insulated







9 008606 209842



43199N RAMPSIDE

table light; steel, black / fabric, creme

H 400, Ø 190, Base: Ø 145

-  E27
-  1x 28W
-  cable switch
-  double insulated



9 008606 209858



43256 RAMPSIDE

pendant light; steel, black

H 1380, Ø 110

-  E27
-  1x 28W



9 002759 432560



43194 RAMPSIDE


pendant light; steel, wood, black

H 1090, Ø 760

-  E27
-  6x 28W



9 002759 431945






43194



49213 BRADFORD

pendant light; steel, black / glass, clear

H 1100, Ø 140



49283N BRADFORD

table light; steel, black / glass, clear

H 330, Ø 140



49213



49859 TOWNSEND 4

pendant light; steel, antique-brown

L 1005, B 70, H 1100




E27



6x 60W



9 002759 498597



43152 TOWNSEND 4

wall light; steel, black, brown

L 80, H 190, A 185



E27



1x 10W



9 002759 431525



43152





94187 TARDES

pendant light; plastic, black / steel, black



94188 TARDES


pendant light; plastic, black / steel, black





94191 TARDES

pendant light; steel, black / steel, black


H 1100, Ø 175



H 1100, Ø 325



H 1100, Ø 310



203312 TARDES

diy batten fix; steel, black



203313 TARDES


diy batten fix; steel, black




49081 TARDES

wall light; steel, black

H 230, Ø 175



H 270, Ø 325



L 155, H 375, A 275







43679N TARBES

pendant light; black / steel, brushed brass


H 1100, Ø 325



43681N TARBES

pendant light; black / steel, brushed brass

H 1100, Ø 175



43679N

43679N



49477 NEWTOWN

pendant light; steel, black



49472 NEWTOWN


pendant light; steel, black




49478 NEWTOWN

pendant light; steel, black

H 1100, Ø 160




9 002759 494773



H 1100, Ø 275




9 002759 494728



L 700, B 160, H 1100



9 002759 494780



49479 NEWTOWN

pendant light; steel, black



203324 NEWTOWN

diy batten fix; steel, black



49481N NEWTOWN

table light; steel, black


H 1300, Ø 380



9 002759 494797




H 240, Ø 160



9 008606 194339



H 230, Ø 160



9 008606 148356





49479



49481N







49997N CARLTON 1

pendant light; steel, black, copper coloured


H 2000, Ø 205



49254N CARLTON 1

pendant light; steel, black, copper coloured



H 2000, Ø 310



49878N CARLTON 1

pendant light; steel, black, copper coloured


H 2000, Ø 385



49991N CARLTON 1

pendant light; steel, black, copper coloured


L 805, B 205, H 2000



49992 CARLTON 1

wall light; steel, black, copper coloured

L 205, H 330, A 220






49254N



203317 CARLTON 1

diy batten fix; steel, black, silver


H 290, Ø 205



203316 CARLTON 1

diy batten fix; steel, black, copper coloured


H 290, Ø 205



49255N CARLTON 1

pendant light; steel, black, silver



H 2000, Ø 310



43077N CARLTON 5

table light; steel, black, copper / fabric, black, copper coloured

H 510, Ø 250





43077N



43001N



43001N CARLTON 1


pendant light; steel, white, honey gold

L 280, B 205, H 2000

- E27
- 1x 60W
- double insulated



9 008606 209736



49932N CARLTON 1


pendant light; steel, white, honey gold

H 2000, Ø 310

- E27
- 1x 60W
- double insulated



9 008606 219964



203319 CARLTON 1

diy batten fix; steel, white, honey gold

H 290, Ø 205

- 1x 60W
- double insulated
- DIY



9 008606 194322



49932N



43814N CARLTON



pendant light; steel, gold-coloured / textile, black

43815N CARLTON

pendant light; steel, gold-coloured / textile, black

H 2000, Ø 310mm


H 2000, Ø 385mm



43909N CARLTON

pendant light; steel, gold-coloured / textile, black

H 2000, L 805mm





43909N





98063N



98063N ADRI 3

pendant light; steel, black

H 2000



E27 1x 60W




9 008606 210138



98065N ADRI 3

table light; steel, black


H 430, 155, Base: Ø 155



E27 1x 12W cable switch double insulated




9 008606 198542



98066N ADRI 3

floor light; steel, black


H 1500, Base: Ø 215



E27 1x 12W peddle switch double insulated



9 008606 198559






43167N LUBENHAM 1

pendant light; steel, nickel-antique, creme

H 2000, Ø 300



9 008606 230419




43168N LUBENHAM 1

pendant light; steel, nickel-antique, creme

L 900, B 200, H 2000




9 008606 230426



43171N LUBENHAM 1

table light; steel, nickel-antique, creme

H 570, Base: Ø 180



9 008606 230709




43172N LUBENHAM 1

floor light; steel, nickel-antique, creme

L 475, B 300, H 1600, Base: Ø 300



9 008606 230693






43167N



49464 PRIDDY

pendant light; steel, black

H 1100, Ø 155



49468 PRIDDY

wall light; steel, black


L 130, H 215, A 200



49469N PRIDDY

table light; steel, black



H 425, Base: Ø 155



49471N PRIDDY

floor light; steel, black

H 1370, Base: Ø 230





49471N


49464

49469N

HUILE D'OLIVES
GARANTIE PURE
Produit de ma
Propriété



204575



204573 CLIMENE

pendant light; aluminium, black


3000K | 4000K | 5000K

L 1180, B 50, W 15, H 2500


LED 21 W DOWN	TRI COLOUR 2600lm/ 2900lm/ 2600lm	LED 8.4 W UP	TRI COLOUR 1000lm/ 1100lm/ 1000lm
dimmable	double Insulated	DIP	



9 008606 216376



Canopy Width: 45mm
Pendant Width: 15mm



204574 CLIMENE

pendant light; aluminium, black


3000K | 4000K | 5000K

L 1800, B 45, W 14, H 2500

LED 23 W DOWN	TRI COLOUR 2800lm/ 3300lm/ 3000lm	LED 11 W UP	TRI COLOUR 1300lm/ 1500lm/ 1400lm
dimmable	double Insulated	DIP	



9 008606 216383



Canopy Width: 45mm
Pendant Width: 15mm



204575 CLIMENE

pendant light; aluminium, black


3000K | 4000K | 5000K

L 2400, B 45, W 15, H 2500

LED 33 W DOWN	TRI COLOUR 4100lm/ 4700lm/ 4400lm	LED 11 W UP	TRI COLOUR 1350lm/ 1550lm/ 1450lm
dimmable	double Insulated	DIP	



9 008606 216390



Canopy Width: 45mm
Pendant Width: 15mm



204576 CLIMENE

wall light; aluminium, black / plastic, white


3000K | 4000K | 5000K

H 80, L 255, A 45

LED 2x 4.2 W	TRI COLOUR 1040lm/ 1200lm/ 1040lm	dimmable	double Insulated	DIP
------------------------	---	----------	------------------	-----



9 008606 216406





LED

204577 CLIMENE

pendant light; aluminium, white


3000K | 4000K | 5000K

L 1180, B 50, W 15, H 2500

LED 21 W DOWN	TRI COLOUR 2600lm/ 2900lm/ 2600lm	LED 8.4 W UP	TRI COLOUR 1000lm/ 1100lm/ 1000lm
dimmable	double Insulated	dip switch	



9 008606 216413



Canopy Width: 45mm
Pendant Width: 15mm



LED

204578 CLIMENE

pendant light; aluminium, white


3000K | 4000K | 5000K

L 1800, B 45, W 15, H 2500

LED 23 W DOWN	TRI COLOUR 2800lm/ 3300lm/ 3000lm	LED 11 W UP	TRI COLOUR 1300lm/ 1500lm/ 1400lm
dimmable	double Insulated	dip switch	



9 008606 216420



Canopy Width: 45mm
Pendant Width: 15mm



LED

204579 CLIMENE

pendant light; aluminium, white


3000K | 4000K | 5000K

L 2400, B 45, W 15 H 2500

LED 33 W DOWN	TRI COLOUR 4100lm/ 4700lm/ 4400lm	LED 11 W UP	TRI COLOUR 1350lm/ 1550lm/ 1450lm
dimmable	double Insulated	dip switch	



9 008606 216437



Canopy Width: 45mm
Pendant Width: 15mm



LED

204581 CLIMENE

wall light; aluminium, white / plastic, white


3000K | 4000K | 5000K

L 255, H 80, A 45


LED 2x 4.2 W	TRI COLOUR 1040lm/ 1200lm/ 1040lm	dimmable	double Insulated	dip switch
------------------------	---	----------	------------------	------------



9 008606 216444



L 255



204577



204918 HAMBLETON


DIY Batten Fix; steel, white

H 385, Ø 190, Base: Ø 150

-  1x 60W
-  DIY
-  double insulated







9 008606 217700



49844N HAMBLETON


table light; steel, satin nickel / steel, white

H 385, Ø 190, Base: Ø 150

-  E27
-  1x 60W
-  cable switch
-  double insulated



9 008606 209965



49489 HAMBLETON


pendant light; steel, satin nickel / steel, white

H 1100, Ø 350

-  E27
-  1x 60W
-  double insulated



9 002759 494896



49949N HAMBLETON


floor light; steel, satin nickel / steel, white

H 1470, Ø 350, Base: Ø 280

-  E27
-  1x 60W
-  peddle switch
-  double insulated



9 002759 499497





204531N HAMBLETON

table light; steel, white

H 300, Ø 120



E27



1x 60W



cable
switch



double
insulated



9 008606 214464



204731N HAMBLETON

table light; steel, black

H 300, Ø 120



E27



1x 60W



cable
switch



double
insulated



9 008606 214488





204731N



31594N PASTERI

table light; steel, satin nickel / fabric, white


H 400, Ø 180



94924 PASTERI

wall light; steel, satin nickel / fabric, white


L 145, H 305, A 195



95118N PASTERI

table light; steel, satin nickel / fabric, white



H 255, Ø 120



96376N PASTERI

table light; steel, satin nickel / fabric, linen, grey


H 400, Ø 180



96373 PASTERI

wall light; steel, satin nickel / fabric, linen, grey


L 145, H 305, A 195



96375N PASTERI

table light; steel, satin nickel / fabric, linen, grey

H 255, Ø 120





LED

96477 PASTERI

wall light; steel, satin nickel / fabric, white

L 150, H 380, A 195



E27



1x 40W



1x 3.5W



1x

380lm



rocker


switch



not
dimmable



9 002759 964771



LED

96374 PASTERI

wall light; steel, satin nickel / fabric, linen, grey

L 150, H 380, A 195



E27



1x 40W



1x 3.5W



1x

380lm



rocker


switch



not
dimmable



9 002759 963743






85977



85978 TROY 3

pendant light; steel, satin nickel / glass, opal


L 720, B 105, H 1100



85977 TROY 3

pendant light; steel, satin nickel / satin glass, white painted

H 1100, Ø 105, Base: Ø 120



85979N TROY 3

wall light; steel, satin nickel / satin glass, white

L 180, H 250, A 75






85858



85856 MARBELLA

ceiling light; cast metal, bronzed / glass alabaster, champagne

H 410, Ø 370



85857 MARBELLA

pendant light; cast metal, bronzed / glass alabaster, champagne


H 1100, Ø 740



85859 MARBELLA

wall light; cast metal, bronzed / glass alabaster, champagne


L 170, H 200, A 230



85858 MARBELLA

pendant light; cast metal, bronzed / glass alabaster, champagne

H 1100, Ø 740






204954 SAVOY

pendant light; cast metal, bronzed / satin glass, white


H 1100, Ø 740



205121 SAVOY

pendant light; cast metal, bronzed / satin glass, white

H 1100, Ø 740



204955 SAVOY

wall light; cast metal, bronzed / satin glass, white


L 180, H 160, A 240



205122 SAVOY

wall light; cast metal, bronzed / satin glass, white


L 410, H 160, A 210



204956 SAVOY

pendant light; cast metal, bronzed / satin glass, white

H 1100, Ø 310






205121




205122



204955






39627



39624 CALMEILLES 1

ceiling light; steel, chrome / crystal, clear


H 590, Ø 630



39625 CALMEILLES 1

ceiling light; steel, chrome / crystal, clear


H 680, Ø 780



39626 CALMEILLES 1

pendant light; steel, chrome / crystal, clear


H 1500, Ø 630



39627 CALMEILLES 1

pendant light; steel, chrome / crystal, clear



H 1590, Ø 780



39628 CALMEILLES 1

wall light; steel, chrome / crystal, clear

H 330, L 215, A 130






39611 CALMEILLES

ceiling light; steel, brass / crystal, clear


H 590, Ø 630



39612 CALMEILLES

ceiling light; steel, brass / crystal, clear


H 680, Ø 780



39613 CALMEILLES

pendant light; steel, brass / crystal, clear



H 1500, Ø 630



39614 CALMEILLES

pendant light; steel, brass / crystal, clear


H 1590, Ø 780



39615 CALMEILLES

wall light; steel, brass / crystal, clear

H 330, L 215, A 130





39612




39604



39602 FENOULLET 1

ceiling light; steel, brass / crystal, clear

H 355, Ø 600



39605 FENOULLET 1

pendant light; steel, brass / crystal, clear

H 1210, Ø 575



39606 FENOULLET 1

pendant light; steel, brass / crystal, clear


H 1210, Ø 735



39604 FENOULLET 1

wall light; steel, brass / crystal, clear

L 290, H 370, A 175






39494 VALPARAISO 1

pendant light; steel, chrome / crystal, clear


L 900, B 300, H 1100



39495 VALPARAISO 1

pendant light; steel, chrome / crystal, clear

L 1150, B 300, H 1100



39489 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear

H 270, Ø 480



39491 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear


H 305, Ø 580



39492 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear

H 385, Ø 780



39493 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear

H 470, Ø 980





39493






39462



39457 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 270, Ø 480



E14 8x 40W



9 002759 394578



Ø 480

H 270



39458 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 305, Ø 580



E14 11x 40W



9 002759 394585



Ø 580

H 305



39459 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 385, Ø 780



E14 16x 40W



9 002759 394592



Ø 780

H 385



39461 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 470, Ø 980



E14 25x 40W



9 002759 394615



Ø 980

H 470



39462 VALPARAISO

pendant light; steel, gold-coloured / crystal, clear


L 900, B 300, H 1100



E14 10x 40W



9 002759 394622



H 250

L 900


H 1100



39463 VALPARAISO

pendant light; steel, gold-coloured / crystal, clear

L 1150, B 300, H 1100



E14 13x 40W



9 002759 394639



L 1150

H 1100



PENDANTS



Our broad range of suspended and pendant lighting contains both traditional & contemporary designs, to compliment any furnishing style. Set beautiful accents and give your home a warm and inviting atmosphere.



206049 SEGOVIA

pendant light; steel, black, black

H 2000, Ø 180mm




900738N



900738N SEGOVIA

pendant light; steel, black, black

H 2000, W 180, L 880mm





206047 ALDERNEY

pendant light; natural, black

H 2000, W 200, L 900mm




E27



3x 40W



9 008606 303298



206048



206048 ALDERNEY

pendant light; natural, white

H 2000, Ø 300mm




E27



1x 40W



9 008606 303304






205857



205857 CONTRISA

pendant light; steel, black


H 2000, Ø 380mm



205858 CONTRISA

pendant light; steel, white


H 2000, Ø 380mm



900379N CONTRISA

pendant light; steel, grey


H 2000, Ø 380mm



205861 CONTRISA

pendant light; steel, black


H 2000, Ø 520mm



205859 CONTRISA

pendant light; steel, white

H 2000, Ø 520mm



900381N CONTRISA

pendant light; steel, grey

H 2000, Ø 520mm





92251 RAZONI

pendant light; steel, white / satin glass, steel, white




H 1100, Ø 190



92252 RAZONI

pendant light; steel, black / satin glass, steel, black, white


H 1100, Ø 190



900829N RAZONI 1

pendant light; steel, white / textile, black, glass



H 2000, Ø 325mm



900828N RAZONI 1

pendant light; steel, black / textile, black, glass

H 2000, Ø 325mm





900828N





49141N

49141N

49141N



49141N CLEVEDON

pendant light; steel, black



49141N CLEVEDON

pendant light; steel, white


H 2000, Ø 240



E27 1x 60W



9 008606 271603



H 2000, Ø 240



E27 1x 60W



9 008606 271610





43344N STAVERTON

pendant light; steel, black

H 2000, Ø 365



E27




1x 60 W



double insulated



9 008606 230600



205158N STAVERTON

pendant light; steel, white

H 2000, Ø 365



E27





1x 60 W



double insulated



9 008606 230594





390216N CHAMPERICO

pendant light; steel, black / textile, black

390217N CHAMPERICO

pendant light; steel, black / textile, black

H 3000, Ø 700mm



E27



1x 60W



9 008606 303571



H 3000, Ø 985mm




E27



1x 60W



9 008606 303588





390217N





206098



206098 GIANELLA

pendant light; steel, aluminium, black


3000K | 4000K | 5000K

H 2000, W 360, L 1000mm

LED 38W	warm WHITE 4400lm	STEP DIM step dimmmable	DIP dip Switch
-------------------	---------------------------------	--	-----------------------------



9 008606 299065



206106 GIANELLA

pendant light; steel, aluminium, white

3000K | 4000K | 5000K

H 2000, W 360, L 1000mm

LED 38W	warm WHITE 4400lm	STEP DIM step dimmmable	DIP dip Switch
-------------------	---------------------------------	--	-----------------------------



9 008606 299072





205026 TONARELLA

pendant light; steel, matt black / plastic, satined

H 1500, Ø 800, B 265

- LED
78W
- warm
WHITE
9120lm
- dimmable
- double
insulated



9 008606 220243



205027 TONARELLA


pendant light; steel, matt black / plastic, satined

H 1500, Ø 800, B 265

- LED
177W
- warm
WHITE
21,360lm
- dimmable
- double
insulated



9 008606 220250



39313 TONARELLA

pendant light; steel, champagne / satined

H 1500, Ø 800, B 265

- LED
78W
- warm
WHITE
9120lm
- dimmable
- double
insulated



9 002759 393137



39314 TONARELLA


pendant light; steel, champagne / satined

H 1500, Ø 800, B 265

- LED
177W
- warm
WHITE
21,360lm
- dimmable
- double
insulated



9 002759 393144





205027



99666N





99665N ENCINITOS

pendant light; steel, black, gold

H 2000, Ø 255



E27



1x 40W



double insulated



9 008606 271627



99666N ENCINITOS

pendant light; steel, black, gold

H 2000, Ø 375



E27



1x 40W



double insulated



9 008606 271634







43695N STYPE

pendant light; steel, gold



H 1100, Ø 330



43692N STYPE

pendant light; steel, black

H 1100, Ø 330




43692N



99511 ABREOSA

pendant light; steel, black

H 1100, Ø 280






99591N NARICES

pendant light; steel, black / brushed brass, gold



H 2000, Ø 220




99592N NARICES

pendant light; steel, black / brushed brass, gold

H 2000, L 920, Ø 220



99592N



900166N VENEZUELA


pendant light; steel, black, gold




900167N VENEZUELA

pendant light; steel, black, gold

H 2000, Ø 235



9 008606 271436



H 2000, W 235, L 935



9 008606 271443





900166N





99464N



98687N GATUELA

pendant light; steel, white


L 1160, B 190, H 2000



99464N GATUELA 1

pendant light; steel, black

L 1160, B 190, H 2000






39701N BERNABETA

pendant light; steel, white / transparent



H 2000, Ø 105



39702N BERNABETA

pendant light; steel, white / transparent


L 1165, B 95, H 2000



39703N BERNABETA

pendant light; steel, white / transparent


L 1170, B 200, H 2000



39704N BERNABETA


pendant light; steel, white / transparent

H 2000, Ø 580





39702N



205307 BERNABETA

pendant light; steel, black / transparent

H 2000, Ø 105

- GU10
- LED
- 1x 5W
- 345lm
- neutral WHITE
- dimmable
- double insulated



9 008606 238378



205308 BERNABETA


pendant light; steel, black / transparent

L 1165, B 95, H 2000

- GU10
- LED
- 5x 5W
- 5x 345lm
- neutral WHITE
- dimmable
- double insulated



9 008606 238375



205309 BERNABETA


pendant light; steel, black / transparent

L 1170, B 200, H 2000

- GU10
- LED
- 10x 5W
- 10x 345lm
- neutral WHITE
- dimmable
- double insulated



9 008606 238392



205311 BERNABETA

pendant light; steel, black / transparent


H 2000, Ø 580

- GU10
- LED
- 10x 5W
- 10x 345lm
- neutral WHITE
- dimmable

- double insulated




9 008606 238408






205311



99544N CANTERRAS

pendant light; steel, black / terrazzo, grey


H 2000, Ø 150



99545N CANTERRAS

pendant light; steel, black / terrazzo, grey

H 2000, Ø 150, L 975



99545N



205314 MENTALONA

pendant light; steel, anthracite / terrazzo, black


H 2000, Ø 365



205313 MENTALONA

pendant light; steel, anthracite / terrazzo, black



L 840, B 65, H 2000



205312 MENTALONA

pendant light; steel, anthracite / terrazzo, black


H 2000, Ø 105



205313



39727N



39725N MOLINEROS

pendant light; steel, black / glass, clear

3000K | 4000K | 5000K

H 2000, Ø 140



GU10



1x 5W



TRI
COLOUR



1x 400lm dimmable



9 008606 265121



INCL.






39727N MOLINEROS

pendant light; steel, black / glass, clear

3000K | 4000K | 5000K


H 2000, Ø 530



GU10 5x 5W 5x 400lm TRI COLOUR dimmable



9 008606 265145




39726N MOLINEROS

pendant light; steel, black / glass, clear

3000K | 4000K | 5000K

H 2000, W 140, L 1190




GU10 4x 5W 4x 400lm TRI COLOUR dimmable



9 008606 265138





98752N GOROSIBA

pendant light; steel, black / glass vaporised, black-transparent



98754N GOROSIBA


pendant light; steel, black / glass vaporised, black-transparent




205156N GOROSIBA

pendant light; steel, black / glass vaporised, black-transparent


H 2000, Ø 150



H 2000, Ø 410



H 2000, Ø 500






98754N



43462N



43461N BASILDON

pendant light; steel, wood, black

H 2000, W 160, L 190



E27



1x 40W



9 008606 271702





43462N BASILDON

pendant light; steel, wood, black

H 2000, W 160, L 780



9 008606 271719



43463N BASILDON

pendant light; steel, wood, black

H 2000, Ø 615



9 008606 271726





43551N IPSDEN

pendant light; steel, black / wood

H 2000, Ø 300



E27



3x 40W



9 008606 271542



43552N IPSDEN

pendant light; steel, black / wood

H 2000, W 220, L 1005




E27



5x 40W



9 008606 271559





43551N



49762N



49761N EMBLETON

pendant light; steel, black

H 2000, Ø 305




E27



1x 60W



9 008606 255931



49762N EMBLETON

pendant light; steel, black

H 2000, Ø 460




E27



1x 60W



9 008606 255948






99345N CREMELLA

pendant light; steel, black

H 2000, Ø 370



E27

1x 40W

double insulated



9 008606 230624



H 2000

Ø 370



99346N CREMELLA

pendant light; steel, black

H 2000, Ø 180



E27

1x 40W

double insulated



9 008606 230617




H 2000

Ø 180




99346N



205647N ESTANERIOS

pendant light; aluminium, steel / black, king brown



205663N ESTANERIOS


pendant light; aluminium, steel / black

H 3000, Ø 780

LED warm WHITE
LED 17x 2.9W



9 008606 267217




H 3000, Ø 780

LED warm WHITE
LED 17x 2.9W



9 008606 267248





205647N






900494N ROMAZZINA

pendant light; steel, black


H 2000, Ø 325



900495N ROMAZZINA

pendant light; steel, sandy


H 2000, Ø 325, L 900



205648N ROMAZZINA

pendant light; steel, black

H 3000, Ø 780





900496N ROMAZZINA

pendant light; steel, sandy

H 2000, Ø 325



900497N ROMAZZINA

pendant light; steel, sandy

H 2000, W 200, L 900




900496N





99616N






205649N OILELLA

pendant light; steel, black / black transparent vapourised glass

H 3000, Ø 780



9 008606 267231




99614N OILELLA

pendant light; steel, black / black-brown vapourised glass

H 2000, Ø 190



9 008606 265091




99616N OILELLA

pendant light; steel, black / black transparent vapourised glass

H 2000, Ø 190



9 008606 265084





98653






98654 ARISCANI

pendant light; steel, black / glass vaporised, black-transparent



H 1700, Ø 655



98651N ARISCANI

pendant light; steel, black / glass vaporised, black-transparent


H 2000, Ø 200



98653 ARISCANI

pendant light; steel, black / glass vaporised, black-transparent

H 1100, Ø 425





97368 MONTEFINO

pendant light; steel, black / glass, clear

H 1500, Ø 350



97367 MONTEFINO

pendant light; steel, black / glass, clear


L 730, B 110, H 1100



97366 MONTEFINO

pendant light; steel, black / glass, clear

H 1100, Ø 110






98057 CORTENOVA

pendant light; steel, black

L 840, B 60, H 1100



98058 CORTENOVA

pendant light; steel, black




H 1500, Ø 350




98056N CORTENOVA

pendant light; steel, black

H 2000, Ø 105



98056N



98661N POZUETA

pendant light; steel, black

globe sold separately

H 2000, Ø 125



E27 1x 40W



9 008606 230266



98663N POZUETA

pendant light; steel, black

globes sold separately


H 2000, Ø 330



E27 3x 40W



9 008606 230648



205161N POZUETA

pendant light; steel, black

globes sold separately

H 2000, Ø 500



E27 5x 40W



9 008606 230655





98661N



98615N ALOBRASE

pendant light; steel, chrome / glass vaporised, black-transparent

H 2000, Ø 200



E27




1x 40W



double insulated



9 008606 210183



98614N ALOBRASE

pendant light; steel, chrome / glass vaporised, black-transparent

H 2000, Ø 300



E27




1x 40W



double insulated



9 008606 210176







97793 VALLASPRA

pendant light; steel, champagne / glass opal-matt, white


L 910, B 165, H 1100



98592 CASTRALVO

pendant light; steel, wood, satin nickel, brown / glass vaporised, amber

L 1210, B 150, H 1100





43413N FAMBOROUGH

pendant light; steel, wood, black, natural

L 160, B 105, H 2000



E27



1x 40W



double insulated



9 008606 230341



43414N FAMBOROUGH

pendant light; steel, wood, black, natural

L 1000, B 160, H 2000



E27




5x 40W



double insulated



9 008606 230358






43413N




390152N



390152N MONTEZUELO

pendant light; steel, white / wood




390151N MONTEZUELO

pendant light; steel, white / wood

H 2000, Ø 240



9 008606 265275



H 2000, Ø 500




9 008606 265282





43871N



43871N AYCLIFFE

pendant light; steel, white / wood



43868N HETTONLE

pendant light; steel, white / wood

H 2000, Ø 300




E27



1x 40W



9 008606 265220



H 2000, Ø 420




E27




1x 40W



9 008606 265237







390237N SAMBUCONA

pendant light; steel, white / wood

H 2000, Ø 350



9 008606 265305




390236N SAMBUCONA


pendant light; steel, white / wood

H 2000, Ø 720



9 008606 265299





43869N HAXLEY

pendant light; steel, white / wood

H 2000, Ø 500





E27



1x 40W



9 008606 265244



43869N



43866N



43866N AYESGARTH

pendant light; steel, white / wood

H 2000, Ø 330




E27



1x 40W



9 008606 265213



43873N GLYNEATH

pendant light; steel, white / wood

H 2000, Ø 375




E27



1x 40W



9 008606 265206






49771 AMSFIELD

pendant light; steel, brown / wood, brown


H 1100, Ø 380



49772 AMSFIELD

pendant light; steel, brown / wood, brown

H 1100, Ø 350



49771



49071N



49071N TAVISTOCK

pendant light; steel, wood, creme, oak

globe sold separately

H 2000, Ø 100



9 008606 209934




49074N TAVISTOCK

pendant light; steel, black


globe sold separately

H 2000, Ø 100



9 008606 209941








33345N ROCCAFORTE

pendant light; steel, black, gold

H 2000, Ø 170




9 008606 210268




97845N ROCCAFORTE

pendant light; steel, black, gold

H 2000, Ø 300




9 008606 210275





97841N ROCCAFORTE

pendant light; steel, black, gold

H 2000, Ø 400




9 008606 210282



97845N




96982N



203191N SABINAR

pendant light; steel, black / wood




H 2000, Ø 180



203192N SABINAR

pendant light; steel, black / wood



H 2000, Ø 280



203193N SABINAR

pendant light; steel, black / wood



H 2000, Ø 400



96981N SABINAR

pendant light; steel, white / wood



H 2000, Ø 180



96982N SABINAR

pendant light; steel, white / wood


H 2000, Ø 280



96983N SABINAR

pendant light; steel, white / wood

H 2000, Ø 400






89832 PINTO

pendant light; steel, chrome / glass opal-matt, clear


H 1100, Ø 110



89833 PINTO

pendant light; steel, chrome / glass opal-matt, clear

L 725, H 1100




89832



43576N TAMALLAT

peandant light; steel, black / glass vapourised, black transparent

H 2000, Ø 230





205159N SELVINO

pendant light; steel, black / glass vaporised, black Transparent

H 2000, Ø 100



E27




1x 15W



double insulated



9 008606 230631



98585N CADAQUES 1

pendant light; steel, black / smoked glass, black-transparent

H 2000, Ø 160



E27




1x 40W



double insulated



9 008606 210251



205159N



49496



49495 LONCINO

pendant light; steel, black / smoked glass, black-transparent

L 150, B 150, H 1100



E27




1x 60W



double insulated



9 002759 494957



49496 LONCINO

pendant light; steel, black / smoked glass, black-transparent

L 745, B 150, H 1100




E27



3x 60W



9 002759 494964






94593 ROCAMAR

pendant light; steel, chrome / glass, clear


L 780, B 190, H 1100



94592 ROCAMAR

pendant light; steel, chrome / glass, clear

H 1100, Ø 190






96344N FARSALA

pendant light; steel, satin nickel / smoked glass, granilla, black-transparent, clear


L 975, B 100, H 2000



96345N FARSALA

pendant light; steel, satin nickel / smoked glass, granilla, black-transparent, clear


H 2000, Ø 350




96343N FARSALA

pendant light; steel, satin nickel / smoked glass, granilla, black-transparent, clear

H 2000, Ø 125





96104 LASANA 2

pendant light; steel, aluminium, chrome

L 1200, B 80, H 1200



2x 14 W



2x
1900lm




not
dimmable



double
insulated



9 002759 961046



96104



95526



95525 TAREGA

pendant light; steel, grey / wood, concrete

H 1100, Ø 150



E27




1x 60W



double insulated



9 002759 955250



95526 TAREGA

pendant light; steel, grey / wood, concrete

H 1500, Ø 250




E27




3x 60W



9 002759 955267





205743 LISCIANA


pendant light; aluminium, steel, wood / grey, white

H 2000, W 35, L 1260

LED
22W

warm
WHITE
2500lm

dimming






205009



205008 RONDO

pendant light; steel, black / glass opal-matt


H 2000, Ø 200



205009 RONDO

pendant light; steel, black / glass opal-matt


H 2000, Ø 250



205011 RONDO

pendant light; steel, black / glass opal-matt

H 2000, Ø 300



205243 RONDO

pendant light; steel, black / glass opal-matt

H 2000, Ø 400






205012 RONDO

pendant light; steel, brass matt / glass opal-matt

H 2000, Ø 200



205013 RONDO

pendant light; steel, brass matt / glass opal-matt

H 2000, Ø 250



205014 RONDO

pendant light; steel, brass matt / glass opal-matt

H 2000, Ø 300



205244 RONDO

pendant light; steel, brass matt / glass opal-matt

H 2000, Ø 400





85261N RONDO

pendant light; steel, satin nickel / glass opal-matt, white

H 2000, Ø 200



85262N RONDO

pendant light; steel, satin nickel / glass opal-matt, white

H 2000, Ø 250



85263N RONDO

pendant light; steel, satin nickel / glass opal-matt, white

H 2000, Ø 300



205242 RONDO

pendant light; steel, satin nickel / glass opal-matt, white

H 2000, Ø 400





49702N DEERHURST

endant light; steel, brown


H 2000, L 1050, W 280



E27



3x 60W



49702N



43468N LAYHAM

pendant light; steel, wood, black, brown rustic

L 960, W 85, H 2000



E27



5x 60W



9 008606 230563



205157 LAYHAM

pendant light; steel, wood, black, brown rustic

L 1400, H 2000




E27



7x 60W



9 008606 238880





49685



49684 OLDBURY

pendant light; steel, wood, black, brown rustic


L 860, B 500, H 1100



49685 OLDBURY

pendant light; steel, wood, black, brown rustic


L 1180, B 500, H 1100



205036 OLDBURY

pendant light; steel, wood, black, brown rustic

L 1800, B 500, H 2000






49851 CAPOSILE

pendant light; steel, white



H 1100, Ø 545



43472 CONGRESBURY

pendant light; black, white


H 1100, Ø 380



49247 TRURO 2

pendant light; steel, black, copper


H 1100, Ø 370






43472





98627N MIOGLIA 1

pendant light; steel, chrome / white, clear



39527 MIOGLIA

pendant light; steel, chrome / white, clear



39528 MIOGLIA

pendant light; steel, chrome / white, clear


H 2000, Ø 150



E14 1x 25W



9 008606 230532



H 2000, Ø 580




10x 3.15W

double insulated



9 002759 395278



H 2000, Ø 810



15x 3.15W

double insulated



9 002759 395285





39527





39547



39547 MONTEFIO 2

pendant light; steel, chrome / glass, crystal, frost, clear

H 3200, Ø 780



17x 5W



17x
480lm



not
dimmable




replaceable
LED



double
insulated



9 002759 395476





93663 PIANOPOLI



pendant light; stainless steel, chrome / crystal, clear

L 870, B 100, H 1100

- LED
10x 2.5W
- warm WHITE
10x 270lm
- not dimmable
- replaceable LED
- double insulated



9 002759 936631



39245 PIANOPOLI


ceiling light; stainless steel, chrome / crystal, clear

H 365, Ø 500

- LED
15x 1.8W
- warm WHITE
15x 215lm
- dimmable
- replaceable LED
- double insulated



9 002759 392451



93662 PIANOPOLI

pendant light; stainless steel, chrome / crystal, clear

H 1100, Ø 500

- LED
15x 2.5W
- warm WHITE
15x 270lm
- not dimmable
- replaceable LED
- double insulated



9 002759 936624



39545 PIANOPOLI 1


pendant light; steel, chrome / crystal, clear

H 3340, Ø 780

- LED
40x 1.8W
- warm WHITE
40x 215lm
- replaceable LED
- dimmable



9 002759 395452





390262 BEIRES

pendant light; steel, chrome / crystal, clear



390263 BEIRES

pendant light; steel, chrome / crystal, clear

H 3900, Ø 840




E14 12x 40W



9 008606 253180



H 2750, Ø 840



E14 12x 40W



9 008606 253197






390264 BEIRES

pendant light; steel, chrome / crystal, clear

390265 BEIRES

pendant light; steel, chrome / crystal, clear

H 2525 Ø 600



E14 10x 40W



9 008606 253203




H 2280 Ø 400



E14 8x 40W



9 008606 253210





205353 CEILING PLATE

accessory; steel, white

*pendant sold separately

H 45, Ø 350




205354 CEILING PLATE

accessory; steel, white

*pendant sold separately

H 45, Ø 500



205357 CEILING PLATE

accessory; steel, black

*pendant sold separately

H 45, Ø 350




205358 CEILING PLATE

accessory; steel, black

*pendant sold separately

H 45, Ø 500






205357

*PENDANT SOLD SEPARATELY



DIY

Dress up your bare bulbs – bring globes to life and do it with ease, with our range of DIY batten fix fittings. A simple or delicate style to suit every room in your home.



203312 TARBES

DIY Batten Fix; steel, black

H 230, Ø 175





DIY

1x 60W



9 008606 194254



203313 TARBES

DIY Batten Fix; steel, black

H 270, Ø 325




DIY

1x 60W



9 008606 194261



203313



203316 CARLTON 1

DIY Batten Fix; steel, black, copper-coloured

H 290, Ø 205



1x 60W



9 008606 194292



203317 CARLTON 1

DIY Batten Fix; steel, black, silver

H 290, Ø 205



1x 60W



9 008606 194308



203319 CARLTON 1

DIY Batten Fix; steel, white, honey gold

H 290, Ø 205



1x 60W



9 008606 194322



203319



203353 BOCAL

DIY Batten Fix; steel, brass matt

H 245, Ø 190




DIY

1x 60W



9 008606 194568



203354 BOCAL

DIY Batten Fix; steel, brushed copper

H 245, Ø 190




DIY

1x 60W



9 008606 194575



203353



203355 BOCAL

DIY Batten Fix; steel, black

H 245, Ø 190



DIY

1x 60W



9 008606 194582





203324 NEWTOWN

DIY Batten Fix; steel, black

H 240, Ø 160



DIY

1x 60W



9 008606 194339



204918 HAMBLETON

DIY Batten Fix; steel, white

H 265, Ø 350




DIY

1x 60W



9 008606 217700



204918



203309



203309 LONCINO

DIY Batten Fix; steel, black / smoked glass, black-transparent

L 150, B 150, H 290



DIY

1x 60W



9 008606 194230



203311 LONCINO 1

DIY Batten Fix; steel, chrome/glass, opal satin, clear

L 150, B 150, H 290



DIY

1x 60W



9 008606 194247






203337 MURCIA

DIY Batten Fix; steel, satin nickel / glass alabaster, white

H 125, Ø 170



203336 MURCIA

DIY Batten Fix; steel, satin nickel / glass alabaster, white

H 155, Ø 300



203339 MURCIA

DIY Batten Fix; steel, brass matt / glass alabaster, white


H 125, Ø 170



203338 MURCIA

DIY Batten Fix; steel, brass matt / glass alabaster, white

H 155, Ø 300





203325 JADIDA

DIY Batten Fix; steel, copper-coloured antique / glass, coloured


H 240, Ø 325



1x 60W



9 008606 194346



203326 JADIDA

DIY Batten Fix; steel, copper-coloured antique / glass, coloured


H 240, Ø 220



1x 60W



9 008606 194353



203357 HANIFA

DIY Batten Fix; aluminium, plastic, white, clear


H 200, Ø 130



1x 60W



9 008606 194599



203358 BONARES 1

DIY Batten Fix; steel, chrome / steel, crystal, chrome, clear

H 180, Ø 130



1x 60W




9 008606 194605





203357



OYSTERS & CTC

Our vast range of oyster and close to ceiling lights cover all styles, from simple opaque models right through to more intricate crystal styles. Perfect for lighting entrance areas, hallways and living rooms.



LED

206391 OLLIE 2

ceiling light; plastic, white / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 250

12 W / 15 W	1600 lm / 1950 lm	dim	IP54	double insulated



9 008606 328079



LED

206392 OLLIE 2

ceiling light; plastic, white / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 300

18 W / 25 W	2200 lm / 3100 lm	dim	IP54	double insulated



9 008606 328086



LED

206393 OLLIE 2

ceiling light; plastic, white / plastic, white

3000K | 4000K | 5000K


dual wattage

H 42, Ø 400

28 W / 35 W	3650 lm / 4400 lm	dim	IP54	double insulated



9 008606 328093



LED

203697 OLLIE 2

ceiling light; plastic, black / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 250

12 W / 15 W	1600 lm / 1950 lm	dim	IP54	double insulated



9 008606 328109



LED

203698 OLLIE 2

ceiling light; plastic, black / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 300

18 W / 25 W	2200 lm / 3100 lm	dim	IP54	double insulated



9 008606 328116



LED

203699 OLLIE 2

ceiling light; plastic, black / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 400

28 W / 35 W	3650 lm / 4400 lm	dim	IP54	double insulated



9 008606 328123





LED

206394 OLLIE 2

ceiling light; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 250

12 W / 15 W	1600 lm / 1950 lm	dimmable	IP54	double insulated



LED

206395 OLLIE 2

ceiling light; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 300

18 W / 25 W	2200 lm / 3100 lm	dimmable	IP54	double insulated



LED

206396 OLLIE 2

ceiling light; plastic, satin nickel / plastic, white

3000K | 4000K | 5000K

dual wattage

H 42, Ø 400

28 W / 35 W	3650 lm / 4400 lm	dimmable	IP54	double insulated




9 008606 328130




9 008606 328147



9 008606 328154



206399



LED

204399 DIEGO



ceiling light, steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 330



9 008606 211319



LED

204401 DIEGO

ceiling light, steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 380



9 008606 211326




LED

205667 DIEGO



ceiling light, steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 480



9 008606 270767



LED

204402 DIEGO


ceiling light, steel white / plastic, white - crystal effect

3000K | 4000K | 5000K

H 65, Ø 330



9 008606 211333



LED

204403 DIEGO

ceiling light, steel white / plastic, white - crystal effect

3000K | 4000K | 5000K

H 65, Ø 380



9 008606 211340



LED

205666 DIEGO


ceiling light, steel white / plastic, white

3000K | 4000K | 5000K

H 65, Ø 380



9 008606 271214



Microwave Sensor

Detection Area – 0.6m / 1.5m / 3m / 4.5m / 6m (mounted at 3m height)

Time On – 5 sec / 30 sec / 90 sec / 3 min / 20 min / 30 min

Lux Setting – 2 lux / 10 lux / 25 lux / 50 lux / Disabled

204403





204406






LED

204406 ROYSTAR

ceiling light; plastic white

3000K | 4000K | 5000K

H 62, Ø 300




LED

204407 ROYSTAR

ceiling light; plastic white

3000K | 4000K | 5000K


H 62, Ø 380



9 008606 208708



9 008606 208715



ROYSTAR INTERCHANGEABLE TRIMS

Change up your Roystar oyster with a range of trims in four fashion colours. Simply fit the trim straight over the existing white base prior to installation. Available in both 300mm & 380mm sizes.



Ø 300

204408 TRIM 300MM

aluminium, brushed chrome



9 008606 208722



204409 TRIM 300MM

aluminium, brushed brass



9 008606 208739



204411 TRIM 300MM

aluminium, anodised



9 008606 208746



204412 TRIM 300MM

aluminium, black matt



9 008606 208753



Ø 380

204413 TRIM 380MM

aluminium, brushed chrome



9 008606 208760



204414 TRIM 380MM

aluminium, brushed brass



9 008606 208777



204415 TRIM 380MM

aluminium, anodised



9 008606 208784



204416 TRIM 380MM

aluminium, black matt



9 008606 208791




204763 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 80, H 136

LED	TRI COLOUR		DIP	
40W	3500lm/ 4000lm/ 3700lm	not dimmable	dip switch	conduit knockouts




204765 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 120, H 42

LED	TRI COLOUR		DIP	
50W	4100lm/ 5000lm/ 4500lm	not dimmable	dip switch	conduit knockouts






204762 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 590, W 80, H 36

LED	TRI COLOUR	not dimmable	DIP switch	conduit knockouts
20W	1700lm/ 2000lm/ 1800lm			




204764 LANKY

LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 590, W 120, H 42

LED	TRI COLOUR	not dimmable	DIP switch	conduit knockouts
30W	2500lm/ 3000lm/ 2500lm			



204766 LANKY



LED batten; plastic, white / plastic, white

3000K | 4000K | 5000K

L 1190, W 120, H 42

LED	TRI COLOUR	not dimmable	DIP switch	microwave
50W	4100lm/ 5000lm/ 4500lm			

Microwave Sensor Adjustment Settings:
 Detection Area - 1m / 1.5m / 2m / 3m
 Time On - 5 sec / 90 sec / 3 min / 10 min
 Lux Setting - 5 lux / 15 lux / 50 lux / Disabled
 Dim Time Delay - 0 sec / 30 sec / 10 min / Disabled



204767 LANKY

LED Batten suspension kit, ceiling canopy & flex included

*Batten not included

H 2000






205668 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 65, Ø 345mm

- LED** 18W
- TRI COLOUR** 2100lm/2340lm/2250lm
- DIP** switch
- SCREWLESS TERMINALS**
- Large centre cable entry**




205669 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 75, Ø 395mm

- LED** 24W
- TRI COLOUR** 2800lm/3120lm/3000lm
- DIP** switch
- SCREWLESS TERMINALS**
- Large centre cable entry**



205671 DELILAH

oyster; plastic, brilliant glass / white, clear

3000K | 4000K | 5000K

H 80, Ø 495mm

- LED** 36W
- TRI COLOUR** 4200lm/4680lm/4500lm
- DIP** switch
- SCREWLESS TERMINALS**
- Large centre cable entry**





390086N



390086N LANACERA

ceiling light; steel, aluminium, black

H 155, W 400, L 965mm

LED
40.5W
warm
WHITE
5850lm
Dimmable




205836 LANACERA

ceiling light; steel, aluminium, white

H 155, W 400, L 965mm

LED
40.5W
warm
WHITE
5850lm
Dimmable





LED

39286 MARGHERA 1

ceiling light; steel, plastic, white

H 135, Ø 450

- LED 25.5W
- warm WHITE 3000lm
- dimmable
- double insulated



9 002759 392864



LED

39287 MARGHERA 1

ceiling light; steel, plastic, white

H 135, Ø 595

- LED 34W
- warm WHITE 4000lm
- dimmable
- double insulated



9 002759 392871



LED

390049 MARGHERA 2

ceiling light; steel, plastic, black

H 135, Ø 450

- LED 25.5W
- warm WHITE 3000lm
- dimmable
- double insulated



9 008606 221141



LED

390051 MARGHERA 2

ceiling light; steel, plastic, black

H 135, Ø 595

- LED 34W
- warm WHITE 4000lm
- dimmable
- double insulated



9 008606 221158





390049





39401 PRINCIPE

ceiling light; steel, chrome / crystal, clear

H 105, Ø 500

- LED 32W
- warm WHITE 3800lm
- dimmable
- double insulated




39402 PRINCIPE

ceiling light; steel, chrome / crystal, clear

H 125, Ø 700

- LED 45W
- warm WHITE 5320lm
- dimmable
- double insulated




39602 FENOULLET 1

ceiling light; steel, brass / crystal, clear

H 355, Ø 600

- E14
- 6x 25W






39602



39457 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear


H 270, Ø 480



39458 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 305, Ø 580



39459 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear


H 385, Ø 780



39461 VALPARAISO

ceiling light; steel, gold-coloured / crystal, clear

H 470, Ø 980






39489 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear


H 270, Ø 480



39491 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear


H 305, Ø 580



39492 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear



H 385, Ø 780



39493 VALPARAISO 1

ceiling light; steel, chrome / crystal, clear

H 470, Ø 980





VANITY & BATHROOM

Pure relaxation - turn your bathroom into your personal wellness oasis. Bathroom and mirror luminaires give a pleasant light and ensure relaxation and comfort.



LED

206382 GEMILIANA

mirror light; steel, chrome / plastic, white


3000K | 4000K | 5000K

H 40, L 450, A 100

- 8.5W
- 1100lm
- not dimmable
- IP44
- double insulated



9 008606 313808



LED

206383 GEMILIANA

mirror light; steel, chrome / plastic, white

3000K | 4000K | 5000K

H 40, L 780, A 100

- 17.5W
- 2100lm
- not dimmable
- IP44
- double insulated



9 008606 313815



LED

206379 GEMILIANA

mirror light; steel, black / plastic, white

3000K | 4000K | 5000K

H 40, L 450, A 100mm

- 8.5W
- 1100lm
- not dimmable
- IP44
- double insulated



9 008606 313785



LED

206381 GEMILIANA

mirror light; steel, black / plastic, white

3000K | 4000K | 5000K

H 40, L 780, A 100

- 17.5W
- 2100lm
- not dimmable
- IP44
- double insulated



9 008606 313792





206381



900617N



202111 PALMERA 1

wall luminaire; steel, black / glass opal-matt

L 125, H 270, A 115

- LED
1x 4.5W
- warm WHITE
480lm
- not dimmable
- IP44
- double insulated



9 008606 160440



205023 PALMERA 1



wall luminaire; steel, brass matt / glass opal-matt

L 125, H 270, A 115

- LED
1x 4.5W
- warm WHITE
480lm
- not dimmable
- IP44
- double insulated



9 008606 220212



900617N ALCUDIA

mirror light; aluminium, black / plastic, satin finish

H 30, L 420mm

- LED
2x 5.5W
- warm WHITE
1200lm
- not dimmable
- IP44
- double insulated



9 008606 280049



202112 PALMERA 1

wall luminaire; steel, black / glass opal-matt

L 435, H 125, A 125

- LED
2x 4.5W
- warm WHITE
960lm
- not dimmable
- IP44
- double insulated



9 008606 160457



205024 PALMERA 1


wall luminaire; steel, brass matt / glass opal-matt

L 435, H 125, L 125

- LED
2x 4.5W
- warm WHITE
960lm
- not dimmable
- IP44
- double insulated




9 008606 220229





205024





205074 PALMITAL 2

wall luminaire; aluminium, steel, chrome / clear

3000K | 4000K | 5000K

L 595, H 80, A 65

11W	1400lm/ 1400lm/ 1600lm	not dimmable	double insulated	dip switch



9 008606 238026



205038 PALMITAL 2

wall luminaire; aluminium, steel, chrome / clear


3000K | 4000K | 5000K

L 900, H 80, A 65

11W	1500lm/ 1600lm/ 1600lm	not dimmable	double insulated	dip switch



9 008606 237906



205073 PALMITAL 2

wall luminaire; aluminium, steel, black / plastic, clear

3000K | 4000K | 5000K

L 595, H 80, A 65

10W	1400lm/ 1400lm/ 1600lm	not dimmable	double insulated	dip switch



9 008606 238019



205037 PALMITAL 2

wall luminaire; aluminium, steel, black / clear


3000K | 4000K | 5000K

L 900, H 80, A 65

10W	1500lm/ 1600lm/ 1600lm	not dimmable	double insulated	dip switch



9 008606 237890





97718 SIDERNO



mirror luminaire; steel, chrome / plastic, satined

L 350, B 60, A 55

- LED
8.3W
- neutral
WHITE
900lm
- not
dimmable
- IP44
- double
insulated



9 002759 977184



97719 SIDERNO


mirror luminaire; steel, chrome / plastic, satined

L 580, B 60, A 65

- LED
16W
- neutral
WHITE
1700lm
- not
dimmable
- IP44
- double
insulated



9 002759 977191



98193 SIDERNO

mirror luminaire; steel, chrome / plastic, satined


L 900, B 60, A 75

- LED
24W
- neutral
WHITE
2600lm
- not
dimmable
- IP44
- double
insulated



9 002759 981938





204516 TRAGACETE


mirror luminaire; steel, black

L 600, B 40, H 65

- LED**
16W
- neutral WHITE**
1500lm
-  not dimmable
-  IP44



9 008606 210107




204517 TRAGACETE

mirror luminaire; steel, black

L 900, B 40, H 65

- LED**
24W
- neutral WHITE**
2270lm
-  not dimmable
-  IP44





LED

205045 TABIANO 2

mirror luminaire; steel, chrome


3000K | 4000K | 5000K

L 605, H 70, A 130

- LED 9.6W
- TRI COLOUR 1400lm
- not dimmable
- DIP dip switch
- double insulated



9 008606 237968



LED

205039 TABIANO 2

mirror luminaire; steel, chrome

3000K | 4000K | 5000K

L 905, H 70, A 130

- LED 11W
- TRI COLOUR 1600lm
- not dimmable
- DIP dip switch
- double insulated



9 008606 237913



LED

205042 TABIANO 2

mirror luminaire; steel, black


3000K | 4000K | 5000K

L 605, H 70, A 130

- LED 9.6W
- TRI COLOUR 1400lm
- not dimmable
- DIP dip switch
- double insulated



9 008606 237937



LED

205041 TABIANO 2

mirror luminaire; steel, black

3000K | 4000K | 5000K

L 905, H 70, A 130

- LED 11W
- TRI COLOUR 1600lm
- not dimmable
- DIP dip switch
- double insulated



9 008606 237920






205043 TABIANO 2

mirror luminaire; steel, white

3000K | 4000K | 5000K

L 605, H 70, A 130




205044 TABIANO 2

mirror luminaire; steel, white

3000K | 4000K | 5000K

L 905, H 70, A 130





206109 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

L 400, H 40, A 120



7.4W



900lm



IP44



double insulated



206111 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

L 600, H 40, A 120



11W



1350lm




IP44




double insulated



9 008606 292363



9 008606 292370



LED



206112 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

L 780, H 40, A 120



14W



1700lm




IP44



double insulated



9 008606 292387



LED



203939 PANDELLA 1

mirror light; aluminium, chrome / plastic, white

L 1200, H 40, A 120



15W



1400lm




IP44




double insulated



9 008606 196562






202938 PANDELLA 1

mirror luminaire; aluminium, plastic, black



L 600, H 40, A 120



202939 PANDELLA 1

mirror luminaire; aluminium, plastic, black


L 780, H 40, A 120




203937 PANDELLA 1

mirror luminaire; aluminium, plastic, black

L 1200, H 40, A 120







203424 PANDELLA 1

mirror luminaire; aluminium, plastic, white


L 600, H 40, A 120



203425 PANDELLA 1

mirror luminaire; aluminium, plastic, white


L 780, H 40, A 120




203938 PANDELLA 1

mirror luminaire; aluminium, plastic, white

L 1200, H 40, A 120





94713 GITA 2


wall / ceiling luminaire; cast metal, chrome

L 600, B 75, H 75

- LED
16W
- neutral
WHITE
1900lm
- not
dimmable
- IP44
- double
insulated



9 002759 947132



94714 GITA 2


wall / ceiling luminaire; cast metal, chrome

L 900, B 75, H 75

- LED
24.3W
- neutral
WHITE
2500lm
- not
dimmable
- IP44
- double
insulated



9 002759 947149





94714

205049






205046 ROMENDO 2



wall luminaire; steel, chrome / plastic, clear, satined

3000K | 4000K | 5000K

L 70, H 155, A 120



9 008606 237975




205047 ROMENDO 2


wall luminaire; steel, chrome / plastic, clear, satined

3000K | 4000K | 5000K

L 900, H 70, A 125



9 008606 237982




205048 ROMENDO 2


wall luminaire; steel, black / plastic, clear, satined

3000K | 4000K | 5000K

L 70, H 155, A 120



9 008606 237999




205049 ROMENDO 2

wall luminaire; steel, black / plastic, clear, satined

3000K | 4000K | 5000K

L 900, H 70, A 125



9 008606 238002





WALL LIGHTS

The all-rounders - our wall lights range from simple and classic, to intricate and elegant. Ideal for foyers, hallways or for creating a soft ambient atmosphere in your living areas.



205738 TANURA

wall light; steel, black

H 110, L 242, A 105mm



E27



1x 25W



9 008606 295241



205739 TANURA

wall light; steel, white

H 110, L 242, A 105mm



E27



1x 25W



9 008606 295258





390088N LANACERA

wall light; steel, aluminium, black

H 325, L 300, A 50mm


LED
20W

warm
WHITE
2900lm

Dimmable



9 008606 271283



205835 LANACERA

wall light; steel, aluminium, white

H 325, L 300, A 50mm

LED
20W

warm
WHITE
2900lm

Dimmable



9 008606 281527






39654N JABALOYAS

wall light; steel, black

L 160, H 630




205687N JABALOYAS

wall light; steel, white

L 160, H 630



39654N



204576



204576 CLIMENE 2

wall light; aluminium, black

3000K | 4000K | 5000K

H 80, L 255, A 45



2x 4.2W



1040lm/
1200lm/
1040lm



dimmable



double
insulated



204581 CLIMENE 2

wall light; aluminium, white

3000K | 4000K | 5000K

L 255, H 80, A 45



2x 4.2W



1040lm/
1200lm/
1040lm



dimmable



double
insulated



9 008606 216406



9 008606 216444






205162



205162 ZUBIALDE

wall light; aluminium, steel, black



205163 ZUBIALDE

wall light; aluminium, steel, white


L 360, H 80, A 50

- LED
12W
- warm
WHITE
1400lm
- double
insulated
- dimmable



L 360, H 80, A 50

- LED
12W
- warm
WHITE
1400lm
- double
insulated
- dimmable





205321 PASSA

wall light; steel, black

H 170, Ø 60



205319 PASSA

wall light; steel, white

H 170, Ø 60





205319



99691N SANIA 5

wall light; steel, black


L 620, H 80, A 90



205686N SANIA 5

wall light; steel, white

L 620, H 80, A 90






96037 METRASS

wall light; aluminium, white / plastic, satined


L 200, H 105, A 60



96038 METRASS

wall light; aluminium, satin nickel / plastic, satined

L 200, H 105, A 60





43046 HORNWOOD

wall light; steel, black, creme / wood, brown

Ø 170



49698 LITTLETON

wall light; steel, black / wood, brown

L 110, H 330, A 115



32917 TOWNSHEND

wall light; steel, wood, black

Globe sold separately

L 65, H 215, A 190



43152 TOWNSHEND 4

wall light; steel, black, antique brown

Globe sold separately

L 80, H 190, A 185





99353 BOYAL

wall light; steel, wood, black, brown rustic

L 300, H 560, A 75



12W



1700lm



not dimmable



double insulated



9 002759 993535



99466 BOYAL

wall light; steel, wood, black, natural wood

L 300, H 560, A 75



12W



1700lm




not dimmable



double insulated



9 002759 994662






43197N



49081 TARBES

wall light; steel, black


L 155, H 375, A 275



49468 PRIDDY

wall light; steel, black

L 130, H 215, A 200





43197N RAMPSIDE

wall light; steel, wood, black, brown

Note: this fitting is not hard wired and includes flex & plug for DIY installation

Globe sold separately


L 80, H 300, A 135



49992 CARLTON 1

wall light; steel, black, copper colour-antique

L 205, H 330, A 220





94924 PASTERI

wall light; steel, satin nickel / fabric, white

L 145, H 305, A 195

-  E27
-  1x 60W
-  rocker switch






9 002759 949242



96373 PASTERI


wall light; steel, satin nickel / fabric, linen, grey

L 145, H 305, A 195

-  E27
-  1x 60W
-  rocker switch



9 002759 963736








96477





96477 PASTERI

wall light; steel, satin nickel / fabric, white

L 150, H 380, A 195

-  E27
-  1x 40W
-  LED
-  warm WHITE
-  x2 rocker switch

-  not dimmable
-  double insulated








9 002759 964771



96374 PASTERI

wall light; steel, satin nickel / fabric, linen, grey


L 150, H 380, A 195

-  E27
-  1x 40W
-  LED
-  warm WHITE
-  x2 rocker switch

-  not dimmable
-  double insulated



9 002759 963743





96566 TAZZOLI

wall light; steel, plastic, white



96567 TAZZOLI

wall light; steel, plastic, satin nickel, black



202779 TAZZOLI


wall light; steel, plastic, black

L 65, H 300, A 160

- LED
3.5W
- warm WHITE
380lm
- rocker switch
- not dimmable
- 5V2A USB Charging Port



9 002759 965662




L 65, H 300, A 160

- LED
3.5W
- warm WHITE
380lm
- rocker switch
- not dimmable
- 5V2A USB Charging Port



9 002759 965679




L 65, H 300, A 160

- LED
3.5W
- warm WHITE
380lm
- rocker switch
- not dimmable
- 5V2A USB Charging Port



9 008606 178629






84028 GRAFIK

wall light; steel, silver / satin glass

L 180, H 210, A 85



83119 NEMO

wall light; steel, satin nickel / glass opal-matt

L 150, H 320, A 95



84028N





91856N CAPRICE

wall light; steel, chrome / satin glass, white with decor

L 185, H 230, A 15



E27



1x 60W



9 008606 123629



L 185

H 230



85979N TROY 3

wall light; steel, satin nickel / opal satin glass

L 180, H 250, A 75



E14



1x 60W



9 008606 123582



L 180

H 250




91856N



204955 SAVOY

wall light; cast metal, oil rubbed bronze / satin glass, white



L 180, H 160, A 240



205122 SAVOY

wall light; cast metal, oil rubbed bronze / satin glass, white

L 410, H 160, A 210




204955



85859 MARBELLA

wall light; cast metal, bronzed / glass alabaster, champagne

L 170, H 200, A 230








39615 CALMEILLES

wall light; steel, brass / crystal, clear



H 330, L 215, A 130



39628 CALMEILLES 1

wall light; steel, chrome / crystal, clear


H 330, L 215, A 130



39604 FENOUILLET 1

wall light; steel, brass / crystal, clear

L 290, H 370, A 175



39604



SPOTS & DOWNLIGHTS

Systematic lighting – our spots & downlights set specific highlights while optimally lighting your living rooms. No matter whether you prefer a modern or a traditional look – our range will fit any taste.



LED

202619N ROYSTAR

recessed light; plastic, aluminium, white flat face


3000K | 4000K | 5000K

H 67, Ø 108

- LED
- TRI COLOUR
- dimmable
- 100°
- Ø 90mm
- IP 44
- IC-4
- 600mm
- DIP
- double insulated



9 008606 176069



LED

203905N ROYSTAR

recessed light; plastic, aluminium, white recessed face


3000K | 4000K | 5000K

H 76, Ø 108

- LED
- TRI COLOUR
- dimmable
- 100°
- Ø 90mm
- IP 44
- IC-4
- 600mm
- DIP
- double insulated



9 008606 196319



LED

203906N ROYSTAR

recessed light; plastic, aluminium, white flat face


3000K | 4000K | 5000K

H 38, Ø 110

- LED
- TRI COLOUR
- dimmable
- 100°
- Ø 90mm
- IP 44
- IC-4
- 600mm
- DIP
- double insulated



9 008606 196326



LED

203907N ROYSTAR

recessed light; plastic, aluminium, white recessed face


3000K | 4000K | 5000K

H 43, Ø 110

- LED
- TRI COLOUR
- dimmable
- 100°
- Ø 90mm
- IP 44
- IC-4
- 600mm
- DIP
- double insulated



9 008606 196333






204772N MY CONTROL ROYSTAR

recessed light; plastic, white

* Voice control device not included

2700K - 6500K

H 67, Ø 108




206099N ROYSTAR COB

recessed downlight; plastic, white flat face

3000K | 4000K | 5000K

H 67, Ø 108 mm






204773N MY CONTROL ROYSTAR

recessed light; plastic, white

* Voice control device not included

2700K - 6500K + RGB

H 38, Ø 110





202629 ROYSTAR TRIM - FLAT

accessory; aluminium, brushed brass

H 95, Ø 108



Ø 90mm



9 008606 176151



Ø 108



202625 ROYSTAR TRIM - FLAT

accessory; aluminium, satin nickel

H 95, Ø 108



Ø 90mm



9 008606 176113



Ø 108



202623 ROYSTAR TRIM - FLAT

accessory; aluminium, Black

H 95, Ø 108



Ø 90mm



9 008606 176090



Ø 108



202627 ROYSTAR TRIM - FLAT

accessory; aluminium, anodised

H 95, Ø 108



Ø 90mm



9 008606 176137



Ø 108

202627





202622 ROYSTAR TRIM - RECESSED

accessory; aluminium, white

H 17, Ø 108



Ø 90mm



9 008606 176083



Ø 108



202631 ROYSTAR TRIM - RECESSED

accessory; aluminium, brushed brass

H 17, Ø 108



Ø 90mm



9 008606 176168



Ø 108



202626 ROYSTAR TRIM - RECESSED

accessory; aluminium, satin nickel

H 17, Ø 108



Ø 90mm



9 008606 176120



Ø 108



202624



202624 ROYSTAR TRIM - RECESSED

accessory; aluminium, black


H 17, Ø 108



Ø 90mm



9 008606 176106



Ø 108



202628 ROYSTAR TRIM - RECESSED

accessory; aluminium, anodised

H 17, Ø 108



Ø 90mm



9 008606 176144



Ø 108



203377 ROYSTAR TRIM - GIMBAL

accessory; aluminium, white

H 35, Ø 115



Ø 105mm



9 008606 186853



Ø 115



203382 ROYSTAR TRIM - GIMBAL

accessory; aluminium, brushed brass

H 35, Ø 115



Ø 105mm



9 008606 186891



Ø 115



203381 ROYSTAR TRIM - GIMBAL

accessory; aluminium, satin nickel

H 35, Ø 115



Ø 105mm



9 008606 186684



Ø 115



203382



203378 ROYSTAR TRIM - GIMBAL

accessory; aluminium, black

H 35, Ø 115



Ø 105mm



9 008606 186860



Ø 115



2033798 ROYSTAR TRIM - GIMBAL

accessory; aluminium, anodised

H 35, Ø 115



Ø 105mm



9 008606 1861877



Ø 115



206101 ROYSTAR TRIM

Recessed square trim; aluminium, white


H 18, W 110, L 110mm



Ø 90mm
cut out



9 008606 291656



206105 ROYSTAR TRIM

Recessed square trim; aluminium, brushed brass


H 18, W 110, L 110mm



Ø 90mm
cut out



9 008606 291694



206103 ROYSTAR TRIM

Recessed square trim; aluminium, satin nickel

H 18, W 110, L 110mm



Ø 90mm
cut out



9 008606 291670



206105



206102 ROYSTAR TRIM

Recessed square trim; aluminium, black


H 18, W 110, L 110mm



Ø 90mm
cut out



9 008606 291663



206104 ROYSTAR TRIM

Recessed square trim; aluminium, anodised

H 18, W 110, L 110mm



Ø 90mm
cut out



9 008606 291687





203903 ROYSTAR EXTENSION PLATE

Extension plate; aluminium, white


H 90, Ø 125



Ø 90-
110mm



9 008606 196296



Ø 125



203904 ROYSTAR EXTENSION PLATE

Extension plate; aluminium, white


H 30, Ø 170



Ø 110-
160mm



9 008606 196302



Ø 170



203903



LED

206376N RIPPA 2

recessed light; plastic, white

3000K | 4000K | 5000K

H 50, Ø 95

LED 6W	TRI COLOUR 690lm/ 800lm/ 790lm	100°	dimmable	Ø 70
IP 44	IC-4	100mm	DIP dip switch	double insulated



LED

205303N RIPPA 2

recessed light; plastic, white

3000K | 4000K | 5000K

H 55, Ø 113

LED 9W	TRI COLOUR 900lm/ 1000lm/ 900lm	100°	dimmable	Ø 90
IP 44	IC-4	100mm	DIP dip switch	double insulated



206107N



LED



120°, 6 m
1 min.

206107N RIPPA 2 SENSOR

recessed downlight; plastic, aluminium, white flat face

3000K | 4000K | 5000K

H 65, Ø 113 mm

LED 8W	TRI COLOUR 770lm	PIR sensor	120°	Ø 90 cut out
IP 44	IC-4	1m flex & plug	Dimmable	Double insulated



205303N






206178 CARTAGENA

spot; steel, white / wood

H 130, L 65mm



206181 CARTAGENA

spot; steel, white / wood

H 130, W 65, L 460mm



206182 CARTAGENA

spot; steel, white / wood

H 130, W 65, L 820mm






206182



39647N



LED

39647N CARTAGENA



spot; steel, wood, black

L 65, H 130

- GU10
- 1x 5W
- neutral WHITE
- 1x
- 345lm
- dimmable



9 008606 265053



LED

39648N CARTAGENA


spot; steel, wood, black

L 460, W 65, H 130

- GU10
- 3x 5W
- neutral WHITE
- 3x
- 345lm
- dimmable



9 008606 265060



LED

39649N CARTAGENA

spot; steel, wood, black

L 820, W 65, H 130

- GU10
- 5x 5W
- neutral WHITE
- 5x
- 345lm
- dimmable



9 008606 265077





206051 SERAS

spot; steel, brushed brass

B 100, Ø 90mm

- GU10
- 1x 5W
- 1x 345lm
- dimmable



206052 SERAS

spot; steel, brushed brass

L 370, W 65mm

- GU10
- 2x 5W
- 2x 345lm
- dimmable




206053 SERAS

spot; steel, brushed brass

L 595, W 65mm

- GU10
- 3x 5W
- 3x 345lm
- dimmable




206054 SERAS

spot; steel, brushed brass

L 770, B 65mm

- GU10
- 4x 5W
- 4x 345lm
- dimmable





206054





206057





206057 SERAS

spot; steel, antique bronze

B 100, Ø 90mm

- GU10
- 1x 5W
- 1x 345lm
- dimmable



206058 SERAS

spot; steel, antique bronze

L 360, H 170, Ø 90mm

- GU10
- 2x 5W
- 2x 345lm
- dimmable



206055 SERAS

spot; steel, antique bronze

L 590, H 170, Ø 90mm

- GU10
- 3x 5W
- 3x 345lm
- dimmable



206056 SERAS

spot; steel, antique bronze

L 770, H 170, Ø 90mm

- GU10
- 4x 5W
- 4x 345lm
- dimmable





LED

98397N SERAS 2

spot; steel, black

Ø 100

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- dimmable



9 008606 209989



Ø 100



LED

98398N SERAS 2

spot; steel, black

L 370, B 65

- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable




9 008606 209996



L 370

B 65



LED

98399N SERAS 2

spot; steel, black

L 595, B 65

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable



9 008606 210008



L 595

B 65



LED

98408N SERAS 2

spot; steel, black

L 770, B 65

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



9 008606 2100015




L 770

B 65



98398N





205317

Travel makes
you realize that
no matter how
much you know,
there's always
more to learn.



LED

205315 SERAS 1

spot; steel, white

Ø 100

- GU10
- 1x 5W
- neutral WHITE
- 1x
- 345lm
- dimmable



9 008606 238446



Ø 100



LED

205316 SERAS 1

spot; steel, white

L 370, B 65

- GU10
- 2x 5W
- neutral WHITE
- 2x
- 345lm
- dimmable



9 008606 238453



L 370

B 65



LED

205317 SERAS 1

spot; steel, white

L 595, B 65

- GU10
- 3x 5W
- neutral WHITE
- 3x
- 345lm
- dimmable



9 008606 238460



L 595

B 65



LED

205318 SERAS 1

spot; steel, white

L 770, B 65

- GU10
- 4x 5W
- neutral WHITE
- 4x
- 345lm
- dimmable




9 008606 238477



L 770

B 65



LED

390082N CUMARIBO


spot; steel, black, brass matt

H 130, W 65

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- dimmable



9 008606 271641



LED

390084N CUMARIBO

spot; steel, black, brass matt

L 460, W 65, H 130

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable



9 008606 271665



LED

390083N CUMARIBO


spot; steel, black, brass matt

L 280, W 65, H 130

- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable



9 008606 271658



LED

390085N CUMARIBO

spot; steel, black, brass matt

L 640, W 65, H 130

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



9 008606 271672





390084N



900437N









900436N CAYUCA

spot; steel, wood, black

L 110, H 120, W 105





-  GU10
 -  1x 5W
 -  neutral WHITE
 -  1x dimmable
- 345lm



900437N CAYUCA

spot; steel, wood, black

L 280, H 120, W 100





-  GU10
 -  2x 5W
 -  neutral WHITE
 -  3x dimmable
- 345lm



900438N CAYUCA

spot; steel, wood, black

L 580, H 120 W 100

-  GU10
 -  4x 5W
 -  neutral WHITE
 -  4x dimmable
- 345lm





LED

201995 DAVIDA

spot; steel, chrome, white

L 165, B 70

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- rocker switch
- dimmable



9 008606 153046



LED

201998 DAVIDA

spot; steel, chrome, white

L 780, H 160, B 165

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



9 008606 153077



LED

201996 DAVIDA

spot; steel, chrome, white

L 390, H 160, B 165

- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable



9 008606 153053



LED

201997 DAVIDA

spot; steel, chrome, white

L 580, H 160, B 165

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable



9 008606 153060






200671 DAVIDA 1

spot; steel, nickel-nero, chrome

L 165, B 70

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- rocker switch
- dimmable





200674 DAVIDA 1

spot; steel, nickel-nero, chrome

L 780, H 160, B 165

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



200672 DAVIDA 1

spot; steel, nickel-nero, chrome

L 390, H 160, B 165

- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable



200673 DAVIDA 1

spot; steel, nickel-nero, chrome

L 580, H 160, B 165

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable





204331





LED

204331 DAVIDA 2

spot; steel, white

L 165, B 70



GU10



1x 5W



neutral WHITE

1x 345lm



rocker switch



dimmable



9 008606 207787



L 70



9 008606 207817



L 780, H 160, B 165



GU10



4x 5W




neutral WHITE

4x 345lm




dimmable



L 780

H 160



LED

204332 DAVIDA 2

spot; steel, white

L 390, H 160, B 165



GU10



2x 5W



neutral WHITE


2x 345lm



dimmable



9 008606 207794



L 390

H 160



LED

204333 DAVIDA 2

spot; steel, white

L 580, H 160, B 165



GU10



3x 5W



neutral WHITE


3x 345lm



dimmable




9 008606 207800



L 580

H 160



204328





204326 DAVIDA 2

spot; steel, black

L 165, B 70

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- rocker switch
- dimmable



204329 DAVIDA 2

spot; steel, black

L 780, H 160, B 165

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



204327 DAVIDA 2

spot; steel, black

L 390, H 160, B 165

- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable



204328 DAVIDA 2

spot; steel, black

L 580, H 160, B 165

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable





LED

200692 BUZZ-LED

spot; steel, satin nickel

Ø 60

- GU10
- 1x 5W
- neutral WHITE
1x 345lm
- dimmable



9 008606 125869



Ø 60



LED

200693 BUZZ-LED

spot; steel, satin nickel

L 285, B 65


- GU10
- 2x 5W
- neutral WHITE
2x 345lm
- dimmable



9 008606 125876



B 65



LED

200694 BUZZ-LED

spot; steel, satin nickel

L 485, B 65

- GU10
- 3x 5W
- neutral WHITE
3x 345lm
- dimmable



9 008606 125883



B 65



LED

200695 BUZZ-LED

spot; steel, satin nickel

L 685, B 65

- GU10
- 4x 5W
- neutral WHITE
4x 345lm
- dimmable



9 008606 125890



B 65



200692





TASK, TABLE & FLOOR LAMPS

We love light – our range of task, table and floor lamps are made up of many different styles, and turn into chic accessories for your home.



206086N BARBOTTO

table lamp; steel, white / wood

3000K | 4000K | 5000K

H 395, Ø 60mm



GU10



1x 5W



1x 400lm



cable switch



9 008606 291458



206087N



206087N BARBOTTO

floor lamp; steel, white / wood

3000K | 4000K | 5000K

H 1365, Ø 60mm



GU10



1x 5W




1x 400lm




pedal switch



9 008606 291465









39914N MAYAZES


floor lamp; steel, black / wood

H 1620, W 250, L 315mm

-  GU10
-  1x 5W
-  warm WHITE 1x 345lm
-  pedal switch







9 008606 291427



39913N MAYAZES

table lamp; steel, black / wood

H 500, W 250, L 255mm

-  GU10
-  1x 5W
-  warm WHITE 1x 345lm
-  cable switch



9 008606 291410










390069N CARTAGENA


table lamp; steel, wood / black

H 445, B 150

-  GU10
-  2x 5W
-  2x 345lm
-  cable switch
-  double insulated





9 008606 271221



390071N CARTAGENA

floor lamp; steel, wood / black

H 1625, B 205

-  GU10
-  3x 5W
-  3x 345lm
-  pedal switch
-  double insulated



9 008606 271238



390071N



900179N LURONE

floor lamp; steel, brass/ black

H 1600, L 205, Base: Ø 250




9 008606 271467




900178N LURONE

table lamp; steel, brass/ black

H 500, L 205, Base: Ø 200



9 008606 271450





43797N MANBY

table lamp; steel, black

H 485, Ø 240, Base: Ø 230



E27



1x 40 W




cable
switch



double
insulated



9 008606 271696



390222N MORESCANA

floor lamp; steel, black



390221N MORESCANA

table lamp; steel, black

H 495, L 260, Base: Ø 180



E27



1x 40 W



cable
switch



double
insulated



9 008606 271306



H 1675, L 260, Base: Ø 180



E27



1x 40 W




pedal
switch



double
insulated



9 008606 271313





43797N



43172N LUBENHAM 1

floor light; steel, antique nickel



43166N LUBENHAM

floor light; steel, wood / black


H 1600, W 300, L 475, Ø 300



E27 1x 28W pedal switch



9 008606 230693




H 1600, W 300, L 475, Ø 300



E27 1x 28W pedal switch



9 008606 230716





43171N LUBENHAM 1

table light; steel, antique nickel

H 570, Ø 180



E27



1x 28 W



cable
switch



double
insulated



9 008606 230709



43165N LUBENHAM

table light; steel, wood / black

H 570, Ø 180



E27



1x 28 W



cable
switch



double
insulated



9 008606 230723



43172N



39916N CONTESSORE

table lamp; steel, wood / fabric, white

H 635, Ø 380, Base: 280



E27



1x 40W



cable
switch



double
insulated



9 008606 271344



39917N CONTESSORE

table lamp; steel, wood / fabric, white

H 635, Ø 380, Base: 280



E27



1x 40W



cable
switch



double
insulated



9 008606 271337



39917N




43197N RAMPSIDE

wall lamp; steel, wood, black, brown

Note: this fitting is not hard wired and includes flex & plug for DIY installation


L 80, H 300, A 135



43199N RAMPSIDE

table lamp; steel, black / fabric, creme

H 400, Ø 190, Base: Ø 145



43199N



32918N TOWNSHEND

table lamp; steel, wood, black

Globe sold separately

L 175, B 155, H 500, Base: Ø 155




32919N

32919N TOWNSHEND

floor lamp; steel, wood, black

Globe sold separately

L 205, B 250, H 1665, Base: Ø 250






43569N BASILDON 1

table lamp; steel, wood / fabric, black


H 425, Ø 230, Base: Ø 150



390239N PAISANO

table lamp; ceramic, beige / rattan, natural

H 515, Ø 300, B 145



43569N




31594N PASTERI

table lamp; steel, satin nickel / fabric, white

H 400, Ø 180

- E27
- 1x 60W
- cable switch
- double insulated



95118N PASTERI

table lamp; steel, satin nickel / fabric, white

H 255, Ø 120

- E27
- 1x 40W
- 3 stage touch lamp
- double insulated



81828N



81828N GEO

table lamp; glass opal-matt, white

H 350, Ø 120, Base: Ø 120

- E27
- 1x 60W
- cable switch
- double insulated





95118N



39877N COPILLOS

table lamp; steel, black / glass vaporized, black-transparent

H 420, B 200

- LED
5.4W
- warm WHITE
730lm
- touch switch
- dimmable



9 008606 230679



98065N ADRI 3

table lamp; steel, black


globe sold seperately

H 430, Ø 155, Base: Ø 155

- E27
- 1x 12W
- cable switch
- double insulated



9 008606 198542



98066N ADRI 3

floor lamp; steel, black


globe sold seperately

H 1500, Base: Ø 215

- E27
- 1x 12W
- pedal switch
- double insulated



9 008606 198559





39877N



49469N PRIDDY

table lamp; steel, black

H 425, Base: Ø 155



E27



1x 40W




cable
switch



double
insulated



9 008606 153824



49471N PRIDDY

floor lamp; steel, black

H 1370, Base: Ø 230



E27



1x 40W




pedal
switch



double
insulated



9 008606 153831




49471N



43058N CARLTON 4

table lamp; steel, black, copper colour

L 220, B 160, H 505, Base: Ø 170




9 008606 209729




43077N CARLTON 5

table lamp; steel, black, copper colour / fabric, black, copper

H 510, Ø 250




9 008606 209743




43646N MARDYKE

table lamp; steel, black / glass

L 190, B 128, H 505



9 008606 209729




43646N




49646N ROCCAMENA

table lamp; steel, black, copper-coloured

H 310, Ø 130, Base: Ø 130




E27 1x 60W cable switch



49481N NEWTOWN

table lamp; steel, black

H 230, Ø 160



E27 1x 60W cable switch



49481N



96992N



96992N BOCAL

table lamp; steel, brushed copper



96991N BOCAL





table lamp; steel, brass-matt



96993N BOCAL

table lamp; steel, black

H 280, Ø 110





-  E27
-  1x 42 W
-  cable switch
-  double insulated



9 008606 174041



H 280, Ø 110





-  E27
-  1x 42 W
-  cable switch
-  double insulated



9 008606 174034



H 280, Ø 110

-  E27
-  1x 42 W
-  cable switch
-  double insulated



9 008606 174058






204531N HAMBLETON

table lamp; steel, white


H 295, Ø 120, B: Ø 120



204731N HAMBLETON

table lamp; steel, black

H 295, Ø 120, B: Ø 120




49275N




49275N TALBOT

table lamp; steel, grey

H 340, Ø 170





49949N HAMBLETON

floor lamp; steel, satin nickel / white

H 1470, Ø 350, Base: Ø 280



E27




1x 60W



peddle
switch



double
insulated



9 008606 209965



94946N SANTANDER

floor lamp; steel, satin nickel / fabric, white

H 1530, Ø 500, Base: Ø 250



E27



1x 60W



1x 2,1W



warm
WHITE
1x
250lm




x2 rocker
switch



not
dimmable



double
insulated



9 008606 173792



205269N LARA

table lamp, steel, pastel blue



205272N LARA

table lamp, steel, pastel pink



205273N LARA


table lamp, steel, pastel mint

H 360, Ø 140

- E27
- 1x 10W
- rocker switch
- double insulated



9 008606 235148




H 360, Ø 140

- E27
- 1x 10W
- rocker switch
- double insulated



9 008606 235162




H 360, Ø 140

- E27
- 1x 10W
- rocker switch
- double insulated



9 008606 235179



205272N



205267N LARA

table lamp, steel, bright blue

H 360, Ø 140



E27



1x 10W



rocker
switch



double
insulated



9 008606 235124



205268N LARA

table lamp, steel, yellow

H 360, Ø 140



E27



1x 10W




rocker
switch



double
insulated



9 008606 235131



205271N LARA

table lamp, steel, red

H 360, Ø 140



E27



1x 10W




rocker
switch



double
insulated



9 008606 235155



205274N LARA

table lamp, steel, grape

H 360, Ø 140



E27



1x 10W




rocker
switch



double
insulated



9 008606 235186







205264N LARA

table lamp, steel, satin nickel


H 360, Ø 140



205265N LARA

table lamp, steel, black


H 360, Ø 140



205266N LARA

table lamp, steel, white



H 360, Ø 140



205275N LARA

table lamp, steel, satin nickel, USB charging

H 360, Ø 140



205276N LARA

table lamp, steel, black, USB charging


H 360, Ø 140



205277N LARA

table lamp, steel, white, USB charging

H 360, Ø 140





205275N



205258N LARA

clip on lamp, steel, pastel blue



205261N LARA


clip on lamp, steel, pastel pink



205262N LARA

clip on lamp, steel, pastel mint


H 360, L 100




9 008606 235148




H 360, L 100





9 008606 235162



H 360, L 100



9 008606 235179



205253N LARA

clip on lamp, steel, satin nickel



205254N LARA


clip on lamp, steel, black



205255N LARA

clip on lamp, steel, white


H 360, L 100



9 008606 235193




H 360, L 100




9 008606 235209



H 360, L 100



9 008606 235216





205256N LARA


clip on lamp, steel, bright blue

H 360, L 100

- E27
- 1x 10W
- cable switch
- double insulated



9 008606 235124



205257N LARA


clip on lamp, steel, yellow

H 360, L 100

- E27
- 1x 10W
- cable switch
- double insulated



9 008606 235131



205259N LARA


clip on lamp, steel, red

H 360, L 100

- E27
- 1x 10W
- cable switch
- double insulated



9 008606 235155



205263N LARA


clip on lamp, steel, grape

H 360, L 100


- E27
- 1x 10W
- cable switch
- double insulated



9 008606 235186




205256N




205576N LARA

floor lamp, steel, bright blue



205579N LARA

floor lamp, steel, red








205577N LARA

floor lamp, steel, yellow

cable
switch





H 1400, Ø 250


-  E27
-  1x 28W
-  cable switch
-  double insulated



9 008606 254439





H 1400, Ø 250


-  E27
-  1x 28W
-  cable switch
-  double insulated



9 008606 254469

H 1400, Ø 250

-  E27
-  1x 28W
- 
- 



9 008606 254446



205583N LARA

floor lamp, steel, grape

H 1400, Ø 250



E27




1x 28W



cable
switch




double
insulated



9 008606 254491




205579N




205578N LARA

floor lamp, steel, pastel blue



205581N LARA





floor lamp, steel, pastel pink




205582N LARA

floor lamp, steel, pastel mint





H 1400, Ø 250

-  E27
-  1x 28W
-  cable switch
-  double insulated



9 008606 254453





H 1400, Ø 250


-  E27
-  1x 28W
-  cable switch
-  double insulated



9 008606 254477

H 1400, Ø 250

-  E27
-  1x 28W
-  cable switch
-  double insulated




9 008606 254484




H 150

205578N



205278N LARA

floor lamp, steel, satin nickel



205279N LARA

floor lamp, steel, black



205281N LARA

floor lamp, steel, white,

H 1400, Ø 250


- E27
- 1x 28W
- cable switch
- double insulated



9 008606 235223

H 1400, Ø 250


- E27
- 1x 28W
- cable switch
- double insulated




9 008606 235230

H 1400, Ø 250

- E27
- 1x 28W
- cable switch
- double insulated



9 008606 235247




205282N LARA

floor lamp, steel, satin nickel



205283N LARA





floor lamp, steel, black




205284N LARA





floor lamp, steel, white,

H 1600, Ø 250

-  E27
-  2x 10W
-  x2 rocker switch
-  double insulated








H 1600, Ø 250

-  E27
-  2x 10W
-  x2 rocker switch
-  double insulated



H 1600, Ø 250

-  E27
-  2x 10W
-  x2 rocker switch
-  double insulated





205203N BEN

table lamp, steel, plastic, white

H 340, Ø 140

- LED 4.5W
- neutral WHITE 500lm
- rocker switch
- double insulated



9 008606 232772



205204N BEN


table lamp, steel, plastic, black

H 340, Ø 140

- LED 4.5W
- neutral WHITE 500lm
- rocker switch
- double insulated



9 008606 232789



205205N BEN

clip on lamp, steel, white

H 360, Ø 114

- LED 4.5W
- neutral WHITE 500lm
- rocker switch
- double insulated



9 008606 232796



205206N BEN

clip on lamp, steel, black

H 360, Ø 114

- LED 4.5W
- neutral WHITE 500lm
- rocker switch
- double insulated



9 008606 232802



205207N BEN


floor lamp, steel, white


H 1600, Ø 250

- LED 4.5W
- neutral WHITE 500lm
- rocker switch
- double insulated



9 008606 232819





205208N BEN

floor lamp, steel, black

H 1600, Ø 220

LED

4.5W

neutral
WHITE

500lm

rocker
switch

double
insulated

LED


500lm

rocker
switch

double
insulated



9 008606 232826



205207N



205209N JASPER


table lamp, steel, black , plastic

H 380, Ø 145

- E27
- 1x 15W
- push switch
- double insulated



9 008606 232833



205211N JASPER


table lamp, steel, white , plastic

H 380, Ø 145

- E27
- 1x 15W
- push switch
- double insulated



9 008606 232840



205212N JASPER


table lamp, steel, pastel pink , plastic

H 380, Ø 145

- E27
- 1x 15W
- push switch
- double insulated



9 008606 232857



205213N



205213N JASPER

table lamp, steel, pastel green , plastic

H 380, Ø 145

- E27
- 1x 15W
- push switch
- double insulated



9 008606 232864






205214N CONNOR

table lamp, steel, wood, black


H 385, Ø 145



205215N CONNOR

table lamp, steel, wood, white

H 385, Ø 145



205214N



OUTDOOR

Our Australian lifestyle centres around the great outdoors. Create an ambience in your outdoor living with our vast array of exterior fittings.




206131 FREMANTLE

wall light; 316 stainless steel / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90




206123 FREMANTLE

wall light; 316 stainless steel / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206138 FREMANTLE

wall light; 316 stainless steel / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170



206146 FREMANTLE

wall light; 316 stainless steel / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100





206123





206133 FREMANTLE

wall light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90



206125 FREMANTLE

wall light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206141 FREMANTLE

wall light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170



206148 FREMANTLE

wall light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100






206134 FREMANTLE

wall light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90



206126 FREMANTLE

wall light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206142 FREMANTLE

wall light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170



206149 FREMANTLE

wall light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100





206135 FREMANTLE

wall light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90



206127 FREMANTLE

wall light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206143 FREMANTLE

wall light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170



206151 FREMANTLE

wall light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100







206137 FREMANTLE

wall light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90




206129 FREMANTLE

wall light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206145 FREMANTLE

wall light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170



206153 FREMANTLE

wall light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100





206144






206136 FREMANTLE

wall light; solid copper / glass, clear

3000K | 4000K | 5000K

H 110, L 70, A 90




206128 FREMANTLE

wall light; solid copper / glass, clear

3000K | 4000K | 5000K

H 180, L 70, A 90



206144 FREMANTLE

wall light; solid copper / glass, clear

3000K | 4000K | 5000K

Ø 70, A 170




206152 FREMANTLE

wall light; solid copper / glass, clear

3000K | 4000K | 5000K

H 170, Ø 100





206154 FREMANTLE

wall / ceiling light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 285



206158 FREMANTLE

wall / ceiling light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 460



206163 FREMANTLE

wall / ceiling light; plated aluminium, titanium finish / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 635





206155 FREMANTLE

wall / ceiling light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 285



206159 FREMANTLE

wall / ceiling light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 460



206164 FREMANTLE

wall / ceiling light; powder coated aluminium, matt black / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 635





206156 FREMANTLE

wall / ceiling light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 285



206161 FREMANTLE

wall / ceiling light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 460



206165 FREMANTLE

wall / ceiling light; powder coated aluminium, matt white / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 635





206157 FREMANTLE

wall / ceiling light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 285



206162 FREMANTLE

wall / ceiling light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 460




206166 FREMANTLE

wall / ceiling light; powder coated aluminium, silver grey / glass, clear

3000K | 4000K | 5000K

H 170, W 60, L 635





206329 SPONGANO

wall light; aluminium, white / glass, clear

3000K, 4000K, 5000K, 6500K

H 90, L 185, A 75



2x 5W 2x 550lm IP65



206331 SPONGANO

wall light; aluminium, black / glass, clear

3000K, 4000K, 5000K, 6500K

H 90, L 185, A 75



2x 5W 2x 550lm IP65





206331



205919



205918 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 300, A 70mm



205921 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 300, A 70mm





LED

205919 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 400, A 70mm



LED

205923 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 600, A 70mm




LED

205925 VILLAGRAZIA 2

wall light; aluminium, white / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 900, A 70mm



LED

205922 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 400, A 70mm



LED

205924 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 600, A 70mm




LED

205926 VILLAGRAZIA 2

wall light; aluminium, black / glass with air inclusions, clear

3000K | 4000K | 5000K

L 120, H 900, A 70mm





97241



97241 CALPINO

wall light; steel, white

H 105, Ø 105



2x 3.3W



2x
340lm




IP54



Adjustable
beam angle



9 002759 972417



97242 CALPINO

wall light; steel, black

H 105, Ø 105



2x 3.3W



2x
340lm




IP54



Adjustable
beam angle



9 002759 972424






205741 EREMITANA

wall light; zinc-plated steel, black

3000K | 4000K | 5000K

H 240, L 110, A 110





205742 EREMITANA

wall light; zinc-plated steel, white

3000K | 4000K | 5000K

H 240, L 110, A 110





900292N




900292N LESMO

wall light; cast aluminium, black / glass, clear

H 105, L 240, A 115mm



11.2W 1560lm IP44





205879N LESMO

wall light; cast aluminium, white / glass, clear

H 105, L 240, A 115mm



11.2W 1560lm IP44






900288N BUDRONE

wall light; steel, black / glass, clear

H 250, L 120, A 165mm



9 008606 295142




206122N BUDRONE

wall light; steel, white / glass, clear

H 250, L 120, A 165mm



9 008606 295159



206122N



98719N MIRANDOLA

wall light; zinc-plated steel, black / glass, clear

H 270, L 180, A 225



205468N MIRANDOLA

wall light; cast aluminium, white, glass

H 270, L 180, A 225





205389



98713N CASCINETTA

wall light; zinc-plated steel, black glass

205389 CASCINETTA

wall light; zinc-plated steel, white, glass

H 280, L 165, A 165



E27 1x 60W IP44

H 280, L 165, A 165




E27 1x 60W IP44



9 008606 230884



9 008606 240708





97294 SONCINO

wall light; cast aluminium, black / glass, clear

L 265, H 330, A 120



205025 SONCINO

wall light; cast aluminium, white / glass, clear

L 265, H 330, A 120




97294



97296 TRECATE

wall light; zinc-plated steel, black / glass, clear

L 160, H 355, A 130





97261 BOVOLONE

wall light; zinc-plated steel, black / glass, clear


L 110, H 340, A 155



205022 BOVOLONE

wall light; zinc-plated steel, white / glass, clear

L 110, H 340, A 155






900136N ALAMONTE 3

wall light; zinc-plated steel, black / glass, clear

H 260, L 170



9 008606 230815




900137N ALAMONTE 3

wall light; zinc-plated steel, black / glass, clear




105°, 8 m
8 sec. - 9 min.

H 295, L 170



9 008606 230822



900136N




94788 ALAMONTE 1

pendant light; zinc-plated steel, black / glass, clear

L 150, B 150, H 1285



9 002759 947880



94831 ALAMONTE 1

wall light; zinc-plated steel, black / glass, clear

L 170, H 260, A 100




9 002759 948313



98273N ALAMONTE 1

wall light; zinc-plated steel, black / glass, clear

L 150, H 380, A 100




94832 ALAMONTE 1

wall / ceiling light; zinc-plated steel, black / glass, clear

L 290, H 290, A 130



9 002759 948320





33776N



33776N DUANERA

wall light; plastic, black/ glass, clear

H 320, L 145, A 190



205466N DUANERA

wall light; plastic, white glass, clear

H 320, L 145, A 190



33777N DUANERA

wall light; plastic, black/ glass, clear


H 425, L 145, A 235



205467N DUANERA

wall light; plastic, white glass, clear

H 425, L 145, A 235







83433 PARK

wall light; cast aluminium, anthracite / satin glass, white

L 200, H 350, A 145



96207 ENTRIMO

wall luminaire; zinc-plated steel, black / plastic, white

L 200, H 185, A 235





96207



94102 RIGA

wall light; zinc-plated steel, anthracite



L 65, H 150, A 95



94103 RIGA

wall light; zinc-plated steel, anthracite




L 65, H 200, A 95



94106 RIGA

wall light; stainless steel, stainless steel



L 65, H 150, A 95



94107 RIGA

wall light; stainless steel, stainless steel

L 65, H 200, A 95



94103



204404 BURLEIGH

wall / ceiling light; white plastic, includes both white and black trims

3000K | 4000K | 5000K

H 106, L 217, D 66

- LED**
12W
- TRI COLOUR**
1300lm/
1550lm/
1400lm
- IP54**
- not dimmable**
- double insulated**

DIP
dip
switch



204405 BURLEIGH

wall / ceiling light; white plastic, includes both white and black trims

3000K | 4000K | 5000K

Ø 210, D 62

- LED**
12W
- TRI COLOUR**
1300lm/
1550lm/
1400lm
- IP54**
- not dimmable**
- double insulated**

DIP
dip
switch





204404



204388 CHOPPER

wall light; cast aluminium, black

3000K | 4000K | 6000K

L 120, H 125, A 210



204387 CHOPPER

wall light; cast aluminium, white

3000K | 4000K | 6000K

L 120, H 125, A 210



204392 CHOPPER

wall light; cast aluminium, black

3000K | 4000K | 6000K

L 275, H 120, A 180




204391 CHOPPER

wall light; cast aluminium, black

3000K | 4000K | 6000K

L 120, H 205, A 165




204389 CHOPPER

wall light; cast aluminium, white

3000K | 4000K | 6000K

L 120, H 205, A 165



204394 CHOPPER

wall light; cast aluminium, black

3000K | 4000K | 6000K

L 275, H 210, A 180





204393 CHOPPER

wall light; cast aluminium, white

3000K | 4000K | 6000K

L 275, H 120, A 180

- LED** 1x 15W
- TRI COLOUR** 2x 1100lm/1300lm/1300lm
- IP54**
- DIP** dip switch



9 008606 208913



204395 CHOPPER

wall light; cast aluminium, white

3000K | 4000K | 6000K

L 275, H 210, A 180

- LED** 2x 15W
- TRI COLOUR** 2x 1100lm/1300lm/1300lm
- IP54** manual override
- DIP** dip switch



9 008606 208920



204391



LED

203786N FAEDO 3


wall light; aluminium, white / glass, clear angled mounting bracket

L 130, H 95, A 30

20W	1800lm	IP65	60cm flex & plug



9 008606 194667



L 130

H 95



LED

203788N FAEDO 3

wall light; aluminium, white / glass, clear angled mounting bracket

L 175, H 135, A 30

30W	2750lm	IP65	60cm flex & plug



9 008606 194681



L 175

H 135



LED

203791N FAEDO 3


wall light; aluminium, white / glass, clear angled mounting bracket

L 205, H 145, A 30

50W	4800lm	IP65	60cm flex & plug



9 008606 194704



L 205

H 145



LED

203653N FAEDO 3


wall light; aluminium, black / glass, clear angled mounting bracket

L 130, H 95, A 30

20W	1800lm	IP65	60cm flex & plug



9 008606 192601



L 130

H 95



LED

203655N FAEDO 3

wall light; aluminium, black / glass, clear angled mounting bracket

L 175, H 135, A 30

30W	2750lm	IP65	60cm flex & plug



9 008606 192625



L 175

H 135



LED

203657N FAEDO 3


wall light; aluminium, black / glass, clear angled mounting bracket

L 205, H 145, A 30

50W	4800lm	IP65	60cm flex & plug



9 008606 192649




L 205

H 145



203786



180°, 12 m
10 sec. - 15 min.



180°, 12 m
10 sec. - 15 min.

204522 DETECT ME

motion detector; plastic, white

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

L 55, H 70, A 80



manual
override



IP44



double
insulated



passive
infrared

204523 DETECT ME

motion detector; plastic, black

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

L 55, H 70, A 80



manual
override



IP44




double
insulated




passive
infrared



9 008606 210350



9 008606 210367



360°, 12 m
10 sec. - 15 min.



360°, 8 m
10 sec. - 15 min.



360°, 16 m
10 sec. - 12 min.

204518 DETECT ME

motion detector; plastic, white / plastic, white

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

Ø 90, A 55



manual
override



IP44



double
insulated



passive
infrared

204519 DETECT ME

motion detector; plastic, white

max: 800W incandescent
max: 400W fluorescent
max: 400W LED

H 70, Ø 80



manual
override



double
insulated



passive
infrared



Ø 60

204521 DETECT ME

motion detector; plastic, white

max: 1200W incandescent
max: 300W fluorescent
max: 300W LED

H 65, Ø 80



manual
override



double
insulated




microwave




Ø 60



9 008606 210398



9 008606 210404



9 008606 210411






204526 DETECT ME

motion detector; plastic, white

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115



204527 DETECT ME

motion detector; plastic, black

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115




204528 DETECT ME

motion detector; plastic, white

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115




204529 DETECT ME

motion detector; plastic, black

max: 2000W incandescent
max: 1000W fluorescent
max: 1000W LED

L 75, H 135, A 115







205893N FESTOON 2 PLUG IN KIT

festoon light; plastic, black lampholders with 2700K globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)





205894N FESTOON 2 PLUG IN KIT

festoon light; plastic, white lampholders with 2700K globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)




205897N FESTOON 2 PLUG IN KIT

festoon light; plastic, black lampholders with multi-colour globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)




205898N FESTOON 2 PLUG IN KIT

festoon light; plastic, white lampholders with multi-colour globes

interconnect up to 3 sets

L 13000 (5m lead in wire, 80cm spacing between globes)



205893N





205896N



**INTERCONNECT
UP TO
3 SETS**



LED


205891N FESTOON 2 SOLAR KIT

solar festoon light; plastic, black lampholders with 2700K globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

- E27
- 10x 0.4W
- warm WHITE 2700K
- IP65
- cable switch
- 12V



INCL



LED


205892N FESTOON 2 SOLAR KIT

solar festoon light; plastic, white lampholders with 2700K globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

- E27
- 10x 0.4W
- warm WHITE 2700K
- IP65
- cable switch
- 12V



INCL



LED


205895N FESTOON 2 SOLAR KIT

solar festoon light; plastic, black lampholders with multi-colour globes

Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

- E27
- 10x 0.4W
- IP65
- cable switch
- 12V



INCL



LED


205896N FESTOON 2 SOLAR KIT

solar festoon light; plastic, white lampholders with multi-colour globes


Solar panel & battery pack included

L 13000 (5m lead in wire, 80cm spacing between globes)

- E27
- 10x 0.4W
- IP65
- cable switch
- 12V



INCL




LED

205972 FESTOON 2 EXTENSION KITS

festoon light; plastic, black lampholders with 2700K globes

Suits all FESTOON 2 kits and accessories

L 13000 (5m lead in wire, 80cm spacing between globes)





LED

205973 FESTOON 2 EXTENSION KITS

festoon light; plastic, white lampholders with 2700K globes

Suits all FESTOON 2 kits and accessories

L 13000 (5m lead in wire, 80cm spacing between globes)




LED

205974 FESTOON 2 EXTENSION KITS

festoon light; plastic, black lampholders with multi-colour globes

Suits all FESTOON 2 kits and accessories

L 13000 (5m lead in wire, 80cm spacing between globes)





LED

205975 FESTOON 2 EXTENSION KITS

festoon light; plastic, white lampholders with multi-colour globes

Suits all FESTOON 2 kits and accessories

L 13000 (5m lead in wire, 80cm spacing between globes)





205971 FESTOON 2 ANDERSON PLUG

12V Anderson plug to suit camping

runs up to nine FESTOON 2 extension kits
*Subject to 12V battery amp hours

L 150mm



205976 FESTOON 2 EXTEND CABLE

5000mm black extend cable

L 5000mm



205977 FESTOON 2 PLUG PACK DRIVER

AC 2A plug back driver

runs up to six FESTOON 2 extension kits

L 140mm



9 008606 285860



9 008606 285914



9 008606 285921



205973





205405

205406



205404 E27-LED 12V

illuminant; plastic, clear

2700K warm white LED replaceable globe for EGLO festoon lights

L 85, Ø 45



205405 E27-LED 12V

illuminant; plastic, clear

red LED replaceable globe for EGLO festoon lights

L 85, Ø 45



205406 E27-LED 12V

illuminant; plastic, clear

blue LED replaceable globe for EGLO festoon lights

L 85, Ø 45



205407 E27-LED 12V

illuminant; plastic, clear

green LED replaceable globe for EGLO festoon lights

L 85, Ø 45



205408 E27-LED 12V

illuminant; plastic, clear

yellow LED replaceable globe for EGLO festoon lights

L 85, Ø 45



205409 E27-LED 12V

illuminant; plastic, clear

pink LED replaceable globe for EGLO festoon lights

L 85, Ø 45





410841N FAIRY LIGHTS X80

fairy lights; black, plastic



410837N FAIRY LIGHTS X180

fairy lights; black, plastic




410832N FAIRY LIGHTS X360

fairy lights; black, plastic


L 5600 + 5000 lead

LED x80
 crisp WHITE 3000K
 SAFE LOW VOLTAGE low voltage
 5m lead wire
 IP44





L 12600 + 5000 lead

LED x180
 crisp WHITE 3000K
 SAFE LOW VOLTAGE low voltage
 5m lead wire
 IP44



L 25000 + 5000 lead

LED x360
 crisp WHITE 3000K
 SAFE LOW VOLTAGE low voltage
 5m lead wire
 IP44



410841N



410814N FAIRY LIGHTS X540

fairy lights; black, plastic



411516N FAIRY LIGHTS X800

fairy lights; black, plastic




411518N FAIRY LIGHTS X1200

fairy lights; black, plastic


L 11000 + 5000 lead

x540
 2000K
 low voltage
 5m lead wire
 IP44




L 16000 + 5000 lead

x800
 2000K
 low voltage
 5m lead wire
 IP44



L 24000 + 5000 lead

x1200
 2000K
 low voltage
 5m lead wire
 IP44



410833N FAIRY LIGHTS X540

fairy lights; black, plastic



410834N FAIRY LIGHTS X800

fairy lights; black, plastic




410836N FAIRY LIGHTS X1200

fairy lights; black, plastic


L 11000 + 5000 lead

x540
 3000K
 low voltage
 5m lead wire
 IP44




L 16000 + 5000 lead

x800
 3000K
 low voltage
 5m lead wire
 IP44



L 24000 + 5000 lead

x1200
 3000K
 low voltage
 5m lead wire
 IP44






410823N ICICLE LIGHTS X240

icicle lights; black, plastic

L 6000 + 5000 lead

- x240
- 2000K
- low voltage
- 5m lead wire
- IP44




411522N ICICLE LIGHTS X480

icicle lights; black, plastic

L 12000 + 5000 lead

- x480
- 2000K
- low voltage
- 5m lead wire
- IP44




411523N ICICLE LIGHTS X960

icicle lights; black, plastic

L 24000 + 5000 lead

- x240
- 2000K
- low voltage
- 5m lead wire
- IP44




410842N ICICLE LIGHTS X240

icicle lights; black, plastic

L 6000 + 5000 lead

- x240
- 3000K
- low voltage
- 5m lead wire
- IP44





410843N ICICLE LIGHTS X480

icicle lights; black, plastic

L 12000 + 5000 lead

- x480
- 3000K
- low voltage
- 5m lead wire
- IP44




410844N ICICLE LIGHTS X960

icicle lights; black, plastic

L 24000 + 5000 lead

- x960
- 3000K
- low voltage
- 5m lead wire
- IP44







411517N TREE LIGHTS X360

tree lights; black, plastic

H 2000, Ø 60

- LED**
x360
- golden warm WHITE**
2000K
- SAFE LOW VOLTAGE**
low voltage
- 5m lead wire**
- IP44**





410835N TREE LIGHTS X360

tree lights; black, plastic

H 2000, Ø 60

- LED**
x360
- crisp WHITE**
3000K
- SAFE LOW VOLTAGE**
low voltage
- 5m lead wire**
- IP44**






411524N NET LIGHTS X200

net light; black, plastic

H 3000, L 3000 + 5000 lead

- LED
x200
- golden warm
WHITE
2000K
- SAFE
LOW
VOLTAGE
low
voltage
- 5m lead
wire
- IP44




410845N NET LIGHTS X200

net light; black, plastic

H 3000, L 3000 + 5000 lead

- LED
x200
- crisp
WHITE
3000K
- SAFE
LOW
VOLTAGE
low
voltage
- 5m lead
wire
- IP44



411524N



411349N BERRY MINI LIGHT CHAIN X300

berry lights; plastic, black / plastic, white



411352N BERRY MINI LIGHT CHAIN X700


berry lights; plastic, black / plastic, white

L 6000 + 5000 lead

- LED
x300
- RGB
RGB
- SAFE LOW VOLTAGE
low voltage
- 5m lead wire
- IP44
- 8 FUNCTIONS
8 functions



9 008606 253012




L 14000 + 5000 lead

- LED
x700
- RGB
RGB
- SAFE LOW VOLTAGE
low voltage
- 5m lead wire
- IP44
- 8 FUNCTIONS
8 functions



9 008606 253036



411348N BERRY MINI LIGHT CHAIN X300

berry lights; plastic, black / plastic, white



411351N BERRY MINI LIGHT CHAIN X700


berry lights; plastic, black / plastic, white

L 6000 + 5000 lead

- LED
x300
- golden warm WHITE
2000K
- SAFE LOW VOLTAGE
low voltage
- 5m lead wire
- IP44
- 8 FUNCTIONS
8 functions



9 008606 253005




L 14000 + 5000 lead

- LED
x700
- golden warm WHITE
2000K
- SAFE LOW VOLTAGE
low voltage
- 5m lead wire
- IP44
- 8 FUNCTIONS
8 functions



9 008606 253029






MY CONTROL

Turn your home into a smart home with EGLO's my control. Using the app or voice control, you can dim and tune your lights, set timers, and personalise your lights according to your schedule.

SMARTEN UP YOUR LIGHTING



EGLO my control offers a range of globes and lighting equipment to suit various applications. Offering both tunable white and RGB options, the EGLO my control range allows you to create an ambience in your home to suit your mood.



Dimmable & tunable colour temperature from warm white to daylight. Select your light from over 50,000 white tones.

Tunable White





Diverse lighting selection from 16 million colours.

RGB Colors




Enjoy relaxing moments

Stay focused & efficient




Start the day fresh every morning




Create the perfect atmosphere



Timers and Schedules

Make your daily life easier by setting timers and schedules to suit your routine.



Voice Commands

Controllable via intelligent voice assistants such as Google Home, Amazon Echo & Siri.





204677 E27-LED-A60

illuminant; plastic

2700K-6500K + RGB

* Voice control device not included

L 118, Ø 60



9 008606 215614




204678 B22-LED-A60

illuminant; plastic

2700K-6500K + RGB

* Voice control device not included

L 116, Ø 60



9 008606 215621





204771N MY CONTROL LED STRIP KIT

strip luminaire; plastic, white

* Voice control device not included

3000K-5000K + RGB

5m kit

L 5000




30W
(6W/M)



204774N MY CONTROL SMART PLUG

plastic, white

H 64, W 54, L 117



204771N



204773N




204772N MY CONTROL ROYSTAR

recessed luminaire; plastic, white

* Voice control device not included

3000K - 5000K

H 67, Ø 108




204773N MY CONTROL ROYSTAR

recessed luminaire; plastic, white

* Voice control device not included

2700K - 6500K + RGB

H 38, Ø 110





LED Globes

The LED globe range from EGLO covers a vast array of applications in your home. Enlighten your space with smooth, homogeneous light and enjoy the energy saving benefits of LED.



206456 E14-LED-C35

illuminant; glass, frosted

L 77, Ø 45



206457 E27-LED-C35

illuminant; glass, frosted


L 77, Ø 45



206465 E14-LED-C35

illuminant; glass, frosted

L 77, Ø 45



206466 E27-LED-C35

illuminant; glass, frosted

L 77, Ø 45





206458 B15-LED-C35

illuminant; glass, frosted

L 77, Ø 45



206459 B22-LED-C35

illuminant; glass, frosted


L 77, Ø 45



206467 B15-LED-C35

illuminant; glass, frosted


L 77, Ø 45



206468 B22-LED-C35

illuminant; glass, frosted

L 77, Ø 45





206452 E14-LED-C35

illuminant; glass, clear

L 77, Ø 45



206453 E27-LED-C35

illuminant; glass, clear


L 77, Ø 45



206461 E14-LED-C35

illuminant; glass, clear


L 77, Ø 45



206462 E27-LED-C35

illuminant; glass, clear

L 77, Ø 45





206454 B15-LED-C35

illuminant; glass, clear

L 77, Ø 45



206455 B22-LED-C35

illuminant; glass, clear


L 77, Ø 45



206463 B15-LED-C35

illuminant; glass, clear


L 77, Ø 45



206464 B22-LED-C35

illuminant; glass, clear

L 77, Ø 45





206438 E14-LED-C35

illuminant; glass, frosted

L 98, Ø 35



206439 E27-LED-C35

illuminant; glass, frosted

L 98, Ø 35



206447 E14-LED-C35

illuminant; glass, frosted

L 98, Ø 35



206448 E27-LED-C35

illuminant; glass, frosted

L 98, Ø 35





206441 B15-LED-C35

illuminant; glass, frosted


L 98, Ø 35



206442 B22-LED-C35

illuminant; glass, frosted

L 98, Ø 35



206449 B15-LED-C35

illuminant; glass, frosted


L 98, Ø 35



206451 B22-LED-C35

illuminant; glass, frosted

L 98, Ø 35





206434 E14-LED-C35

illuminant; glass, clear

L 98, Ø 35



206435 E27-LED-C35

illuminant; glass, clear

L 98, Ø 35



206443 E14-LED-C35

illuminant; glass, clear


L 98, Ø 35



206444 E27-LED-C35

illuminant; glass, clear

L 98, Ø 35





206436 B15-LED-C35

illuminant; glass, clear


L 98, Ø 35



206437 B22-LED-C35

illuminant; glass, clear

L 98, Ø 35



206445 B15-LED-C35

illuminant; glass, clear


L 98, Ø 35



206446 B22-LED-C35

illuminant; glass, clear

L 98, Ø 35






205428 E27-LED-A60

illuminant; glass, frosted

L 110, Ø 60



205429 B22-LED-A60

illuminant; glass, frosted


L 110, Ø 60



205431 E27-LED-A60

illuminant; glass, frosted

L 110, Ø 60



205432 B22-LED-A60

illuminant; glass, frosted

L 110, Ø 60






205433 E27-LED-A60

illuminant; glass, clear

L 110, Ø 60



205434 B22-LED-A60

illuminant; glass, clear


L 110, Ø 60



205435 E27-LED-A60

illuminant; glass, clear

L 110, Ø 60



205436 B22-LED-A60

illuminant; glass, clear

L 110, Ø 60






205437 E27-LED-A60

illuminant; glass, frosted


L 110, Ø 60



205438 B22-LED-A60

illuminant; glass, frosted


L 110, Ø 60



205439 E27-LED-A60

illuminant; glass, frosted

L 110, Ø 60



205441 B22-LED-A60

illuminant; glass, frosted

L 110, Ø 60






205442 E27-LED-A60

illuminant; glass, clear


L 110, Ø 60



205443 B22-LED-A60

illuminant; glass, clear



L 110, Ø 60



205444 E27-LED-A60

illuminant; glass, clear

L 110, Ø 60



205445 B22-LED-A60

illuminant; glass, clear

L 110, Ø 60






9W E27
2700K

1055 lm
5 year warranty

205446 E27-LED-A60

illuminant; glass, frosted

L 110, Ø 60



9 008606 247097




9W B22
2700K

1055 lm
5 year warranty

205447 B22-LED-A60

illuminant; glass, frosted

L 110, Ø 60



9 008606 247103




9W E27
5000K

1055 lm
5 year warranty


205448 E27-LED-A60

illuminant; glass, frosted

L 110, Ø 60



9 008606 247110



9W B22
5000K

1055 lm
5 year warranty

205449 B22-LED-A60

illuminant; glass, frosted

L 110, Ø 60



9 008606 247127






205451 E27-LED-A60

illuminant; glass, clear


L 110, Ø 60



205452 B22-LED-A60

illuminant; glass, clear



L 110, Ø 60



205453 E27-LED-A60

illuminant; glass, clear

L 110, Ø 60



205454 B22-LED-A60

illuminant; glass, clear

L 110, Ø 60






205424 E27-LED-G95

illuminant; glass, clear

L 138, Ø 95



205948 E27-LED-G95

illuminant; glass, clear


L 138, Ø 95mm



205952 B22-LED-G95

illuminant; glass, clear


L 138, Ø 95mm



205425 B22-LED-G95

illuminant; glass, clear

L 138, Ø 95






205949 E27-LED-G95

illuminant; glass, clear



L 138, Ø 95mm



205951 E27-LED-G95

illuminant; glass, clear

L 138, Ø 95mm



205953 B22-LED-G95

illuminant; glass, clear



L 138, Ø 95mm



205954 B22-LED-G95

illuminant; glass, clear

L 138, Ø 95mm






205426 E27-LED-G125

illuminant; glass, clear


L 172, Ø 125



205955 E27-LED-G125

illuminant; glass, clear


L 170, Ø 125mm



205427 B22-LED-G125

illuminant; glass, clear


L 172, Ø 125



205958 B22-LED-G125

illuminant; glass, clear

L 170, Ø 125mm





205956 E27-LED-G125

illuminant; glass, clear

L 170, Ø 125mm



205957 E27-LED-G125

illuminant; glass, clear


L 170, Ø 125mm



205959 B22-LED-G125

illuminant; glass, clear


L 170, Ø 125mm



205961 B22-LED-G125

illuminant; glass, clear

L 170, Ø 125mm






205422 E27-LED-ST64

illuminant; glass, clear


L 140, Ø 64



205962 E27-LED-ST64

illuminant; glass, clear


L 140, Ø 64mm



205423 B22-LED-ST64

illuminant; glass, clear


L 140, Ø 64



205965 B22-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm





205963 E27-LED-ST64

illuminant; glass, clear


L 140, Ø 64mm



205964 E27-LED-ST64

illuminant; glass, clear


L 140, Ø 64mm



205966 B22-LED-ST64

illuminant; glass, clear


L 140, Ø 64mm



205967 B22-LED-ST64

illuminant; glass, clear

L 140, Ø 64mm





110062 E27-LED-A75

illuminant; glass, golden age



110063 E27-LED-G80

illuminant; glass, golden age



110064 E27-LED-G95

illuminant; glass, golden age

L 133, Ø 75

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 227952



L 122, Ø 80

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 227969



L 140, Ø 95

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 227976



110065 E27-LED-G125

illuminant; glass, golden age



110067 E27-LED-ST64

illuminant; glass, golden age



110066 E27-LED-ST48

illuminant; glass, golden age

L 167, Ø 125

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 227983



L 143, Ø 64

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 228003




L 102, Ø 48

E27
 4W
 warm WHITE 1700K
 25000h
 dimmable
 220-240V, 50/60Hz
 CRI >80



9 008606 227990





320 lm

5 year warranty

110068 E27-LED-T32

illuminant; glass, golden age



320 lm

5 year warranty

110069 E14-LED-C37

illuminant; glass, golden age




320 lm

5 year warranty


110071 E14-LED-CF35

illuminant; glass, golden age

L 125, Ø 32



L 98, Ø 37



L 118, Ø 35





113044 E27-LED-A75

illuminant; glass, amber



113045 E27-LED-G80

illuminant; glass, amber



113046 E27-LED-G95

illuminant; glass, amber

L 135, Ø 75

E27
 4W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232406



L 120, Ø 80

E27
 4W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232413



L 140, Ø 95

E27
 4W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232420



113047 E27-LED-G125

illuminant; glass, amber



113049 E27-LED-ST48

illuminant; glass, amber



113048 E27-LED-ST64

illuminant; glass, amber

L 173 Ø 125

E27
 4,5W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232437



L 100, Ø 48

E27
 3,5W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232451



L 140, Ø 64

E27
 4W
 2200K
 25000h
 Step Dim
 220-240V, 50/60Hz
 15000x
 CRI >80



9 008606 232444





113046



110316 E27-LED-G80

illuminant; glass, clear

L 126, Ø 80mm

- E27
- 7.3W
- warm WHITE
2000K
- not dimmable
- 220-240V,
50/60Hz



110307 E27-LED-ST48

illuminant; glass, clear

L 100, Ø 48mm

- E27
- 7.3W
- warm WHITE
2700K
- not dimmable
- 220-240V,
50/60Hz




110317 E27-LED-G125

illuminant; glass, clear

L 173, Ø 125mm

- E27
- 7.3W
- warm WHITE
2000K
- not dimmable
- 220-240V,
50/60Hz



110318 E27-LED-ST64

illuminant; glass, clear

L 143, Ø 64mm

- E27
- 7.3W
- warm WHITE
2000K
- not dimmable
- 220-240V,
50/60Hz






245 lm

5 year warranty

110079 E27-LED-G80

illuminant; glass, amber

L 120, Ø 80




245 lm

5 year warranty

110081 E27-LED-G95

illuminant; glass, amber

L 137, Ø 95



9 008606 228119



4W ~ 30W



9 008606 228126



4W ~ 30W



245 lm

5 year warranty

110082 E27-LED-G125

illuminant; glass, amber

L 167, Ø 125



245 lm

5 year warranty

110083 E27-LED-ST64

illuminant; glass, amber

L 142, Ø 64




180 lm

5 year warranty

110202 E27-LED-T30

illuminant; glass, amber

L 185, Ø 30



9 008606 228133



4W ~ 30W




9 008606 228140



4W ~ 30W



9 008606 238217




4W ~ 30W



110089 E27-LED-A75

illuminant; glass, copper vaporised


L 130, Ø 75



110091 E27-LED-G80

illuminant; glass, copper vaporised


L 120, Ø 80



110092 E27-LED-G95

illuminant; glass, copper vaporised


L 137, Ø 95



110093 E27-LED-G125

illuminant; glass, copper vaporised

L 170, Ø 125



110094 E27-LED-ST64

illuminant; glass, copper vaporised


L 142, Ø 64



110203 E27-LED-T30

illuminant; glass, copper vaporised

L 185, Ø 30





110092



100 lm
5 year warranty

110086 E27-LED-G95

illuminant; glass, black transparent



100 lm
5 year warranty

110087 E27-LED-G125

illuminant; glass, black transparent




100 lm
5 year warranty

110088 E27-LED-ST64

illuminant; glass, black transparent


L 137, Ø 95



L 170, Ø 125



L 142, Ø 64



9 008606 228171



9 008606 228188



9 008606 228195



11819




50 lm
5 year warranty

110201 E27-LED-T30

illuminant; glass, black transparent

L 185, Ø 30



9 008606 238200





110119 E27-LED-B95

illuminant; glass, amber pattern



110117 E27-LED-G150




illuminant; glass, amber pattern





110118 E27-LED-G95

illuminant; glass, amber pattern



L 167, Ø 95



L 200, Ø 150



L 139, Ø 93



110057 E27-LED-T30

illuminant; glass, amber



11818 E27-LED-CUBE




illuminant; glass, amber




11819 E27-LED-CUBE

illuminant; glass, black transparent



L 185, Ø 30



L 155, Ø 95



L 155, Ø 95





110252 E27-LED-CL150

illuminant; glass, amber

L 205, Ø 150mm



110253 E27-LED-CL1200

illuminant; glass, amber

L 290, Ø 200mm



110245 E27-LED-OR150

illuminant; glass, amber

L 205, Ø 150mm



110246 E27-LED-OR200

illuminant; glass, amber

L 290, Ø 200mm





110254 E27-LED-CL150

illuminant; glass, black vapourised

L 205, Ø 150mm



110255 E27-LED-CL1200

illuminant; glass, black vapourised

L 290, Ø 200mm



110247 E27-LED-OR150

illuminant; glass, black vapourised

L 205, Ø 150mm



110248 E27-LED-OR200

illuminant; glass, black vapourised

L 290, Ø 200mm






110275 E27-LED-CF78

illuminant; glass, black vapourised

L 255, Ø 255mm



110276 E27-LED-CF78

illuminant; glass, amber

L 255, Ø 255mm



110277 E27-LED-CF78

illuminant; glass, copper vapourised


L 255, Ø 255mm



110278 E27-LED-CF117

illuminant; glass, black vapourised

L 345, Ø 117mm



110279 E27-LED-CF117

illuminant; glass, amber


L 345, Ø 117mm



110281 E27-LED-CF117

illuminant; glass, copper vapourised

L 345, Ø 117mm





110276



110113 E27-LED-B80

illuminant; glass, amber

L 173, Ø 80

E27
 4W
 2200K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 CRI >80



110114 E27-LED-BR150

illuminant; glass, amber

L 160, Ø 150

E27
 4W
 2200K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 CRI >80



110115 E27-LED-T125

illuminant; glass, amber

L 175, Ø 125

E27
 4W
 2200K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 CRI >80



110116 E27-LED-R40

illuminant; glass, amber

L 150, Ø 140

E27
 4W
 2200K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 CRI >80





470 lm

5 year warranty

110106 E27-LED-E140

illuminant; glass, amber



470 lm

5 year warranty

110107 E27-LED-PS160

illuminant; glass, amber




470 lm

5 year warranty

110108 E27-LED-G200

illuminant; glass, amber

L 340, Ø 140



9 008606 228355



4.5W ~ 35W

L 320, Ø 160



9 008606 228362



4.5W ~ 35W

L 305, Ø 200



9 008606 228379



4.5W ~ 35W



806 lm

5 year warranty

110109 E27-LED-E140

illuminant; glass, amber



806 lm

5 year warranty

110111 E27-LED-PS160

illuminant; glass, amber




806 lm

5 year warranty

110112 E27-LED-G200

illuminant; glass, amber

L 330, Ø 140



9 008606 228386



8W ~ 60W

L 305, Ø 160



9 008606 228393



8W ~ 60W

L 290, Ø 200



9 008606 228409



8W ~ 60W



110224 E27-LED-T120

illuminant; glass, blue, black transparent



110225 E27-LED-T120

illuminant; glass, brown, black transparent




110226 E27-LED-T120

illuminant; glass, purple, black transparent


L 210, Ø 120



L 210, Ø 120



L 210, Ø 120



9 008606 242849



4W

33W



9 008606 242856



4W

33W



9 008606 242863



4W

33W



110235 E27-LED-T90

illuminant; glass, blue, black transparent



110236 E27-LED-T90


illuminant; glass, brown, black transparent




110237 E27-LED-T90

illuminant; glass, purple, black transparent


L 245, Ø 100



L 245, Ø 100



L 245, Ø 100



9 008606 242924



4W

33W



9 008606 242931




4W

33W



9 008606 242948



4W

33W



110 lm





5 year warranty

LED

110227 E27-LED-T120

illuminant; glass, grey, black transparent

L 210, Ø 120

-  E27
-  4W
-  warm WHITE 1800K
-  dimmable
-  220-240V, 50/60Hz



9 008606 227914



4W

33W



110 lm






5 year warranty

LED

110238 E27-LED-T90

illuminant; glass, grey, black transparent

L 245, Ø 100

-  E27
-  4W
-  warm WHITE 1800K
-  dimmable
-  220-240V, 50/60Hz



9 008606 242955



4W

33W



110236

110237

110235



12552



LED

85 lm

5 year warranty

12552 E27-LED-T180

illuminant; blue, black transparent

L 295, Ø 180



220-240V,
50/60Hz



9 002759 125523



LED

100 lm

5 year warranty

12553 E27-LED-T180

illuminant; brown, black transparent


L 295, Ø 180



220-240V,
50/60Hz



9 002759 125530



LED

85 lm

5 year warranty

12554 E27-LED-T180

illuminant; purple, black transparent

L 295, Ø 180



220-240V,
50/60Hz



9 002759 125547



LED

85 lm

5 year warranty

12588 E27-LED-T180

illuminant; grey, black transparent


L 295, Ø 180



220-240V,
50/60Hz



9 002759 125882





12555 E27-LED-G125

illuminant; blue, black transparent

L 173, Ø 125



220-240V,
50/60Hz



9 002759 125554



12556 E27-LED-G125

illuminant; brown, black transparent

L 173, Ø 125



220-240V,
50/60Hz



9 002759 125561



12557 E27-LED-G125

illuminant; purple, black transparent

L 173, Ø 125



220-240V,
50/60Hz



9 002759 125578



12589 E27-LED-G125

illuminant; grey, black transparent

L 173, Ø 125



220-240V,
50/60Hz



9 002759 125899





12274 E27-LED-T110

illuminant; blue, black transparent

L 280, Ø 110



220-240V,
50/60Hz



9 002759 122744



12275 E27-LED-T110

illuminant; brown, black transparent

L 280, Ø 110



220-240V,
50/60Hz



9 002759 122751



12276 E27-LED-T110

illuminant; purple, black transparent


L 280, Ø 110



220-240V, >80
50/60Hz



9 002759 122768



12277 E27-LED-T110

illuminant; grey, black transparent


L 280, Ø 110



220-240V,
50/60Hz



9 002759 122775








350 lm

5 year warranty

110017 E14-LED-CF35

illuminant; glass, clear

L 121, Ø 35






800 lm

5 year warranty

204813 E27-LED-R80

illuminant; glass, clear

L 115, Ø 80





470 lm

5 year warranty

110045 E14-LED-CF35

illuminant; glass, opal


L 120, Ø 35



204812 E27-R125- HEAT LAMP

illuminant; glass, clear

L 180, Ø 120









500 lm
5 year warranty

110295 GU10-LED

illuminant; glass, black




500 lm
5 year warranty

110296 GU10-LED

illuminant; glass, black

L 56, Ø 50mm

GU10
 5.8W
 warm WHITE 3000K
 Dimmable
 220-240V, 50/60Hz
 15000x
 120°
 CRI >80



L 56, Ø 50mm

GU10
 5.8W
 neutral WHITE 4000K
 Dimmable
 220-240V, 50/60Hz
 15000x
 120°
 CRI >80



345 lm
5 year warranty

110149 GU10-LED

illuminant; glass



345 lm
5 year warranty

205299 GU10-LED

illuminant; glass



400 lm
5 year warranty

205119 GU10-LED

illuminant; plastic

3000K | 4000K | 5000K

L 53, Ø 50

GU10
 5W
 warm WHITE 3000K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 38°
 CRI >80



L 54, Ø 50

GU10
 5W
 neutral WHITE 4000K
 25000h
 dimmable
 220-240V, 50/60Hz
 15000x
 38°
 CRI >80



L 54, Ø 50

GU10
 5W
 TRI COLOUR 3000K, 4000K, 5000K
 15000h
 dimmable
 220-240V, 50/60Hz
 15000x
 38°
 DIP dip switch
 CRI >80





204677 E27-LED-A60

illuminant; plastic

* Voice control device not included

2700K-6500K + RGB

L 118, Ø 60



220-240V,
50/60Hz

4000x

>80



9 008606 215614



204678 B22-LED-A60

illuminant; plastic

* Voice control device not included

2700K-6500K + RGB

L 116, Ø 60



220-240V,
50/60Hz

4000x


>80



9 008606 215621



11669



11669 E14-HALOGEN-T22

illuminant; glass, 300° C oven globe

L 50, Ø 22




220-240V,
50/60Hz

4000x

>80



9 002759 116699





180 lm

5 year warranty



110291 E14-LED-PUCK

illuminant; glass, black

L 52, Ø 30mm



180 lm

5 year warranty



110292 E27-LED-PUCK

illuminant; glass, black

L 47, Ø 32mm



110292




360 lm

5 year warranty


110156 G9-LED

illuminant; plastic

L 49, Ø 17



9 008606 228805





360 lm

5 year warranty


110157 G9-LED

illuminant; plastic

L 49, Ø 17



9 008606 228812



806 lm

5 year warranty

110228 R7S-LED

illuminant; glass, black

L 118, Ø 16mm





LED

205404 E27-LED 12V

illuminant; plastic, clear

2700K warm white LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239573



L 85
Ø 45



LED

205405 E27-LED 12V

illuminant; plastic, clear

Red LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239580



L 85
Ø 45



LED

205406 E27-LED 12V

illuminant; plastic, clear

Blue LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239597



L 85
Ø 45



LED

205407 E27-LED

illuminant; plastic, clear

Green LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239603



L 85
Ø 45



LED

205408 E27-LED 12V

illuminant; plastic, clear

Yellow LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239610



L 85
Ø 45




LED

205409 E27-LED 12V

illuminant; plastic, clear

Pink LED replaceable globe for EGLO festoon kits

L 85, Ø 45



9 008606 239627



L 85
Ø 45



205405

205406



INDEX & REGISTER

REGISTER

SERIES NAME

name	page	name	page	name	page	name	page
ABREOSA	246	CAPOSILE	312	ENTRIMO	496	LANKY	340, 341
ADRI 3	199, 442	CAPRICE	387	EREMITANA	485	LARA	454-460
ALAMONTE 1	493	CARLTON	196	ESTANERIOS	268	LASANA 2	301
ALAMONTE 3	492	CARLTON 1	190, 192, 195, 325, 383,	FAEDO 3	502	LAYHAM	309
ALCUDIA	354	CARLTON 4	445	FAIRY LIGHTS	514-515	LESMO	486
ALDERNEY	231	CARLTON 5	192, 445	FAMBOROUGH	282	LISCIANA	303
ALOBRASE	280	CARTAGENA	402, 405, 430	FARSALA	300	LITTLETON	172, 380
AMSFIELD	291	CASCINETTA	489	FENOULLET 1	223, 346, 389	LONCINO	298, 328
ARISCANI	275	CASTRALVO	281	FESTOON LIGHTS	506-513	LONCINO 1	328
AYCLIFFE	287	CAYUCA	417	FREMANTLE	468-479	LUBENHAM	177, 434, 435
AYESGARTH	290	CHAMPERICO	238	GATUELA	251	LUBENHAM 1	200, 434, 435
BARBOTTO	153, 428	CHOPPER	500, 501	GEMILIANA	352	LURONE	431
BASILDON	262, 263	CLEVEDON	236	GEO	440	MANBY	166, 432
BASILDON 1	439	CLIMENE 2	205, 206, 375	GIANELLA	241	MARBELLA	215, 388
BEIRES	318, 319	CONGRESBURY	312	GITA 2	366	MARDYKE	164, 445
BEN	462, 463	CONNOR	465	GLYNEATH	290	MARGHERA 1	344
BERNABETA	252, 254	CONTESSORE	436	GOROSIBA	260	MARGHERA 2	344
BERRY MINI	519	CONTRISA	233	GRAFIK	386	MAYAZES	150, 151, 429
BOCAL	326, 447	COPILOS	167, 442	HAMBLETON	208, 327, 448, 449	MENTALONA	257
BONARES 1	330	CORTENOVA	277	HANIFA	330	METRASS	379
BONDI	67-70	CREMELLA	267	HAXLEY	289	MIOGLIA	314
BOVOLONE	491	CUMARIBO	414	HEATFLOW	144, 145	MIRANDOLA	488
BOYAL	159, 160, 381	CUMARIBO	414	HETTONLE	287	MOLINEROS	258, 259
BRADFORD	184	CURRUMBIN	16-21	HORNWOOD	174, 380	MONTEFINO	276
BUDRONE	487	DAVIDA	418	ICICLE LIGHTS	516	MONTEFIO 2	316
BURLEIGH	498	DAVIDA 1	419	ILUKA	101-104	MONTEZUELO	285
BUZZ-LED	424	DAVIDA 2	421, 423	ILUKA HUGGER	107-110	MORESCANA	163, 432
CABARITA	97 -98	DEERHURST	308	INFERNO	146	MURCIA	329
CADAQUES 1	297	DELILAH	342	IPSDEN	264	MY CONROL SMART PLUG	524
CALMEILLES	220, 389	DETECT ME	504, 505	JABALOYAS	374	MY CONTROL LED STRIP KIT	524
CALMEILLES 1	219	DIEGO	336	JADIDA	330	MY CONTROL ROYSTAR	525
CALMEILLES 1	219	DUANERA	495	JASPER	464	NARICES	247
CALPINO	484	EMBLETON	266	KURRAWA	22-27	NEMO	386
CANTERRAS	256	ENCINITOS	245	LANACERA	154, 156, 373	NET LIGHTS	518

name	page	name	page	name	page
NEWTOWN	188, 327, 446	SAMBA	140, 141	TROY 3	213, 387
NOOSA	80-87	SAMBUCONA	288	TRURO 2	312
NOOSA TIMBER	91-94	SANIA 5	378	VALLASPRA	281
OILELLA	273	SANTANDER	449	VALPARAISO	227, 348
OLDBURY	311	SAVOY	216, 388	VALPARAISO 1	224, 349
OLLIE	334, 335	SEACLIFF	113-122	VENEZUELA	248
Oven globe	574	SEGOVIA	230	VESUVIUS	142, 143
PAISANO	170, 439	SELVINO	297	VILLAGRAZIA 2	482, 483
PALMERA 1	354	SERAS	406, 409	WAIKIKI	125-128
PALMITAL 2	357	SERAS 1	413	ZUBIALDE	376
PANDELLA 1	362-365	SERAS 2	410		
PARK	496	SIDERNO	358		
PASSA	377	SONCINO	490		
PASTERI	210, 211, 384, 340	STAVERTON	237		
PIANOPOLI	317	STRADBROKE	59-64		
PIANOPOLI 1	317	STYPE	246		
PINTO	296	SURF	40-56		
POZUETA	278	TABIANO 2	360, 361		
PRIDDY	202, 383, 444	TALBOT	448		
PRINCIPE	346	TAMALLAT	296		
RAMPSIDE	182, 383, 437	TAMARESCO	169		
RAZONI	234	TANURA	372		
RAZONI 1	234	TARBES	186, 187, 324, 383		
RIGA	497	TAREGA	302		
RIPPA 2	400	TAVISTOCK	292		
RIPPA 2 SENSOR	400	TAZZOLI	385		
ROCAMAR	299	TONARELLA	242		
ROCCAFORTE	293	TORQUAY	72-78		
ROCCAMENA	446	TOURBILLION	28-38		
ROMAZZINA	270, 271	TOWNSHEND	178, 180, 380, 438		
ROMENDO 2	369	TOWNSHEND 4	185, 340		
RONDO	305-307	TRAGACETE	359		
ROYSTAR	339, 392-399	TRECATE	490		
SABINAR	295	TREE LIGHTS	517		



REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
11669	574	39489	224, 349	39765N	169	43472	312
11818	557	39491	224, 349	39766N	169	43551N	264
11819	557	39492	224, 349	39877N	167, 442	43552N	264
12274	569	39493	224, 349	39911N	150	43569N	439
12275	569	39494	224	39912N	150	43576N	296
12276	569	39495	224	39913N	151, 429	43643N	164
12277	569	39527	314	39914N	151, 429	43644	164
12552	567	39528	314	39916N	436	43646N	164, 445
12553	567	39545	317	39917N	436	43679N	187
12554	567	39547	316	43001N	195	43681N	187
12555	568	39602	223, 346	43045	174	43692N	246
12556	568	39604	223, 389	43046	174, 380	43695N	246
12557	568	39605	223	43058N	445	43795N	166
12588	567	39606	223	43077N	192, 445	43797N	166, 432
12589	568	39611	220	43152	185, 380	43814N	196
31594N	210, 440	39612	220	43162N	177	43815N	196
32917	180, 380	39613	220	43163N	177	43866N	290
32918N	180, 438	39614	220	43165N	177, 435	43868N	287
32919N	180, 438	39615	220, 389	43166N	177, 435	43869N	289
33345N	293	39624	219	43167N	200	43871N	287
33776N	495	39625	219	43168N	200	43873N	290
33777N	495	39626	219	43171N	200, 435	43909N	196
39245	317	39627	219	43172N	200, 434	49071N	292
39286	344	39628	219, 389	43194	182	49074N	292
39287	344	39647N	405	43197N	182, 383	49081	186, 383
39313	242	39648N	405	43197N	437	49141N	236
39314	242	39649N	405	43199N	182, 437	49213	184
39401	346	39654N	374	43256	182	49247	312
39402	346	39701N	252	43344N	237	49254N	190
39457	227, 348	39702N	252	43413N	282	49255N	192
39458	227, 348	39703N	252	43414N	282	49275N	448
39459	227, 348	39704N	252	43424N	174	49283N	184
39461	227	39725N	258	43461N	262	49464	202
39461	348	39726N	259	43462N	263	49468	202, 383
39462	227	39727N	259	43463N	263	49469N	202, 444
39463	227	39764N	169	43468N	309	49471N	202, 444

name	page	name	page	name	page	name	page
49472	188	85856	215	96104	301	98065N	442
49473N	172	85857	215	96207	496	98066N	199, 442
49477	188	85858	215	96343N	300	98193	358
49478	188	85859	215, 388	96344N	300	98273N	493
49479	188	85977	213	96345N	300	98397N	410
49481N	188, 446	85978	213	96373	210, 384	98398N	410
49489	208	85979N	213, 387	96374	211, 384	98399N	410
49495	298	89832	296	96375N	210	98408N	410
49496	298	89833	296	96376N	210	98585N	297
49549N	172	91856N	387	96477	211, 384	98592	281
49646N	446	92251	234	96566	385	98614N	280
49684	311	92252	234	96567	385	98615N	280
49685	311	93662	317	96981N	295	98627N	314
49698	172, 380	93663	317	96982N	295	98651N	275
49702N	308	94102	497	96983N	295	98653	275
49744	178	94103	497	96991N	447	98654	275
49761N	266	94106	497	96992N	447	98661N	278
49762N	266	94107	497	96993N	447	98663N	278
49771	291	94187	186	97241	484	98687N	251
49772	291	94188	186	97242	484	98713N	489
49844N	208	94191	186	97261	491	98719N	488
49851	312	94592	299	97294	490	98752N	260
49859	185	94593	299	97296	490	98754N	260
49878N	190	94713	366	97366	276	99345N	267
49932N	195	94714	366	97367	276	99346N	267
49949N	208, 449	94788	493	97368	276	99353	159, 381
49991N	190	94831	493	97718	358	99408	159
49992	190, 383	94832	493	97719	358	99413	160
49997N	190	94924	210, 384	97793	281	99457N	159
81828N	440	94946N	449	97841N	293	99464N	251
83119	386	95118N	210, 440	97845N	293	99466	159, 381
83433	496	95499	178	98056N	277	99467	159
84028	386	95525	302	98057	277	99468	160
85261N	307	95526	302	98058	277	99469N	159
85262N	307	96037	379	98063N	199	99511	246
85263N	307	96038	379	98065N	199	99544N	256

REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
99545N	256	110108	563	110277	560	202625	394
99591N	247	110109	563	110278	560	202626	396
99592N	247	110111	563	110279	560	202627	394
99614N	273	110112	563	110281	560	202628	396
99616N	273	110113	562	110291	575	202629	394
99624	160	110114	562	110292	575	202631	396
99625	160	110115	562	110295	573	202779	385
99665N	245	110116	562	110296	573	202938	364
99666N	245	110117	557	110307	552	202939	364
99691N	378	110118	557	110316	552	202964	28
110017	570	110119	557	110317	552	202966	31
110045	570	110149	573	110318	552	202969	87
110057	557	110156	575	113044	550	202971	87
110062	548	110157	575	113045	550	202972	89
110063	548	110201	556	113046	550	202973	89
110064	548	110202	553	113047	550	203191N	295
110065	548	110203	554	113048	550	203192N	295
110066	548	110224	564	113049	550	203193N	295
110067	548	110225	564	200671	419	203309	328
110068	549	110226	564	200672	419	203311	328
110069	549	110227	565	200673	419	203312	186, 324
110071	549	110228	575	200674	419	203313	186, 324
110079	553	110235	564	200692	424	203316	192, 325
110081	553	110236	564	200693	424	203317	192, 325
110082	553	110237	564	200694	424	203319	195, 325
110083	553	110238	565	200695	424	203324	188, 327
110086	556	110245	558	201995	418	203325	330
110087	556	110246	558	201996	418	203326	330
110088	556	110247	559	201997	418	203336	329
110089	554	110248	559	201998	418	203337	329
110091	554	110252	558	202111	354	203338	329
110092	554	110253	558	202112	354	203339	329
110093	554	110254	559	202619N	392	203353	326
110094	554	110255	559	202622	396	203354	326
110106	563	110275	560	202623	394	203355	326
110107	563	110276	560	202624	396	203357	330

name	page	name	page	name	page	name	page
203358	330	204113	91	204393	501	204578	206
203367	28	204114	91	204394	500	204579	206
203368	31	204115	92	204395	501	204581	206, 375
203369	85	204116	92	204399	336	204677	523, 574
203371	85	204117	92	204401	336	204678	523, 574
203372	88	204152	142	204402	336	204731N	209, 448
203373	88	204153	143	204403	336	204735	167
203377	397	204154	144	204404	498	204739	67
203378	397	204155	144	204405	498	204741	68
203379	397	204156	145	204406	339	204742	69
203381	397	204157	145	204407	339	204743	70
203382	397	204158	146	204408	339	204762	341
203424	365	204159	146	204409	339	204763	340
203425	365	204227	93	204411	339	204764	341
203619	67	204228	93	204412	339	204765	340
203621	67	204229	93	204413	339	204766	341
203622	68	204231	94	204414	339	204767	341
203623	68	204232	94	204415	339	204771N	524
203624	69	204233	94	204416	339	204772N	393, 525
203625	69	204326	423	204516	359	204773N	393, 525
203626	70	204327	423	204517	359	204774N	524
203627	70	204328	423	204518	504	204781	80
203653N	502	204329	423	204519	504	204782	80
203655N	502	204331	421	204521	504	204787	81
203657N	502	204332	421	204522	504	204788	81
203786N	502	204333	421	204523	504	204794	82
203788N	502	204334	421	204526	505	204795	82
203791N	502	204351	98	204527	505	204801	84
203903	399	204352	98	204528	505	204802	84
203904	399	204353	97	204529	505	204807	29
203905N	392	204354	97	204531N	209, 448	204808	33
203906N	392	204387	500	204573	205	204812	570
203907N	392	204388	500	204574	205	204813	570
203937	364	204389	500	204575	205	204918	208, 327
203938	365	204391	500	204576	205, 375	204954	216
204112	91	204392	500	204577	206	204955	216

REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
204955	388	205159N	297	205269N	450	205406	513, 576
204956	216	205161N	278	205271N	451	205407	513, 576
205008	305	205162	376	205272N	450	205408	513, 576
205009	305	205163	376	205273N	450	205409	513, 576
205011	305	205203N	462	205274N	451	205422	546
205012	306	205204N	462	205275N	452	205423	546
205013	306	205205N	462	205276N	452	205424	542
205014	306	205206N	462	205277N	452	205425	542
205022	491	205207N	462	205278N	460	205426	544
205023	354	205208N	463	205279N	460	205427	544
205024	354	205209N	464	205281N	460	205428	536
205025	490	205211N	464	205282N	461	205429	536
205026	242	205212N	464	205283N	461	205431	536
205027	242	205213N	464	205284N	461	205432	536
205036	311	205214N	465	205299	573	205433	537
205037	357	205215N	465	205303N	400	205434	537
205038	357	205222	131	205307	254	205435	537
205039	360	205242	307	205308	254	205436	537
205041	360	205243	305	205309	254	205437	538
205042	360	205244	306	205311	254	205438	538
205043	361	205253N	454	205312	257	205439	538
205044	361	205254N	454	205313	257	205441	538
205045	360	205255N	454	205314	257	205442	539
205046	369	205256N	455	205315	413	205443	539
205047	369	205257N	455	205316	413	205444	539
205048	369	205258N	454	205317	413	205445	539
205049	369	205259N	455	205318	413	205446	540
205073	357	205261N	454	205319	377	205447	540
205074	357	205262N	454	205321	377	205448	540
205119	573	205263N	455	205353	320	205449	540
205121	216	205264	38	205354	320	205451	541
205122	216, 388	205264N	452	205357	320	205452	541
205127	131	205265N	452	205358	320	205453	541
205156N	260	205266N	452	205389	489	205454	541
205157	309	205267N	451	205404	513, 576	205466N	495
205158N	237	205268N	451	205405	513, 576	205467N	495

name	page	name	page	name	page	name	page
205468N	488	205892N	509	205974	510	206129	473
205563	38	205893N	506	205975	510	206131	468
205565	38	205894N	506	205976	511	206133	470
205576N	456	205895N	509	205977	511	206134	471
205577N	456	205896N	509	206047	231	206135	472
205578N	458	205897N	506	206048	231	206136	475
205579N	456	205898N	506	206049	230	206137	473
205581N	458	205918	482	206051	406	206138	468
205582N	458	205919	483	206052	406	206141	470
205583N	457	205921	482	206053	406	206142	471
205647N	268	205922	483	206054	406	206143	472
205648N	270	205923	483	206055	409	206144	475
205649N	273	205924	483	206056	409	206145	473
205662	236	205925	483	206057	409	206146	468
205663N	268	205926	483	206058	409	206148	470
205666	336	205948	542	206086N	153, 428	206149	471
205667	336	205949	543	206087N	153, 428	206151	472
205668	342	205951	543	206088	153	206152	475
205669	342	205952	542	206098	241	206153	473
205671	342	205953	543	206099N	393	206154	476
205686N	378	205954	543	206101	398	206155	477
205687N	374	205955	544	206102	398	206156	478
205738	372	205956	545	206103	398	206157	479
205739	372	205957	545	206104	398	206158	476
205741	485	205958	544	206105	398	206159	477
205742	485	205959	545	206106	241	206161	478
205743	303	205961	545	206107N	400	206162	479
205834	154	205962	546	206109	362	206163	476
205835	154, 373	205963	547	206111	362	206164	477
205836	154, 343	205964	547	206112	363	206165	478
205857	233	205965	546	206122N	487	206166	479
205858	233	205966	547	206123	468	206174N	141
205859	233	205967	547	206125	470	206175N	140
205861	233	205971	511	206126	471	206176N	141
205879N	486	205972	510	206127	472	206177N	140
205891N	509	205973	510	206128	475	206178	402

REGISTER

ARTICLE NUMBER

name	page	name	page	name	page	name	page
206181	402	206452	530	390222N	163, 432	900178N	431
206182	402	206453	530	390236N	288	900179N	431
206183	29	206454	531	390237N	288	900288N	487
206184	33	206455	531	390238N	170	900292N	486
206185	38	206456	528	390239N	170, 439	900379N	233
206222	130	206457	528	390262	318	900381N	233
206376N	400	206458	529	390263	318	900436N	417
206379	352	206459	529	390264	319	900437N	417
206381	352	206461	530	390265	319	900438N	417
206382	352	206462	530	410814N	515	900494N	270
206383	352	206463	531	410823N	516	900495N	270
206391	334	206464	531	410832N	514	900496N	271
206392	334	206465	528	410833N	515	900497N	271
206393	334	206466	528	410834N	515	900617N	354
206394	335	206467	529	410835N	517	900738N	230
206395	335	206468	529	410836N	515	900828N	234
206396	335	209939	363	410837N	514	900829N	234
206397	334	390049	344	410841N	514	20490901	60
206398	334	390051	344	410842N	516	20490902	60
206399	334	390069N	430	410843N	516	20490904	60
206434	534	390071N	430	410844N	516	20491201	63
206435	534	390082N	414	410845N	518	20491202	63
206436	535	390083N	414	411348N	519	20491204	63
206437	535	390084N	414	411349N	519	20491401	59
206438	532	390085N	414	411351N	519	20491402	59
206439	532	390086N	156	411352N	519	20491404	59
206441	533	390086N	343	411516N	515	20491501	62
206442	533	390087N	156	411517N	517	20491502	62
206443	534	390088N	156, 373	411518N	515	20491504	62
206444	534	390151N	285	411522N	516	20491601	61
206445	535	390152N	285	411523N	516	20491602	61
206446	535	390216N	238	411524N	518	20491604	61
206447	532	390217N	238	900136N	492	20491701	64
206448	532	390218N	163	900137N	492	20491702	64
206449	533	390219N	163	900166N	248	20491704	64
206451	533	390221N	163, 432	900167N	248	20518101	125

name	page	name	page	name	page	name	page
20518102	125	20523602	116	20549702	42	20619321	17
20518108	126	20523605	117	20549716	51	20619328	17
20518109	126	20523606	117	20549717	51	20619421	18
20518111	126	20523701	121	20549801	43	20619428	18
20518401	128	20523702	121	20549802	43	20619501	21
20518402	128	20523705	122	20549816	52	20619502	21
20518408	128	20523706	122	20549817	52		
20518409	128	20537701	101	20549901	44		
20518411	128	20537702	101	20549902	44		
20522501	72	20537715	101	20549916	53		
20522502	72	20537801	102	20549917	53		
20522512	72	20537802	102	20550101	46		
20522601	73	20537815	102	20550102	46		
20522602	73	20537901	103	20550116	54		
20522612	73	20537902	103	20550117	54		
20522701	75	20537915	103	20550201	47		
20522702	75	20538101	104	20550202	47		
20522712	75	20538102	104	20550216	56		
20522801	76	20538115	104	20550217	56		
20522802	76	20538201	107	20557501	135		
20522812	76	20538202	107	20557502	135		
20522901	77	20538215	107	20557504	135		
20522902	77	20538301	108	20557512	135		
20522912	77	20538302	108	20618601	34		
20523101	78	20538315	108	20618602	34		
20523102	78	20538401	109	20618604	37		
20523112	78	20538402	109	20618701	22		
20523401	113	20538415	109	20618702	22		
20523402	113	20538501	110	20618801	23		
20523405	114	20538502	110	20618802	23		
20523406	114	20538515	110	20618901	24		
20523501	118	20549601	40	20618902	24		
20523502	118	20549602	40	20619101	27		
20523505	119	20549616	48	20619102	27		
20523506	119	20549617	48	20619221	16		
20523601	116	20549701	42	20619228	16		

MEMO

A large grid of graph paper for writing a memo. The grid consists of 20 columns and 30 rows of small squares, providing a structured space for notes and calculations.

All previous catalogues and price lists are no longer valid with the issue of this catalogue. Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment. Products with additional safety remarks (e.g. protection class, IP) are identified within the product family with the relevant symbol and number. The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH. All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.

The product pictures and ambiances in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product. EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition: ApplePi Design, Adelaide AUSTRALIA
Pictures: EGLO, fotolia.com, istockphoto.com, Adobe Stock

APRIL 2024



EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
T 07 3375 1413
F 07 3375 1412
E info@eglolighting.com.au
W www.eglo.com.au



my light | my style